From the 11/26/2021 release of VAERS data:

Found 21,931 cases where Vaccine targets COVID-19 (COVID19) and Life Threatening

Government Disclaimer on use of this data

Table

Age	Count	Percent
< 3 Years	8	0.04%
6-9 Years	5	0.02%
9-12 Years	2	0.01%
12-17 Years	270	1.23%
17-44 Years	4,420	20.15%
44-65 Years	5,539	25.26%
65-75 Years	2,574	11.74%
75+ Years	2,502	11.41%
Unknown	6,611	30.14%
TOTAL	21,931	100%

Case Details

This is page 1 out of 44

Result pages: 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 **next**

VAERS ID: 902946 (history)
Form: Version 2.0

Age: 26.0 Sex: Male

Location: West Virginia

Vaccinated: 2020-12-17 **Onset:** 2020-12-17

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-17

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EH9899 / 1	RA / IM

Administered by: Public Purchased by: ? Symptoms: Angioedema, Peripheral swelling

SMQs:, Cardiac failure (broad), Anaphylactic reaction (broad), Angioedema (narrow), Oropharyngeal allergic conditions (narrow), Extravasation events (injections, infusions and implants) (broad), Haemodynamic oedema, effusions and fluid overload (narrow), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? Yes ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations: Other Medications: No Current Illness: None

Preexisting Conditions: None

Allergies: Sulfa (oral)
Diagnostic Lab Data: na

CDC Split Type:

Write-up: Swelling of hands follwed by angioedema

VAERS ID: 903123 (history)
Form: Version 2.0

Age: 37.0
Sex: Female
Location: Alaska

 Vaccinated:
 2020-12-16

 Onset:
 2020-12-16

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-17

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK5730 / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Activated partial thromboplastin time shortened, Alanine aminotransferase normal, Anion gap, Aspartate aminotransferase normal, Basophil count normal, Basophil percentage decreased, Blood albumin normal, Blood alkaline phosphatase normal, Blood bilirubin normal, Blood calcium normal, Blood chloride normal, Blood glucose normal, Blood magnesium normal, Blood osmolarity decreased, Blood potassium decreased, Blood sodium normal, Blood urea nitrogen/creatinine ratio, Blood urea normal, C-reactive protein increased, Chest discomfort, Dizziness, Dyspnoea, Eosinophil count normal, Eosinophil percentage decreased, Fibrin D dimer, Glomerular filtration rate decreased, Haematocrit normal,

Haemoglobin normal, Immature granulocyte count increased, Injection site pain, International normalised ratio normal, Lymphocyte count normal, Lymphocyte percentage, Mean cell haemoglobin concentration decreased, Mean cell haemoglobin normal, Mean cell volume normal, Mean platelet volume increased, Monocyte count normal, Monocyte percentage, N-terminal prohormone brain natriuretic peptide normal, Neutrophil count normal, Neutrophil percentage, Palpitations, Platelet count normal, Protein total normal, Rash, Rash erythematous, Red blood cell count normal, Red blood cell sedimentation rate increased, Red cell distribution width normal, SARS-CoV-2 test negative, Troponin T normal, White blood cell count normal

SMQs:, Rhabdomyolysis/myopathy (broad), Acute renal failure (broad), Anaphylactic reaction (narrow), Haematopoietic leukopenia (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Extravasation events (injections, infusions and implants) (broad), Hyponatraemia/SIADH (broad), Cardiomyopathy (broad), Vestibular disorders (broad), Chronic kidney disease (broad), Hypersensitivity (narrow), Tumour lysis syndrome (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypokalaemia (narrow), COVID-19 (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? No

Previous Vaccinations:

Other Medications: Eliquis, Bumetanide

Current Illness: none

Preexisting Conditions: Pulmonary Hypertension Obesity Li-Fraumeni Syndrome H/o Breast

Cancer

Allergies: Latex, Propofol, Nickel, Almonds

Diagnostic Lab Data: WBC 9.88 HGB 14.4 HCT 40.8 Platelet Count 292 RBC 4.81 MCV 84.8 MCH 29.9 MCHC 29.9 RDW 12.5 MPV 10.8 Sedimentation Rate 37 Diff Absolute Neutrophils 6.44 Absolute Imm. Granulocyte 0.01 Absolute Lymphocytes - CBC 2.94 Absolute Monocytes - 0.38 Absolute Eosinophils - 0.08 Absolute Basophils - 0.03 Neutrophils 65.2 % Immature Granulocyte 0.1% Lymphocytes 29.8% Monocytes 3.8% Eosinophils 0.8% Basophils 0.3% Coagulation Prothrombin Time 9.8 sec INR 1.0 Partial Thromboplastin Time 26.4 sec D-DIMER,QUANT 0.67mg/L ROUTINE CHEMISTRY NT-proBNP 29 BUN/Creatinine Ratio 11.4 Osmolality Calculated 277 GFR (estimated) 67 Sodium 139 Potassium 3.0 Chloride 98 CO2 30 BUN 10.7 Creatinine 0.94 Glucose Level 100 Calcium 9.5 Magnesium 1.9 Protein,Total 7.4 Albumin 4.5 AST (SGOT) 18 ALT (SGPT) 24 Alkaline Phosphatase 94 Bilirubin, Total 0.8 CRP, High-Sensitivity 1.72 Anion Gap 14 CARDIAC ISOENZYMES Troponin T <0.01 Molecular Diagnostics SARS-CoV-2 - negatieve

CDC Split Type:

Write-up: About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizzyness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.

VAERS ID: 903132 (history)
Form: Version 2.0

Age: 40.0
Sex: Female
Location: Alaska

Vaccinated: 2020-12-17 **Onset:** 2020-12-17

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-17

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK5730 /	LA / IM

Administered by: Private Purchased by: ? Symptoms: Throat tightness, Wheelchair user

SMQs:, Anaphylactic reaction (broad), Angioedema (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Hypersensitivity (broad)

Life Threatening? Yes **Birth Defect?** No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations: Influenza vaccine containing eggs

Other Medications: Amlodipine 2.5 mg daily Hydrochlorothiazide 37.5 mg daily Losartan 50

mg bid Metoprolol 50 mg daily Albuterol inhaler as needed

Current Illness: None

Preexisting Conditions: Hypertension h/o LTBI (treated)

Allergies: Chicken, reaction throat tightness Chocolate, throat tightness Egg, throat tightness

Shellfish, rash and throat tightness

Diagnostic Lab Data: CDC Split Type:

Write-up: 40 year female received Pfizer-BioNTech COVID-19 Vaccine today Patient reported prior h/o severe allergic reaction to influenza vaccine with eggs preservative. She has received flu vaccine w/o egg w/o problem. Due to her prior history of severe allergic reaction/ anaphylaxis to another vaccine, in this case flu vaccine with eggs, we should proceed with caution. She was told we could defer vaccination until more information becomes available. She opted to proceed with receiving Pfizer-BioNTech COVID-19 Vaccine and be observed for 30 minute observation period. Patient developed throat tightening approximately 20 minutes after vaccination. She received EpiPen within 1 minute of symptoms and was sent to ER immediately in wheelchair by nursing staff. Patient was evaluated in ED and was hemodynamically stable. She was given IV benadryl and was stable throughout observation

VAERS ID: 903324 (history)
Form: Version 2.0

Age: 31.0
Sex: Female
Location: California

Vaccinated: 2020-12-17 **Onset:** 2020-12-17

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-18

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EH9899 / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: <u>Dysphagia</u>, <u>Oropharyngeal discomfort</u>, <u>Pharyngeal swelling</u>, <u>Throat irritation</u>, <u>Throat tightness</u>, <u>Tongue discomfort</u>

SMQs:, Anaphylactic reaction (broad), Angioedema (narrow), Anticholinergic syndrome (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes **Birth Defect?** No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations: TDaP, age 20 swollen arm at injection site.

Other Medications: 2 flintStones gummies Childrens multivitamin supplement daily.

Current Illness: None

Preexisting Conditions: Asthma

Allergies: Latex

Diagnostic Lab Data: N/A

CDC Split Type:

Write-up: 40 min after injection my throat and tongue started to feel weird and tight, pharmacy at my work hospital gave me 25 mg Benadryl and 650mg Tylenol. At about 1 hr 45 min after injection my throat got to the point of so swollen and itchy I couldn?t swallow. I went to nearest emergency room hospital they administered decadron orally, Pepcid P.O., and Toradol via IM.

VAERS ID: 903400 (history)

Form: Version 2.0

Age: 55.0
Sex: Female
Location: New York

Vaccinated: 2020-12-17 **Onset:** 2020-12-17

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-18

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK5730 / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Dyskinesia, Dyspnoea, Feeling hot, Flushing, Intensive care, Respiratory arrest, Urticaria, Wheezing

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Asthma/bronchospasm (broad), Neuroleptic malignant syndrome (broad), Dyskinesia (narrow), Acute central respiratory depression (narrow), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Noninfectious encephalopathy/delirium (broad), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Hypersensitivity (narrow), Respiratory failure (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 2 days

Extended hospital stay? No Previous Vaccinations: Rabies vaccine

Other Medications: Atorvastatin 20 mg once daily

Current Illness: None

Preexisting Conditions: Severe allergies **Allergies:** Fish Iodine Shellfish Rabies vaccine

Diagnostic Lab Data: NA

CDC Split Type:

Write-up: 5 minutes after the Pfizer Covid-19 vaccine administration, the patient developed flushing, hives, felt warm and eventually short of breath. She started to wheeze and was wheeled into ER c/o "I can"t breathe while holding throat and thrashing with facial flushness noted. PT took 2 Benadryls and had several Epi shots. She was then discharged from the ER and later on that day, started to feel short of breath again. In the ED today she was audibly gasping for air, however had no wheezing, had a normal saturation and a normal blood pressure. She had taken another dose of her EpiPen IM and diphenhydramine 50 mg by mouth prior to coming. She was then admitted to the hospital for further observation. While on the floor, she started to feel short of breath again (about 9 am on 12/18/2020), which required an RRT . Patient received another dose of diphenhydramine IV, methylprednisolone 125 mg IV and several doses of IM epinephrine. She also required oxygen. She was then transferred

VAERS ID: 903592 (history)
Form: Version 2.0

Age: 34.0
Sex: Female
Location: Ohio

Vaccinated: 2020-12-17 **Onset:** 2020-12-17

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-18

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK5730 3/2021 / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Anaphylactic reaction, Cough, Discomfort, Dizziness, Dysphagia, Dysphonia, Dyspnoea, Hypoaesthesia, Hypoaesthesia oral, Paraesthesia, Sensation of foreign body, Tachycardia, Tachypnoea, Throat tightness, Tongue discomfort

SMQs:, Anaphylactic reaction (narrow), Angioedema (broad), Asthma/bronchospasm (broad), Peripheral neuropathy (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Anaphylactic/anaphylactoid shock conditions (narrow), Parkinson-like events (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Vestibular disorders (broad), Hypersensitivity (narrow), Respiratory failure (broad), Infective pneumonia (broad), Dehydration (broad), Sexual dysfunction (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes

Hospitalized? Yes, 1 days
Extended hospital stay? No
Previous Vaccinations: Flu vaccine

Other Medications: Levoxyl Current Illness: None noted

Preexisting Conditions: Graves, Hashimoto?s

Allergies: Levaquin, methimazole, flu vaccine with preservatives

Diagnostic Lab Data: Ask physicians

CDC Split Type:

Write-up: Not all or limited to: anaphylactic reaction: Feeling lump in throat, tongue feeling funny with numbness, feeling of hard to swallow, throat tightness, shortness of breath, tachycardia, tachypnea, pressure, tingling, and numbness from head to toe, dizziness/lightheartedness, cough, voice changes.

VAERS ID: 904029 (history)
Form: Version 2.0

Age: 35.0
Sex: Female
Location: Mississippi

Vaccinated: 2020-12-18 **Onset:** 2020-12-18

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-19

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK5730 /	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Chest discomfort, Cyanosis, Dizziness, Dyspnoea, Full blood count, Livedo reticularis, Metabolic function test, Mobility decreased, Muscle spasms, Muscular weakness, Nail bed disorder, Paraesthesia, Pregnancy test, Pruritus, Rash, SARS-CoV-2 antibody test, SARS-CoV-2 test, Skin discolouration, Syncope, Urticaria, Weight bearing difficulty SMQs:, Torsade de pointes/QT prolongation (broad), Rhabdomyolysis/myopathy (broad), Anaphylactic reaction (narrow), Angioedema (narrow), Peripheral neuropathy (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Dystonia (broad), Parkinson-like events (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Noninfectious encephalopathy/delirium (broad), Cardiomyopathy (broad), Vestibular disorders (broad), Hypotonic-hyporesponsive episode (broad), Hypersensitivity (narrow), Tendinopathies and ligament disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad), COVID-19 (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications: Topamax 50mg daily, Celexa 10mg daily, Imitrex 100mg PRN

Current Illness: None

Preexisting Conditions: Migraines

Allergies: PCN- unknown reaction, was just always just told was, but no history of a

anaphylaxis and able to tolerate cephalosporins.

Diagnostic Lab Data: Cbc, cmp, rapid COVId PCR, Covid antibody, pregnancy test

CDC Split Type:

Write-up: 15 minutes after getting the vaccine began itching that quickly developed into rash/hives to face, neck, chest, abdomen. At 20 minutes post vaccine developed severe leg weakness with lightheadedness, chest tightness, and SOB. 22 minutes out collapsed to the floor unable to bear weight due to leg weakness and had severe cramping and tingling in legs. still unable to move them. Was rushed to the ER from employee health and arrived approximately 30 minutes post vaccine administration at that time there was significant mottling to arms and hands with polar nail beds. Vital signs were stable, no strider. Given Solumedrol, Benadryl, and Pepcid STAT. Rash/hives and SOB improved, but legs weakness/tingling, cramping did not and noted purple feet with cyanotic nail beds and mottling to hands/ arms that would come and go. Rash/hives reappeared much worse 2 horse post meds to face, neck, and upper chest. Was given another series of Solumedrol and Benadryl and admitted to the hospital. I am now 19 hours post vaccine with improved but persistent leg weakness, now able to bear my own weight independently and walk a few steps, but still having legs cramps and intermittent tingling to feet. Color has improved with resolved mottling/cyanosis. I continue to have hives reappear with scheduled Benadryl, Solumedrol, and Pepcid.

VAERS ID: 904260 (history)
Form: Version 2.0

Age: 40.0
Sex: Female
Location: Colorado

Vaccinated: 2020-12-17 **Onset:** 2020-12-17

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-19

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: <u>Dizziness, Dysphagia, Feeling cold, Feeling hot, Flushing, Heart rate increased, Hyperhidrosis, Hypertension, Livedo reticularis, Palpitations, Paraesthesia oral, Tachycardia, Tremor, Visual impairment</u>

SMQs:, Anaphylactic reaction (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Parkinson-like events (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Glaucoma (broad), Hypertension (narrow), Optic nerve disorders (broad), Cardiomyopathy (broad), Lens disorders (broad), Retinal disorders (broad), Vestibular disorders (broad), Hypersensitivity (broad), Hypoglycaemia (broad), Dehydration (broad)

Life Threatening? Yes Birth Defect? No Died? No Permanent Disability? No

Recovered? Yes

Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Symbicort, albuterol

Current Illness: Cervical radiculopathy with medrol dose pack on 11/24. **Preexisting Conditions:** Asthma, migraines, Factor V Leiden, vitiligo,

environmental/seasonal allergies

Allergies: Latex, Sulfa"s, dairy products, gluten

Diagnostic Lab Data: CDC Split Type:

Write-up: 12 minutes after injection, I felt flushed and dizzy. They hooked me up to a vital sign monitor which showed my heart increasing to 133 bpm, SaO2 98%. A manual blood pressure check was 168/110. My heart felt like it was pounding, I was hot and sweating. After 10 minutes or so, I felt increasingly dizzy and my vision started fading. VS still showed tachycardia and hypertension. It became difficult to swallow and my tongue was feeling fat. A Rapid Response Team was alerted, they started and IV, and took me to the Emergency Department. I became very cold and shaky. My hands and feet became a little mottled. They gave me 50 mg IV benedryl, 20 mg IV pepcid, a dose of solumedrol, and IM epinephrine 0.3mg, and 1 Liter of fluid. My symptoms resolved and I was discharged home a couple hours later.

VAERS ID: 904334 (history)
Form: Version 2.0

Age: 29.0
Sex: Female
Location: Oregon

Vaccinated: 2020-12-19 **Onset:** 2020-12-19

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-20

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EJ1685 / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Angioedema, Dyspnoea, Full blood count normal, Metabolic function test normal, Tachycardia, Urticaria

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Oropharyngeal allergic conditions (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Dehydration (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:
Other Medications: none
Current Illness: none

Preexisting Conditions: none Allergies: shrimp and eggs

Diagnostic Lab Data: CBC and BMP - normal

CDC Split Type:

Write-up: Angioedema, hives, tachycardia, shortness of breath

VAERS ID: 904436 (history)
Form: Version 2.0

Age: 47.0 Sex: Male

Location: New Jersey

Vaccinated: 2020-12-17 **Onset:** 2020-12-18

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2020-12-20

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Activated partial thromboplastin time shortened, Alanine aminotransferase normal, Aspartate aminotransferase normal, Atrial fibrillation, Blood albumin normal, Blood alkaline phosphatase normal, Blood creatinine normal, Blood culture negative, Blood lactic acid decreased, Blood potassium decreased, Chest X-ray abnormal, Gram stain positive, Haematocrit decreased, Hypotension, International normalised ratio increased, Malaise, Palpitations, Platelet count normal, Procalcitonin increased, Protein total normal, Pyrexia, Respiratory tract congestion, Tachycardia, White blood cell count increased

SMQs:, Liver-related coagulation and bleeding disturbances (narrow), Anaphylactic reaction (broad), Haematopoietic erythropenia (broad), Haemorrhage laboratory terms (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Supraventricular tachyarrhythmias (narrow), Cardiomyopathy (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Infective pneumonia (broad), Dehydration (broad), Hypokalaemia (narrow), Sepsis (broad)

Birth Defect? No

Died? No.

Permanent Disability? No

Recovered? No

Office Visit? No

ER Visit? No

ER or Doctor Visit? No

Hospitalized? Yes, 2 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Flomax 0.4mg Daily

Current Illness: Enterococcus faecalis UTI diagnosed 11/2520 associated with ureteral stent

removal 11/10/20 treated successfully with Augmentin

Preexisting Conditions: Borderline HTN, recurrent renal calculi

Allergies: None

Diagnostic Lab Data: Presentation labs: WBC 21.6 Hct 38.9 Plt 227 K 3.3 Cr 1.26 Lactate 2.6 Protein 6.5 Alb 3.5 AST/ALT/AP normal INR 1.4 PTT 48.1 Procalcitonin 4.7 CXR: Mild

congestion Cultures Blod, urins (1day): NGTD

CDC Split Type:

Write-up: The patient was well prior to vaccination (12/17). The day after, he felt mildly unwell and had a low grade fever. The following day, he had a fever of 102. He received 1L of fluid at Urgent Care and had a BP ion the 80s. Shortly thereafter, he felt palpitations and developed AF. He came to the hospital where he was tachycardia to 200 bpm and hypotensive to SBP70s. He received aggressive fluid resuscitation (4L), IV metoprolol and was started on empiric Abx. Within several hours, the HR lowered, BP increased, and AF spontaneously converted to sinus. He had no dysuria. Curtures so far have not shown growth at our hospital. Urinary culture from urgent care has reportedly shows 20k gram positive cocci.

VAERS ID: 904498 (history)
Form: Version 2.0

Age: 43.0
Sex: Male
Location: Louisiana

Vaccinated: 2020-12-18 **Onset:** 2020-12-19

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2020-12-20

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EJ1685 / 1	LA / IM

Administered by: Private Purchased by: ?
Symptoms: Cardioversion, Ventricular tachycardia

SMQs:, Torsade de pointes/QT prolongation (narrow), Ventricular tachyarrhythmias (narrow), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (narrow), Torsade de pointes, shock-associated conditions (narrow)

Birth Defect? No

Died? No.

Permanent Disability? No

Recovered? Yes Office Visit? No

ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications: Metformin Levothyroxine Fenofibrate Fish oil Aspirin Losartan Lantus

Trulicity

Current Illness: Covid-19 in November

Preexisting Conditions: Tetralogy of Fallot Defibrillator Artificial pulmonary valve Diabetes

Hypertriglyceridemia **Allergies:** NKDA

Diagnostic Lab Data: Interrogation of defibrillator showing VT at 230bpm

CDC Split Type: vsafe

Write-up: Ventricular tachycardia. Defibrillator paced me out of rhythm. I have had my ICD for 3 years. This is the first abnormal rhythm I have had where it delivered a therapy to abort it.

VAERS ID: 904504 (history)
Form: Version 2.0

Age: 60.0 Sex: Male

Location: Massachusetts

Vaccinated: 2020-12-19 **Onset:** 2020-12-19

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-20

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EJ1685 / 1	LA / IM

Administered by: Private **Purchased by:** ?

Symptoms: Anaphylactic reaction, Angioedema, Throat tightness

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Anaphylactic/anaphylactoid shock conditions (narrow), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Rosuvastatin, meloxicam, omeprazole, vitamin D

Current Illness: None

Preexisting Conditions: High cholesterol, psoriasis, gerd

Allergies: Shellfish, iodine Diagnostic Lab Data: None

CDC Split Type:

Write-up: Throat closure (angioedema/anaphylaxis) requiring ambulance transport to Hospital emergency room and stay IV infusion of Benedryl, solumedrol, and Pepcid with excellent results. Observed twelve hours, then discharged.

VAERS ID: 904553 (history)
Form: Version 2.0

Age: 31.0
Sex: Female
Location: Georgia

Vaccinated: 2020-12-20 **Onset:** 2020-12-20

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-20

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EJ1685 / UNK	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Dyspnoea, Heart rate increased, Lip swelling, Paraesthesia

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Peripheral neuropathy (broad), Neuroleptic malignant syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Cardiomyopathy (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Dehydration (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Albuterol, Symbicort, Spiriva

Current Illness: Pink eye

Preexisting Conditions: Asthma

Allergies: Soy

Diagnostic Lab Data: CDC Split Type:

Write-up: Within a few minutes of taking the vaccine, my lower lip began swelling. I was moved to the emergency department of Hospital and monitored and treated for four hours. Then I was released. At around 1:30 p.m. I felt my skin singling and started having difficulty breathing. Since I was no longer at my work (Hospital) I went to the closest hospital. This reaction was much worse. My husband drove. My heart rate increased. I was released at around 6:30 pm

VAERS ID: 905544 (history)
Form: Version 2.0

Age: 56.0

Sex: Female

Location: Unknown

Vaccinated: 2020-12-18 **Onset:** 2020-12-18

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-21

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EJ1685 / 1	AR / IM

Administered by: Work Purchased by: ?

Symptoms: Dizziness, Dyspnoea, Feeling jittery, Injection site oedema, Tachycardia, Tremor SMQs:, Anaphylactic reaction (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Parkinson-like events (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Noninfectious encephalopathy/delirium (broad), Extravasation events (injections, infusions and implants) (broad), Haemodynamic oedema, effusions and fluid overload (narrow), Cardiomyopathy (broad), Vestibular disorders (broad), Hypoglycaemia (broad), Dehydration (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? Yes
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? No
Previous Vaccinations:
Other Medications:
Current Illness:

Preexisting Conditions:

Allergies:

Diagnostic Lab Data:

CDC Split Type:

Write-up: Pt expressed feeling tachycardic, jittery, shaky, site edema, shortness of breath and dizziness. Pt received epipen 0.3 mg IM injection x1 dose and benadryl PO, responded favorably and transported to ED for follow up care.

VAERS ID: 906988 (history)
Form: Version 2.0

Age: 52.0
Sex: Female
Location: Alabama

Vaccinated: 2020-12-22 Onset: 2020-12-22

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-22

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK5730 / 1	LA / IM

Administered by: Private **Purchased by:** ?

Symptoms: Anaphylactic reaction, Bilevel positive airway pressure, Lip swelling, Nausea, Status asthmaticus, Wheezing

SMQs:, Anaphylactic reaction (narrow), Acute pancreatitis (broad), Angioedema (narrow), Asthma/bronchospasm (narrow), Anaphylactic/anaphylactoid shock conditions (narrow), Acute central respiratory depression (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Eosinophilic pneumonia (broad), Hypersensitivity (narrow), Respiratory failure (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: NONE KNOWN Current Illness: NONE KNOWN Preexisting Conditions: ASTHMA

Allergies: SULFA - ANAPHYLAXIS / EXERBATION OF ASTHMA

Diagnostic Lab Data:

CDC Split Type:

Write-up: PT WAS OBSRVED IN HOLDING AREA LEANING FORWARD IN HER CHAIR ABOUT 7 MINUTES AFTER RECIEVING THE VACINE. RN ASSESSED AND NOTED: AUDIBLE WHEEZE, RESP 40/MIN, LIP SWELLING AND PT COMPLAINED OF NAUSEA.

PT WAS ESCORTED TO ER IN WHEELCHAIR ACCOMPANIED BY 2 RN"S (2 MINUTE WALK) ONE HOUR LATER - AS REPORTED BY DR (ER) WORKING DIAGNOSIS - ANAPHYLAXIS / STATUS ASTHMATICUS MEDS RECIEVED: SOLUMEDROL 125, DIPHENHYDRAMINE 50MG, FAMOTIDINE 20MG --ALL IV EPINEPHERINE 0.3MG IM X1 FOLLOWED BY 0.3MG IV X 1 FOLLOWED BY 0.1MG IV X1 PT IS RECIEVING O2 - AND PROGRESSING TO BIPAP

VAERS ID: 907022 (history)
Form: Version 2.0

Age: 44.0
Sex: Female
Location: Ohio

Vaccinated: 2020-12-22 **Onset:** 2020-12-22

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-22

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	011J20A / 1	RA / IM

Administered by: Private Purchased by: ?

Symptoms: Anaphylactic reaction, Angioedema, Endotracheal intubation

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Anaphylactic/anaphylactoid shock conditions (narrow), Oropharyngeal allergic conditions (narrow), Hypersensitivity (narrow), Respiratory failure (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 1 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Calcium 600 mg with D daily; Women's Multiple vitamin daily; Vitamin D3 5,000 units daily; Zyrtec 10 mg at bedtime PRN; Celebrex 200 mg daily; Gabapentin 300

mg (3 caps daily); Melatonin 9 mg daily PRN; Zanaflex 4 mg Daily

Current Illness: Not known

Preexisting Conditions: Anxiety; Depression; Chronic Back Pain

Allergies: Morphine; Tramadol; NSAIDs; Codeine; Oxycodone; Percocet

Diagnostic Lab Data: None at this time

CDC Split Type:

Write-up: Anaphylaxis/Angioedema Patient was given EpiPen 0.3 mg IM; Methylprednisolone 125 mg once; Diphenhydramine 25 mg IV push once; Famotidine 20 mg IV push once; Dexamethasone 10 mg IV push once Patient was intubated and put on propofol and

VAERS ID: 907042 (history)
Form: Version 2.0

Age: 42.0
Sex: Female
Location: Idaho

Vaccinated: 2020-12-21 **Onset:** 2020-12-21

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-22

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK5730 / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Abdominal pain upper, Blood pressure increased, Dizziness, Dry eye, Dysphonia, Eye swelling, Nausea, Ocular discomfort, Paraesthesia, Paraesthesia oral, Pulse abnormal, Rash, Rash erythematous, Rash pruritic, Swollen tongue, Throat irritation, Tongue pruritus, Wheezing

SMQs:, Anaphylactic reaction (narrow), Acute pancreatitis (broad), Angioedema (narrow), Asthma/bronchospasm (broad), Peripheral neuropathy (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Parkinson-like events (broad), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Hypertension (narrow), Corneal disorders (broad), Eosinophilic pneumonia (broad), Vestibular disorders (broad), Conjunctival disorders (narrow), Lacrimal disorders (narrow), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Dehydration (broad)

Life Threatening? Yes **Birth Defect?** No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations: Arm became swollen after receiving flu shot with preservative in

2010

Other Medications: Vitamin D, Claritin, magnesium, Zoloft

Current Illness: None

Preexisting Conditions: Asthma, PCOS, diverticuli

Allergies: Raglan, morphine, erythromycin, Zithromax, sulfa, macrobid, latex sensitivity, egg

sensitivity, gluten sensitivity, gold **Diagnostic Lab Data:** None

CDC Split Type:

Write-up: Received vaccine around 10:40 am, by 10:50 started to feel dizzy, eyes felt full, dry, tingly, swollen, voice became raspy and throat itched. Received 25 mg Benadryl PO at around 10:55. Face, arms, chest and abdomen developed a fine red itchy rash, tongue swollen and itchy, lips tingling, wheezing, blood pressure elevated, pulse thready given 25 mg PO Benadryl, taken to the Emergency Room, symptoms persisted, stomach hurt became nauseated, received IV solumedrol, Pepcid, IV fluids, nebulized albuterol. Sent home once stable after 3 hours, with instruction to take Benadryl every 4-6 hours fir the next 2 days, albuterol as needed, and prednisone for the next 5 days.

VAERS ID: 907075 (history)
Form: Version 2.0

Age: 43.0
Sex: Female
Location: Ohio

 Vaccinated:
 2020-12-22

 Onset:
 2020-12-22

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-22

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	039K20A / 1	RA / IM

Administered by: Private Purchased by: ?
Symptoms: Bronchospasm, Cough, Tongue pruritus

SMQs:, Anaphylactic reaction (broad), Asthma/bronchospasm (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Eosinophilic pneumonia (broad), Hypersensitivity (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations: Influenza - other information unknown

Other Medications: Prescription: atenolol, omeprazole, simvastatin, primidone,

levothyroxine, escitalopram, albuterol inhaler

Current Illness: no

Preexisting Conditions: Hypothyroidism, asthma, high cholesterol, palpitations, essential

tremor, anxiety, depression, hiatal hernia

Allergies: Medication allergies: morphine - anaphylaxis, flexeril - mood and behavior disturbances, zolpidem- shortness of breath, lamotrigine - shortness of breath Patient had a previous reaction to influenza vaccination with shortness of breath

Diagnostic Lab Data: BMP, CBC w/diff, trop/myoglobin x2, TSH, Free T4, Chest X-ray (all ordered 12/22/20)

CDC Split Type:

Write-up: Patient experienced bronchospasm with coughing and tongue itching approximately 10 minutes after the injection.

VAERS ID: 907101 (history)
Form: Version 2.0

Age: 41.0
Sex: Female
Location: Maine

Vaccinated: 2020-12-22 **Onset:** 2020-12-22

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-22

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL1284 / 1	RA / IM

Administered by: Work Purchased by: ?

Symptoms: Chest X-ray, Cough, Hyperhidrosis, Nausea, Palpitations, Speech disorder **SMQs:**, Anaphylactic reaction (broad), Acute pancreatitis (broad), Neuroleptic malignant syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Dementia (broad), Psychosis and psychotic disorders (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Hypoglycaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, ? days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: SIngulair, advair, Duonebs, dupixent, albuterol, zyrtec, chlorpheniramine; wellbutrin, Sertraline;

Current Illness: had been feeling slightly under the weather two weeks ago; no current asthma exacerbation, but has very labile asthma

Preexisting Conditions: Sleep apnea on CPAP eosinophilic asthma on multiple controller meds environmental allergies obesity

Allergies: Anaphylaxis hx to NSAIDS; hs of environmental allergies, and reaction to latex

Diagnostic Lab Data: 12/22/20 - CXR ordered - results not currently available

CDC Split Type:

Write-up: patient felt slightly nauseated at 10 minutes after injection, then developed slight sweating; BP 160/81; 83 at 5:45 and then 158/87 with HR 82 at 5:52 pm. Her lungs were clear, she was speaking in full sentences and was denying any chest pressure, her usual

sense of asthma exacerbation. At 6:05 it was 164/83 with HR 79 and patient developed a dry cough; we decided to have her wait just a bit longer, then cough worsened, so at 6:25, decision was made to have patient seen in ER for further assessment, and en route in wheelchair to ER the dry cough became persistent, spasmodic and patient was unable to speak. Epi-Pen was injected in right mid thigh, and patient transported to ED urgent eval. She noted immediate palpitations, and slight improvement of breahting, was able to speak in four word sentences. On arrival to the ED, patient was administered Duonebs, Albuterol neb, IV Benedryl, IV Solumedrol; CXR was obtained, with results pending. Patient was sent to observation for ongoing monitoring and assessment of breathing. at 6:30 PM in the ER, she

VAERS ID: 908003 (history)
Form: Version 2.0

Age: 44.0
Sex: Female
Location: Michigan

Vaccinated: 2020-12-21 **Onset:** 2020-12-21

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-23

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	ELO140 / 1	RA / IM

Administered by: Private **Purchased by:** ?

Symptoms: Anaphylactic reaction, Chest discomfort, Dyspnoea, Electrocardiogram, Tachycardia, Throat tightness

SMQs:, Anaphylactic reaction (narrow), Angioedema (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Anaphylactic/anaphylactoid shock conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Hypersensitivity (narrow), Dehydration (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 2 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Ibuprophen

Current Illness: none

Preexisting Conditions: none **Allergies:** Gadolinium MRI dye

Diagnostic Lab Data: EPINEPHRINE, SOLUMEDROL, BENADRYL, PEPCID, EKG (ST).

12/21 3:14PM REPEAT EVENT 12/22 WITH ADMISSION TO OBS UNIT FOR **OBSERVATION**

CDC Split Type:

Write-up: ANAPHLACTIC REACTION, SOB, CHEST PRESSURE, TIGHTNESS IN

THROAT, TACHYCARDIA

VAERS ID: 908157 (history) Version 2.0 Form:

41.0 Age: Sex: Female Location: Washington

Vaccinated: 2020-12-22 **Onset:** 2020-12-22

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-23

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) /	EK5730 /	LA / IM
PFIZER/BIONTECH	1	LA / IIVI

Purchased by: ? **Administered by:** Private

Symptoms: Nausea, Oral pruritus, Oropharyngeal discomfort, Pruritus, Sensation of foreign body. Swollen tongue, Wheezing

SMQs:, Anaphylactic reaction (narrow), Acute pancreatitis (broad), Angioedema (narrow), Asthma/bronchospasm (broad), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow). Eosinophilic pneumonia (broad). Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? Yes ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations: DTaP as infant, vaccine rx not documented only that I was to not

receive any more Pertussis. Was able to receive TD

Other Medications: Synthroid Tamoxifen

Current Illness: None

Preexisting Conditions: Breast cancer Dx 2018 (mastectomy, chemo, radiation, endocrine

therapy) Hypothyroidism GERD

Allergies: Clams-anaphylaxis Tuna-anaphylaxis Kiwi-anaphylaxis Mixed nuts (most likely walnut or pecan)-anaphylaxis Delayed allergic reaction following TC Chemo Allergic to

Pertussis Vaccine as infant-rx unknown Eggs-n/v/d Hydrocodone-migraine

Diagnostic Lab Data: I believe labs were drawn, not positive

CDC Split Type:

Write-up: Initially started with nausea around min 5, shortly after then itching on arms. Around min 15 ?lump? sensation in throat. Around min 20 swelling of tongue, worsening feeling in throat, wheezing, itching around mouth. Sent to ER, received IM Epi, IV: Steroids, Benadryl, Zofran, Pepcid, Albuterol inhaler.

VAERS ID: 908685 (history)
Form: Version 2.0

Age: 22.0
Sex: Female
Location: Arizona

Vaccinated: 2020-12-23 **Onset:** 2020-12-23

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-24

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERN	NA -/UNK	- / IM

Administered by: Private Purchased by: ?

Symptoms: Pharyngeal swelling, Supraventricular tachycardia

SMQs:, Anaphylactic reaction (broad), Angioedema (narrow), Supraventricular tachyarrhythmias (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? No Hospitalized? Yes, 2 days

Extended hospital stay? No

Previous Vaccinations:
Other Medications: Nuvaring

Current Illness: Chronic Tonsillitis Dysmenorrhea

Preexisting Conditions: N/A

Allergies: N.K.A

Diagnostic Lab Data:

CDC Split Type: vsafe

Write-up: throat swelling, SVT

VAERS ID: 908869 (history)

Form: Version 2.0

 Age:
 73.0

 Sex:
 Male

Location: Oklahoma

 Vaccinated:
 2020-12-18

 Onset:
 2020-12-19

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2020-12-24

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EH9899 / 1	LA / IM

Administered by: Private **Purchased by:** ?

Symptoms: <u>Blood bilirubin increased, Blood creatinine increased, Contusion, Immunoglobulin therapy, International normalised ratio normal, Metabolic function test normal, Petechiae, Platelet count decreased, Platelet transfusion, Prothrombin time normal</u>

SMQs:, Rhabdomyolysis/myopathy (broad), Acute renal failure (broad), Liver related investigations, signs and symptoms (narrow), Acute pancreatitis (broad), Haematopoietic thrombocytopenia (narrow), Haemorrhage terms (excl laboratory terms) (narrow), Systemic lupus erythematosus (broad), Retroperitoneal fibrosis (broad), Biliary system related investigations, signs and symptoms (narrow), Accidents and injuries (narrow), Chronic kidney disease (broad), Tumour lysis syndrome (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? Yes
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, 2 days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: Comprehensive list displayed in additional information below. ascorbic acid daily, atorvastatin 40mg daily, cholecalciferol daily, docusate 100mg daily, levothyroxine 100mcg daily, losartan 100mg daily, zinc 50mg daily

Current Illness: Vague symptoms (anorexia, fatigue) 11/29/2020 - 12/6/2020; Received high-dose influenza vaccination on 11/25/2020 at employee health department. On 11/29/2020 patient began having generalized fatigue, anorexia, and occasional chills. Presented to Urgent care on 12/4/2020 and reported same symptoms for past 5 days with 10-12 lb weight loss and worsening fatigue. Pfizer rapid PCR COVID test negative. Patient"s symptoms improved and he returned to normal activities of daily living until 12/19/2020, 1 day after COVID19 vaccination.

Preexisting Conditions: HTN, Type II Diabetes

Allergies: NKDA

Diagnostic Lab Data: 12/21/2020 CBC: platelets of 1,000

CDC Split Type:

Write-up: 12/18/2020: COVID19 vaccine received. 12/19/2020: Patient noticed petechiae/bruising on arms, legs and face. Worsened over next 48 hours. 12/21/2020: Patient had blood drawn (CMP, PT/INR, CBC) at lab. 12/22/2020: Labs resulted; CMP and PT/INR WNL (exceptions: SCr 1.24, TBil 1.7); CBC with platelet count of 1,000 resulting in patient admission to Hospital. At admission he received 80 mg of prednisone, 40 g of IV lg and a unit of platelets. 12/23/2020: Continued hospitalization. Patient's platelets improved to 20,000 and he received another 35g of IV Ig. 12/24/2020: Patient discharged with platelets of 38,000.

VAERS ID: 908973 (history) Version 2.0 Form:

48.0 Age: Sex: **Female** Location: Texas

Vaccinated: 2020-12-19 Onset: 2020-12-19

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-24

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / UNK	-/-

Administered by: Private Purchased by: ?

Symptoms: Burning sensation, Dizziness, Hypoaesthesia, Palpitations, Paraesthesia SMQs:, Peripheral neuropathy (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Guillain-Barre syndrome (broad), Cardiomyopathy (broad), Vestibular disorders (broad), Sexual dysfunction (broad)

Life Threatening? Yes Birth Defect? No Died? No Permanent Disability? No Recovered? No Office Visit? No ER Visit? No ER or Doctor Visit? No Hospitalized? Yes, 1 days Extended hospital stay? No **Previous Vaccinations:** Other Medications: **Current Illness:**

Preexisting Conditions:

Allergies:

Diagnostic Lab Data:

CDC Split Type:

Write-up: 15 min after receiving Covid 19 vaccine patient started to feel like her heart was racing / felt faint. Burning feeling in upper thigh and pelvic area. BP 180/100 HR 130. Rapid Response called / transported to ER. Admitted for 24 hr observation.. Solu -medrol, Benadryl and Ativan given in ER. Released home the next day. 72 hrs later patient states she has

numbness and tingling in hands and feet. 12/24/2020 patient reports she is feeling better today / no symptoms noted.

VAERS ID: 909031 (history)
Form: Version 2.0

Age: 87.0
Sex: Female
Location: Alaska

Vaccinated: 2020-12-18 **Onset:** 2020-12-24

Days after vaccination: 6

Submitted: 0000-00-00 **Entered:** 2020-12-24

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) /	EK5730 /	AR / IM
PFIZER/BIONTECH	1	An / IIVI

Administered by: Private Purchased by: ?

Symptoms: Blood bilirubin increased, Blood creatinine increased, Blood lactic acid decreased, C-reactive protein increased, Confusional state, Hypotension, Platelet count decreased, SARS-CoV-2 test negative, Sepsis, White blood cell count increased

SMQs:, Rhabdomyolysis/myopathy (broad), Acute renal failure (broad), Liver related investigations, signs and symptoms (narrow), Anaphylactic reaction (broad), Acute pancreatitis (broad), Haematopoietic thrombocytopenia (narrow), Neuroleptic malignant syndrome (broad), Systemic lupus erythematosus (broad), Anticholinergic syndrome (broad), Retroperitoneal fibrosis (broad), Dementia (broad), Biliary system related investigations, signs and symptoms (narrow), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Chronic kidney disease (broad), Tumour lysis syndrome (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad), Dehydration (broad), Hypokalaemia (broad), Sepsis (narrow), Opportunistic infections (broad), COVID-19 (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? No

ER Visit? No

ER or Doctor Visit? No

Hospitalized? Yes, 1 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Levothyroxine, vitamin D, Naproxen, Namenda, Aricept

Current Illness: UTI

Preexisting Conditions: Dementia

Allergies: None

Diagnostic Lab Data: Lactic acid 2.2 Creat 1.2 CRP 8.32 T. Bili 1.1 WBC 13.3 Sars Cov2

negative (rapid Abbott) PLT 115

CDC Split Type:

Write-up: Patient presented with signs and symptoms of sepsis, developing over 12 to 24 hours 6 days after vaccination. was hypotensive and confused (beyond baseline)

VAERS ID: 909061 (history)
Form: Version 2.0

Age: 66.0
Sex: Female
Location: Ohio

Vaccinated: 2020-12-24 **Onset:** 2020-12-24

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-25

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	G39K20-2A / 1	- / IM

Administered by: Private Purchased by: ?

Symptoms: Blood pressure increased, Swollen tongue

SMQs:, Anaphylactic reaction (broad), Angioedema (narrow), Neuroleptic malignant syndrome (broad), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Hypertension (narrow), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Lipitor, Maxide-25, Cymbalta, ASA

Current Illness:

Preexisting Conditions: hypertension

Allergies: Codeine, PCN, Promethazine, sulfa antibiotics

Diagnostic Lab Data: CDC Split Type:

Write-up: Reported sensation of tongue swelling during post-vaccination observation at 10 minutes. Epinephrine was refused and she was taken to ED for observation where she was given oral dose of Benadryl and Pepcid. Discharged with instructions to return PRN and follow up with PCP. Elevated BP noted.

VAERS ID: 909130 (history)

Form: Version 2.0

Age: 51.0
Sex: Male
Location: New York

Vaccinated: 2020-12-16 **Onset:** 2020-12-20

Days after vaccination: 4

Submitted: 0000-00-00 **Entered:** 2020-12-25

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Acute myocardial infarction, Catheterisation cardiac abnormal, Coronary artery

occlusion, Troponin increased

SMQs:, Myocardial infarction (narrow), Embolic and thrombotic events, arterial (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 1 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Bupropion

Current Illness: None

Preexisting Conditions: Psoriasis, psoriatic arthritis, seasonal affective disorder

Allergies: Amoxicillin

Diagnostic Lab Data: Cardiac cath with 100% RCA occlusion and 75% LAD occlusion,

elevated troponin CDC Split Type:

Write-up: Acute NSTEMI with symptom onset 4 days after vaccination

VAERS ID: 909146 (history)
Form: Version 2.0

Age: 46.0
Sex: Male
Location: Texas

Vaccinated: 2020-12-18 **Onset:** 2020-12-18

Days after vaccination: 0

Submitted: 0000-00-00

Entered: 2020-12-25

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / UNK	- / SC

Administered by: Private Purchased by: ?

Symptoms: Chest pain, Disorientation, Dyspnoea, Heart rate increased, Hyperhidrosis, Hypertension, Paraesthesia

SMQs:, Anaphylactic reaction (broad), Peripheral neuropathy (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Dementia (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Hypertension (narrow), Cardiomyopathy (broad), Hypoglycaemia (broad), Dehydration (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? Yes
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 1 days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: I developed tingling all over body with disorientation, rise in heart rate to 140 mint/mints with New onset of severe HTN into 190 mmHg and diaphoresis, followed by SOB and Chest pain. I required IV solucotef, IV tendril and pepcid. Then i

Current Illness: Migraine

Preexisting Conditions: Migraine **Allergies:** Levaquin-zithromax

Diagnostic Lab Data: see listed before

CDC Split Type:

Write-up: listed before

VAERS ID: 909147 (history)
Form: Version 2.0

Age: 30.0
Sex: Female
Location: Kentucky

Vaccinated: 2020-12-24 **Onset:** 2020-12-24

Days after vaccination: 0

 Submitted:
 0000-00-00

 Entered:
 2020-12-25

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK5730 / 1	RA / IM

Administered by: Private Purchased by: ?

Symptoms: Cough, Electrocardiogram abnormal, Flushing, Hypertension, Paraesthesia, Pharyngeal swelling, Tachycardia, Throat irritation

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Peripheral neuropathy (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Hypertension (narrow), Cardiomyopathy (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Dehydration (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations: Hives developed after hepatitis B vaccine as a child, did not receive

additional doses until college. At age 18, I received 3 do

Other Medications: None

Current Illness: Tested positive for Covid-19 on 11/14/2020

Preexisting Conditions: None

Allergies: Hepatitis B vaccine - hives Latex - rash Sulfa drugs - hives

Diagnostic Lab Data: EKG sinus tachycardia (12/24/20) No other tests or labs performed

CDC Split Type:

Write-up: Approximately 2 minutes after injection, felt flushed and tingly. This subsided, but developed a cough. Felt fine enough to leave the vaccination area after being monitored for 15 minutes. Cough continued, and developed a scratchy throat that eventually led to swelling of the throat at approximately 30-35 mins post administration. Sought care in the ED, where I was tachycardic and hypertensive. Received IV Benadryl, steroids, and IV fluids. Discharged home, but symptoms returned around 2pm. Sought care in a different ED, where I remained hypertensive and tachycardic. Received additional IV fluids, IV Benadryl and steroids. Eventually was treated with IM epinephrine after my heart rate was decreased to about 100bpm with IV metoprolol.

VAERS ID: 909165 (history)
Form: Version 2.0

Age: 35.0
Sex: Female
Location: Tennessee

 Vaccinated:
 2020-12-21

 Onset:
 2020-12-21

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-25

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK5730 / 1	RA / -

Administered by: Private Purchased by: ?

Symptoms: <u>Back pain, Dizziness, Dyspnoea, Laboratory test, Loss of consciousness, Pain in extremity</u>

SMQs:, Torsade de pointes/QT prolongation (broad), Anaphylactic reaction (broad), Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Retroperitoneal fibrosis (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Noninfectious encephalitis (broad), Noninfectious meningitis (broad), Cardiomyopathy (broad), Vestibular disorders (broad), Hypotonic-hyporesponsive episode (broad), Generalised convulsive seizures following immunisation (broad), Tendinopathies and ligament disorders (broad), Hypoglycaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? Yes
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? No

Previous Vaccinations:

Other Medications: Synthroid and lo loestrin fe

Current Illness: Some nasal congestion

Preexisting Conditions: Hypo thyroidism dx within the past year

Allergies: Seasonal allergies to trees and grass otherwise no known allergies

Diagnostic Lab Data: EKG 12/21 Chest X-ray 12/21 BP / spo2 / HR 12/21 Immune response

labs 12/23 unsure of exact labs ordered by pcp

CDC Split Type:

Write-up: At the time of the injection sharp pain across my back, then at about 5 mins after feelings of light headedness, progressing pain across my back, trouble feeling like I could get enough air in with breathing and dizziness and I tried to get to the floor to sit or lay down but passed out. Then the next event I recall was a sharp pain in my thigh(apparently administered Eli pen). I regained consciousness and was gasping andI was told I had been given a shot of epi.

VAERS ID: 909278 (history)
Form: Version 2.0

Age: 34.0
Sex: Female
Location: Illinois

Vaccinated: 2020-12-23

Onset: 2020-12-23

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-26

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EJ1685 / 1	RA / IM

Administered by: Work Purchased by: ?

Symptoms: Blood glucose normal, Dysphonia, Pharyngeal paraesthesia, Throat tightness SMQs:, Anaphylactic reaction (broad), Angioedema (broad), Parkinson-like events (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Hypersensitivity (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No.

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations: Other Medications: **Current Illness:**

Preexisting Conditions: Asthma

Allergies: Bactrim

Diagnostic Lab Data: Blood glucose - 80

CDC Split Type:

Write-up: Rapid onset of hoarseness, throat tingling and tightness

VAERS ID: 909481 (history) Version 2.0 Form:

Age: 29.0 Sex: **Female** California Location:

Vaccinated: 2020-12-26 **Onset:** 2020-12-26

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-27

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	011J20A / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Diarrhoea, Feeling hot, Heart rate increased, Nausea, Palpitations, Pharyngeal

swelling, Swollen tongue, Urticaria, Vomiting

SMQs:, Anaphylactic reaction (narrow), Acute pancreatitis (broad), Angioedema (narrow), Neuroleptic malignant syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Pseudomembranous colitis (broad), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Hypersensitivity (narrow), Noninfectious diarrhoea (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Dehydration (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? No

Previous Vaccinations:
Other Medications: None
Current Illness: None

Preexisting Conditions: None

Allergies: Sulfa

Diagnostic Lab Data: None

CDC Split Type:

Write-up: O had the vaccine at 9 am this morning waited 15 mins after vaccine before leaving while driving I had a pounding heart rate and hot I rolled down the window felt better. 1 hour later while at home.e started with nausea diarrhea rapid heart rate headed to medical office while in care tongue swelled I called 911 pulled over when the ambulance got to me my throat swelled and I had hives on chest they took me emergency while there I had sever pounding heart and vomiting treated with meds sent home with medication and benadryl

VAERS ID: 909577 (history)
Form: Version 2.0

Age: 60.0
Sex: Female
Location: Michigan

 Vaccinated:
 2020-12-26

 Onset:
 2020-12-26

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-27

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) /	EK9231 /	AR / IM
PFIZER/BIONTECH	1	AU / IIVI

Administered by: Private Purchased by: ?

Symptoms: Dizziness, Dyspnoea, Full blood count, Laboratory test, Swelling

SMQs:, Anaphylactic reaction (narrow), Angioedema (broad), Anticholinergic syndrome (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad),

Haemodynamic oedema, effusions and fluid overload (narrow), Cardiomyopathy (broad), Vestibular disorders (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? No Hospitalized? Yes, 1 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Estrogen, Flonase, Protonix, Glucosamine, Albuterol

Current Illness: Viral respiratory infection

Preexisting Conditions: Allergic rhinitis, GERD, endometriosis

Allergies: Avocado, Banana, Latex, Neosporin, Nystatin, Sulfa, Pineapple

Diagnostic Lab Data: Routine chemistries, CBC

CDC Split Type:

Write-up: Dizziness, dyspnea, neck swelling

VAERS ID: 909614 (history)

Form: Version 2.0 Age: 48.0

Sex: Male Location: Arizona

Vaccinated: 2020-12-21 **Onset:** 2020-12-21

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-27

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EH9899 / 1	LA/SYR

Administered by: Private Purchased by: ?

Symptoms: Heart rate increased, Hypertension, Myalgia, Pyrexia

SMQs:, Rhabdomyolysis/myopathy (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Hypertension (narrow), Eosinophilic pneumonia (broad), Tendinopathies and ligament disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Dehydration (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes

Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Bystolic 5mg Atorvastatin

Current Illness:

Preexisting Conditions:

Allergies: Latex
Diagnostic Lab Data:
CDC Split Type:

Write-up: Fever, muscle aches, hypertension, rapid heart heart

VAERS ID: 909635 (history)
Form: Version 2.0

Age: 46.0
Sex: Male
Location: Maryland

Vaccinated: 2020-12-21 **Onset:** 2020-12-22

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2020-12-27

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK5730 /	LA / IM

Administered by: Other Purchased by: ?

Symptoms: <u>Atrial fibrillation</u>, <u>Cardioversion</u>, <u>Chest discomfort</u>, <u>Dyspnoea</u>, <u>Echocardiogram normal</u>, <u>Palpitations</u>, <u>Presyncope</u>

SMQs:, Anaphylactic reaction (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Supraventricular tachyarrhythmias (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Hypotonic-hyporesponsive episode (broad), Hypoglycaemia (broad)

Life Threatening? Yes

Birth Defect? No

Died? No.

Permanent Disability? No

Recovered? No

Office Visit? No

ER Visit? No

ER or Doctor Visit? No

Hospitalized? Yes, 2 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: metformin, Jardiance, Losartan, HCTZ

Current Illness:

Preexisting Conditions: DM, HTN

Allergies: Amoxicillin

Diagnostic Lab Data: Normal echocardiogram

CDC Split Type:

Write-up: Palpitations, shortness of breath, chest tightness, presyncope, which led to New onset atrial fibrillation with rapid ventricular response and required synchronized cardioversion and hospitalization. Discharged on anticoagulation and beta-blocker.

VAERS ID: <u>909720</u> (history)

Form: Version 2.0

Age: 41.0 Sex: Male

Location: Minnesota

Vaccinated: 2020-12-22 **Onset:** 2020-12-23

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2020-12-27

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EJ1685 / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: <u>Abdominal pain lower, Appendicectomy, Appendicitis, Computerised tomogram</u> abnormal, Pyrexia

SMQs:, Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Retroperitoneal fibrosis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? Yes ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? Yes, ? days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Current Illness: None

Preexisting Conditions: None

Allergies: None

Diagnostic Lab Data: 12/24- CT revealed appendicitis, appendectomy performed

CDC Split Type:

Write-up: 12/23- began to experience intermittent right lower quadrant pain in the morning, fever of 100.4 F in the evening which subsided with ibuprofen. 12/24- no fever noted but

intermittent right lower quadrant pain continued, seen at the Health Clinic, sent to Hospital ER for CT scan, diagnosed with appendicitis, appendectomy performed.

VAERS ID: 911462 (history)
Form: Version 2.0

Age: 62.0
Sex: Female
Location: Oklahoma

Vaccinated: 2020-12-18 **Onset:** 2020-12-18

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-29

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) /	EK5730 /	- / OT
PFIZER/BIONTECH	1	-/01

Administered by: Unknown Purchased by: ?

Symptoms: Dyspnoea, Pain in extremity

SMQs:, Anaphylactic reaction (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Tendinopathies and ligament disorders (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? No

ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications: ; HCTZ; ; ; ; ; ; ZYRTEC [CETIRIZINE HYDROCHLORIDE]; ;

VITAMINS [ASCORBIC

ACID;ERGOCALCIFEROL;NICOTINAMIDE;RETINOL;RIBOFLAVIN;THIAMINE

HYDROCHLORIDE];

Current Illness:

Preexisting Conditions: Medical History/Concurrent Conditions: Allergy; Asthma; Blood cholesterol abnormal; Blood pressure high; Diabetes; Post procedural pain; Reflux gastritis; Rosacea; Sciatica; Shingles; Sinus congestion; Swelling

Allergies:

Diagnostic Lab Data:

CDC Split Type: USPFIZER INC2020508893

Write-up: she is better but still not good; not to be able to breath; sore right arm; This is a spontaneous report from a contactable nurse (patient herself). A 62-year-old female patient received bnt162b2 (BNT162B2, lot EK5730), intramuscular on 18Dec2020 at single dose for immunisation. Medical history included asthma (hospitalized on Jan2020 and has not had any issues since that time, referring to her asthma) diabetes, high blood pressure, swelling,

sciatica, blood cholesterol abnormal, rosacea, reflux, allergies, sinus congestion, shingles and post carpal tunnel surgery. Concomitant medications included lisinopril, hydrochlorothiazide, gabapentin, rosuvastatin, metformin, glipizide, doxycycline, sucralfate, cetirizine hydrochloride (ZYRTEC), pseudoephedrine, ascorbic acid, ergocalciferol, nicotinamide, retinol, riboflavin, thiamine hydrochloride (VITAMINS) and tramadol. The patient reported that she not to be able to breath (seriousness criteria-life threatening) on 22Dec2020. She woke up this morning and could not breathe and there was no reason for her to not be able to breath. She thought she may have had a reaction to the COVID vaccine. It was the only thing she could think of that might have caused her not to be able to breathe this morning. As treatment for not to be able to breath, she used Budesonide and Levosalbutamol in her nebulizer. She had sore right arm on 18Dec2020. She informed that she had done everything she can and she was better but still not good. She planned to take the second dose of the COVID Vaccine because she thought it was more important to be protected. She suspected that the vaccine was related to the events sore right arm and could not breathe. The outcome of the event not to be able to breath was recovering; for sore right arm was recovered on unknown date in Dec2020; for she is better but still not good was unknown.; Sender"s Comments: Severe allergic reaction including anaphylaxis is the known risk factor; a possible causal association between administration of BNT162B2 and the onset of not being able to breath cannot be excluded, considering the plausible temporal relationship and the known adverse event profile of the suspect product. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

VAERS ID: 911943 (history)
Form: Version 2.0

Age: 40.0 Sex: Female

Location: North Carolina

 Vaccinated:
 2020-12-28

 Onset:
 2020-12-28

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-29

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL0140 / 1	RA / IM

Administered by: Private Purchased by: ?

Symptoms: Dyspnoea, Hyperhidrosis, Palpitations, Paraesthesia, Pharyngeal swelling **SMQs:**, Anaphylactic reaction (broad), Angioedema (narrow), Peripheral neuropathy (broad), Neuroleptic malignant syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Cardiomyopathy (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad)

Life Threatening? Yes Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Lo Loestrin, Hydroxyzine, Folic Acid, Melatonin, Multi Vitamin, and

Vitamin D.

Current Illness: None

Preexisting Conditions: None

Allergies: None

Diagnostic Lab Data: 12/28/2020 Swelling of throat in ED, treated with Epi Pen, 25mg Benadryl and 60mg of Prednisone by mouth. Prednisone prescription 40mg by mouth times 5

davs.

CDC Split Type:

Write-up: Adverse reaction post Covid vaccine. Waited for 20 min post vaccine. Experienced S/S Heart palpitations, shortness of breath, tingling in extremities, diaphoretic after leaving clinic observation. Drove back to hospital, escorted by pre surgical testing hospital staff and taken by wheelchair to ED.

VAERS ID: 912137 (history)
Form: Version 2.0

Age: 32.0
Sex: Female
Location: Florida

Vaccinated: 2020-12-21 **Onset:** 2020-12-21

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-29

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / UNK	-/-

Administered by: Private **Purchased by:** ?

Symptoms: Eye swelling, Swelling face

SMQs:, Anaphylactic reaction (broad), Angioedema (narrow), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes **Birth Defect?** No

Died? No

Permanent Disability? No

Recovered? No Office Visit? Yes ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? Yes, 1 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Trazodone 50mg, Wellbutrin 300mg, lexapro 20mg, AirDuo Respiclick,

Albuterol prn

Current Illness:

Preexisting Conditions: asthma, depression, migraines

Allergies: Lobster, hymenoptera

Diagnostic Lab Data: CDC Split Type:

Write-up: Was given the vaccine and about 5 minutes later started having swelling and my eyes and face. It was watched for a few minutes and was assessed by EMS and taken to the emergency department. I was given epinephrine, Benadryl, Solu-Medrol, Pepcid, IV fluids, DuoNebs and observed overnight. I was given multiple rounds of Benadryl, steroids, Pepcid, DuoNebs

VAERS ID: 912271 (history)
Form: Version 2.0

Age: 50.0

Sex: Male

Location: Louisiana

Vaccinated: 2020-12-16 **Onset:** 2020-12-17

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2020-12-29

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK5730 / 1	RA / IM

Administered by: Private Purchased by: ? Symptoms: Dyspnoea, Intensive care, Pyrexia

SMQs:, Anaphylactic reaction (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 4 days
Extended hospital stay? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions:

Allergies:

Diagnostic Lab Data:

CDC Split Type:

Write-up: Subject received vaccination Wednesday Dec 16th in the afternoon. He became symptomatic (shortness of breath, low grade fever) the next day. Went to the Emergency room on Saturday Dec. 26th, 2020 due to shortness of breath, had an 02 Sat of 60%, and was hospitalized in the ICU at another hospital (due to bed unavailability).

VAERS ID: 912511 (history)
Form: Version 2.0

Age: 39.0
Sex: Female
Location: Washington

 Vaccinated:
 2020-12-28

 Onset:
 2020-12-28

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-29

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / 1	RA / IM

Administered by: Private Purchased by: ?

Symptoms: Full blood count, Hypoaesthesia, Hypoaesthesia oral, Lip swelling, Metabolic function test, Paraesthesia, Paraesthesia oral, Swelling of eyelid, Visual impairment

SMQs:, Anaphylactic reaction (broad), Angioedema (narrow), Peripheral neuropathy (broad), Anticholinergic syndrome (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Glaucoma (broad), Optic nerve disorders (broad), Lens disorders (broad), Retinal disorders (broad), Periorbital and eyelid disorders (narrow), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad), Sexual dysfunction (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? Yes

ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications: Zinc 50 mg daily Vitamin D3 5000 IU daily Trazodone 50 mg daily

Melatonin 5 mg daily **Current Illness:** None

Preexisting Conditions: None

Allergies: Erythromycin

Diagnostic Lab Data: Laboratory results pending. Will check CBC, CMP.

CDC Split Type:

Write-up: Received vaccine at 1:30 pm yesterday, noted onset of symptoms at 8:45 pm. Numbness and tingling to mouth and bilateral upper and lower extremities, mild vision change, feeling of some swelling to bilateral eyelids. Also swelling to lips. She also did take zinc gluconate 50 mg last night and this morning. Has never taken zinc 50 mg, but has taken zinc as component of multivitamin/pre-natal vitamins. Patient was prescribed Pepcid 20 mg BID, Medrol 4 mg dose pack 21 pill taper until complete. Also given Benadryl 25 mg - 50 mg every 4 - 6 hours for allergy symptoms. And provided with an Epi-Pen for home.

VAERS ID: 912574 (history)
Form: Version 2.0

Age: 97.0
Sex: Female
Location: Ohio

Vaccinated: 2020-12-28 **Onset:** 2020-12-29

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2020-12-29

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / UNK	-/-

Administered by: Public Purchased by: ?

Symptoms: Cardiac arrest, Endotracheal intubation, Intensive care

SMQs:, Torsade de pointes/QT prolongation (broad), Anaphylactic reaction (broad), Angioedema (broad), Arrhythmia related investigations, signs and symptoms (broad), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (narrow), Acute central respiratory depression (broad), Cardiomyopathy (broad), Respiratory failure (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, ? days

Extended hospital stay? No

Previous Vaccinations:

Other Medications:

Current Illness: COVID-19 positive on 12/4/2020. Was still symptomatic at last check

Preexisting Conditions: Hypertension

Allergies:

Diagnostic Lab Data: CDC Split Type:

Write-up: Rushed to ER. Has now been tubed and put into the ICU and has had full-cardiac arrest less than 24 hours after receiving the vaccine.

VAERS ID: 912602 (history)
Form: Version 2.0

Age: 83.0
Sex: Male
Location: Ohio

Vaccinated: 2020-12-28 **Onset:** 2020-12-29

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2020-12-29

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / UNK	-/-

Administered by: Senior Living Purchased by: ?
Symptoms: Endotracheal intubation, Intensive care
SMQs:, Angioedema (broad), Respiratory failure (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, ? days

Extended hospital stay? No

Previous Vaccinations:

Other Medications:

Current Illness: COVID-19 positive 11/30 with fever, sore throat, dyspnea and difficulty

breathing

Preexisting Conditions:

Allergies:

Diagnostic Lab Data: CDC Split Type:

Write-up: Hospitalized 12/29, has now been tubed and put into the ICU

VAERS ID: 912785 (history)
Form: Version 2.0

Age: 38.0
Sex: Female
Location: California

 Vaccinated:
 2020-12-28

 Onset:
 2020-12-28

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-29

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EJ1685 / 1	UN / IM

Administered by: Private **Purchased by:** ?

Symptoms: Condition aggravated, Dyspnoea, Hypertension, Hypertensive urgency,

Pharyngeal swelling

SMQs:, Anaphylactic reaction (broad), Angioedema (narrow), Neuroleptic malignant syndrome (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Hypertension (narrow), Cardiomyopathy (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes Birth Defect? No Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:
Other Medications: unknown
Current Illness: unknown

Preexisting Conditions: asthma, HTN

Allergies: Sulfa drugs Diagnostic Lab Data: CDC Split Type:

Write-up: Monitored x 15 min per guidelines. Began to experience SOB and throat swelling, after which pt presented to the ED for tx, dx acute hypertensive urgency with severe hypertension.

VAERS ID: 912826 (history)
Form: Version 2.0

Age: 57.0
Sex: Female
Location: California

Vaccinated: 2020-12-28 **Onset:** 2020-12-28

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-29

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EJ1685 / 1	RA / IM

Administered by: Private Purchased by: ?

Symptoms: Cough, Pruritus

SMQs:, Anaphylactic reaction (narrow), Hypersensitivity (broad), Drug reaction with

eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:
Other Medications: unknown
Current Illness: unknown

Preexisting Conditions: asthma, HTN

Allergies: unknown Diagnostic Lab Data: CDC Split Type:

Write-up: Itching, cough. Given benadryl 50mg and epinephrine 0.3 in vaccine clinic, and taken to ED for further tx.

VAERS ID: 912930 (history)
Form: Version 2.0

Age: 29.0
Sex: Female
Location: Minnesota

 Vaccinated:
 2020-12-29

 Onset:
 2020-12-29

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-29

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	037K20A / 1	RA / IM

Administered by: Senior Living Purchased by: ?

Symptoms: Feeling abnormal, Muscular weakness, Nausea, Syncope, Unresponsive to stimuli

SMQs:, Torsade de pointes/QT prolongation (broad), Rhabdomyolysis/myopathy (broad), Acute pancreatitis (broad), Peripheral neuropathy (broad), Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Dementia (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad),

Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Hypotonic-hyporesponsive episode (broad), Hypoglycaemia (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:
Other Medications: Unknown
Current Illness: Migraines

Preexisting Conditions: Migraines

Allergies: Ibuprofen

Diagnostic Lab Data: Blood pressure estimated at 143/80 (12/29/20 @ 2:40 pm)

CDC Split Type:

Write-up: Patient was monitored for \$g15 minutes after vaccination. Patient told a nurse that her knees felt weak. Patient then fainted and was laying on the floor when i arrived. Patient reported she felt like she was "floating" and she did not want to "fall". She was also nausea and wanted to vomit and did not end up vomiting anything up. Patient fainted several more times. Her BP was around 143/80 and unsure about the pulse. Patient then become unresponsive for 20-30 seconds.

VAERS ID: 913061 (history)
Form: Version 2.0

Age: 47.0
Sex: Female
Location: Delaware

 Vaccinated:
 2020-12-28

 Onset:
 2020-12-28

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-29

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EJ1686 / 1	LA / SYR

Administered by: Work Purchased by: ?

Symptoms: Chest discomfort, Cough, Dizziness, Dysphagia, Dyspnoea, Fatigue, Headache, Heart rate increased, Laboratory test, Nausea, Pharyngeal swelling

SMQs:, Anaphylactic reaction (broad), Acute pancreatitis (broad), Angioedema (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis

(broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Vestibular disorders (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Dehydration (broad)

Life Threatening? Yes **Birth Defect?** No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations: FLU VACCINE - COUGH AND SOB

Other Medications: NONE Current Illness: ASTHMA

Preexisting Conditions: ASTHMA MIGRIANE **Allergies:** SULFA EGG FEATHER MOLD PINE

Diagnostic Lab Data: LABS AND VITAL MONITORING.

CDC Split Type:

Write-up: 10 MINUTES FOLLOWING VACCINE - SOB, COUGH, TIGHTNESS IN CHEST, THRAOT SWELLING, DIFFICULTY SWALLOWING, LIGHT HEADEDNESS, AND ELEVATED HEART RATE. ORAL AND IM BENADRYL ADMINISTERED, 2 DOSE OF EPINEPHRINE, 2 NEB TREATMENTS, O2 PLACED. 911 CALLED AND TRANSPORTED TO EMERGENCY FOR FURTHER TREATMENT AND MONITORING. AT HOSPITAL IV STEROID ADMINISTERED. SYMPTOMS SUBSIDED WITH SECOND DOSE OF EPINEPHRINE, HOWEVER RETURNED 3 HOURS LATER AND ANOTHER DOSE OF BENADRYL ADMINISTERED. ELEVATED HEART RATE CONTINUED AND IV FLUIDS ADMINISTERED TO ATTEMPT IN BRINGING DOWN HEART RATE. IV FLUIDS WERE NOT EFFECTIVE. HEART RATE (118-120) REMAINED ELEVATED INTO THE OVERNIGHT HOURS AND SUBSIDED AROUND 1:30A ON 12/29/2020. CONTINUED HEADACHE, NAUSEA ONSET, FATIGUE, DIFFICULTY SWALLOWING AND COUGH ON 12/29/2020.

VAERS ID: 913238 (history)
Form: Version 2.0

Age: 52.0
Sex: Female
Location: California

 Vaccinated:
 2020-12-28

 Onset:
 2020-12-28

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-30

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EH 9899 03/212 / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Asthenia, Cough, Dry throat, Hypertension, Hyporesponsive to stimuli, Lethargy, Retching, Tachycardia, Throat irritation

SMQs:, Anaphylactic reaction (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Hypertension (narrow), Hypotonichyporesponsive episode (broad), Hypoglycaemia (broad), Dehydration (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? No

Previous Vaccinations:
Other Medications: unknown
Current Illness: unknown

Preexisting Conditions: brain tumor but treatment outcome unknown to this examiner **Allergies:** urticaria when exposed to certain foods or meds, since treatment for brain tumor **Diagnostic Lab Data:** BP was 183/99 at max while in clinic, pulse ranged from 150-180 O2 sat was 100% on room air, lungs were clear, no stridor, Cor: fast RRR. Rapid Response code was called, pt. taken to our E.D. on gurney, she was given I.M.. Epinephrine, I,V. Benedryl, steroids and fluids and was stabilized while there.

CDC Split Type:

Write-up: Pt. developed tachycardia, hypertension and felt weak with decreased verbal responsiveness, alert but lethargic. She complained of dry throat, took a sip of water then began persistent coughing and wretching also C/O itching of her throat. She denied difficulty breathing, there were no cutaneous signs of edema, tongue enlargement, etc.

VAERS ID: 913239 (history)
Form: Version 2.0

Age: 45.0
Sex: Female
Location: California

 Vaccinated:
 2020-12-28

 Onset:
 2020-12-28

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-30

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EH9899 03/2021 / 1	AR / IM

Administered by: Private Purchased by: ?

Symptoms: <u>Anaphylactic reaction, Asthenia, Chest pain, Heart rate increased, Oesophageal pain, Palpitations</u>

SMQs:, Anaphylactic reaction (narrow), Neuroleptic malignant syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Anaphylactic/anaphylactoid shock conditions (narrow), Gastrointestinal perforation, ulcer, haemorrhage, obstruction non-specific findings/procedures (broad), Guillain-Barre syndrome (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Hypersensitivity (narrow), Dehydration (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:
Other Medications: unknown
Current Illness: denied

Preexisting Conditions: unknown

Allergies: denied hx of allergy or anaphylaxis

Diagnostic Lab Data: Pulse was measured at 170-180 range, very regular, no EKG machine was available so an SVT was considered possibly triggered by stress as another staff member was developing anaphylaxis near by. Pt. was calm and denied anxiety except with regard to her palpitations and mid sternal burning. O2 sat was 100% on room air, no respiratory, cutaneous or G.I. symptoms at the time of onset. Since pulse and symptoms did not diminish over the next 15 minutes we transported her to our E.R. where she subsequently also underwent treatment for anaphylaxis with Epinephrine, benedryl, steroids and multiple liters of fluid to which she responded and stabilized.

CDC Split Type:

Write-up: Pt. began to feel weak with palpitations about 8-10 minutes after vaccination, her pulse was extremely fast, she then began to complain of lower mid-esophageal burning

VAERS ID: 913445 (history)
Form: Version 2.0

Age: 24.0
Sex: Female
Location: Unknown

 Vaccinated:
 2020-12-27

 Onset:
 2020-12-27

Days after vaccination: 0

 Submitted:
 0000-00-00

 Entered:
 2020-12-30

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / 1	UN / IM

Administered by: Private Purchased by: ?

Symptoms: Anaphylactic reaction, Chest discomfort, Intensive care, Lip swelling, Pruritus,

Urticaria

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Anaphylactic/anaphylactoid shock conditions (narrow), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? No

ER Visit? No

ER or Doctor Visit? No

Hospitalized? Yes, ? days

Extended hospital stay? No

Previous Vaccinations: Influenza vaccine = hives

Other Medications: Current Illness:

Preexisting Conditions:

Allergies: Pt reports having hives to the influenza vaccine

Diagnostic Lab Data: CDC Split Type:

Write-up: Pt developed anaphylaxis, was given IM Benadryl, and was sent to the ED. Pt spent 1 night in the hospital, went home, and has come back and is in the ICU. Pt had hives, itching, chest tightness, swollen lips.

VAERS ID: 913854 (history)
Form: Version 2.0

Age: 49.0
Sex: Female
Location: California

 Vaccinated:
 2020-12-29

 Onset:
 2020-12-29

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-30

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EJ1685 / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Anxiety, Dyspnoea, Flushing, Hyperhidrosis, Hypertension, Tachycardia **SMQs:**, Anaphylactic reaction (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Hypertension (narrow), Cardiomyopathy (broad), Hypersensitivity (broad), Hypoglycaemia (broad), Dehydration (broad)

Birth Defect? No

Died? No.

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:
Other Medications: unknown

Current Illness: Pt later reported new diagnosis of lupus

Preexisting Conditions: none

Allergies: none

Diagnostic Lab Data: CDC Split Type:

Write-up: anxiety, tachycardia, flushing, diaphoresis, HTN, SOB

VAERS ID: 914103 (history)
Form: Version 2.0

Age: 39.0
Sex: Female
Location: Michigan

Vaccinated: 2020-12-29 **Onset:** 2020-12-29

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-30

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EJ1686 / 1	LA / IM

Administered by: Work Purchased by: ?

Symptoms: Dyspnoea, Heart rate increased, Hyperhidrosis, Paraesthesia, Throat irritation **SMQs:**, Anaphylactic reaction (broad), Peripheral neuropathy (broad), Neuroleptic malignant syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Cardiomyopathy (broad), Hypoglycaemia (broad), Dehydration (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? No

Previous Vaccinations:

Other Medications: Serevent Pulmicort

Current Illness: none

Preexisting Conditions: Well controlled asthma History of anaphylaxis reaction to food

Allergies: Peanuts, Soy, Egg-Derived Environmental, Grass, pollen, mold, dust

Diagnostic Lab Data:

CDC Split Type:

Write-up: 10 minutes after receiving vaccination, a significant increase in HR was noted, along with a tingling sensation through out body. Also, scratchy throat was noted. Alert by patient made to staff at vaccination site. Sweating noted and shortness of breath at that time. Epi pen given via L thigh IM. PIV started and benadryl and solumedrol given. Relief of symptoms noted very shortly after Epi administration. Taken to ER for 4 hour observation. Sent home after 4 hours and given prednisone to be taken at home, 50mg daily for 4 days. No further adverse symptoms noted.

VAERS ID: 914309 (history)
Form: Version 2.0

Age: 46.0
Sex: Female
Location: Arizona

Vaccinated: 2020-12-29 **Onset:** 2020-12-29

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-30

Vaccination / ManufacturerLot / DoseSite / RouteCOVID19: COVID19 (COVID19 (MODERNA)) / MODERNA011J20A / 1RA / IM

Administered by: Private Purchased by: ?

Symptoms: Dry throat, Flushing, Heart rate increased, Obstructive airways disorder,

Oropharyngeal pain

SMQs:, Anaphylactic reaction (broad), Angioedema (broad), Asthma/bronchospasm (broad), Neuroleptic malignant syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Eosinophilic pneumonia (broad), Hypersensitivity (broad), Dehydration (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Excedrin Migraine at 9:00 PM on 12/28/2020

Current Illness: None

Preexisting Conditions: History of allergies and anaphylaxis to raw produce

Allergies: Anaphylaxis to bananas, avocados and raw produce

Diagnostic Lab Data: None

CDC Split Type:

Write-up: Within 3 minutes of vaccination patient became fully flushed head and neck, with rapid heart rate (112), and feeling like her airways were tightening. Nurse immediately called for response, administered Epipen, when response arrived applied oxygen and transported to ED. Solumedrol 125 mg, Bendadryl 25 mg, and Famotidine 20 mg, she responded well and was released home with Rx Prednisone 40 mg x 3 days. Only residual effect was a dry/sore throat.

VAERS ID: 914392 (history)
Form: Version 2.0

Age: 59.0
Sex: Female
Location: Ohio

Vaccinated: 2020-12-23 **Onset:** 2020-12-30

Days after vaccination: 7

Submitted: 0000-00-00 **Entered:** 2020-12-30

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	011J20A / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Angioedema, Asymptomatic COVID-19, Blood creatine phosphokinase normal, Enlarged uvula, Erythema, Exposure to SARS-CoV-2, Feeling hot, Full blood count normal, Lip swelling, Liver function test normal, Metabolic function test normal, Pain in extremity, Quarantine, Rash, Rash erythematous, SARS-CoV-2 test positive, Swelling face, Throat tightness

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Hypersensitivity (narrow), Tendinopathies and ligament disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Infective pneumonia (broad), Opportunistic infections (broad), COVID-19 (narrow)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? No

Previous Vaccinations:

Other Medications: Metformin, lisinopril. HCTZ, zetia, atorvastatin, KCL, baby aspirin, vitamin D, melatonin, B12, Nexium, vitamin E, ceterizine

Current Illness: Was covid negative 12/23. Tested covid positive 12/26. No symptoms of covid. (Husband has work exposure and had tested positive 12/23) we have quarentined since 12/23

Preexisting Conditions: diabetes, hypertension, elevated cholesterol, elevated liver enzymes, GERD

Allergies: None

Diagnostic Lab Data: 9:35am took Benadryl 50mg po, went to ED (arrived about 10am). had improved swelling and rash at 10:am. Physician reported uvula swollen. Received decadron 8mg po, Racemic epi nebulizer, IV fluid Lactated ringers. Labwork CBC, BMP, CK, Liver panel reported to me "normal". Improved and dismissed from ED 12noon 12/30.

CDC Split Type:

Write-up: 12/30 9:30 am developed angioedema. Swelling of face, lips, tight throat. Also had bright red rash over body trunk and arms. Both palms were red, hot and painful.

VAERS ID: 914596 (history)
Form: Version 2.0

Age: 39.0
Sex: Female
Location: Kentucky

Vaccinated: 2020-12-30 **Onset:** 2020-12-30

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-30

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL0142 / UNK	RA / IM

Administered by: Senior Living Purchased by: ?
Symptoms: Anaphylactic reaction, Dyspnoea, Stridor

SMQs:, Anaphylactic reaction (narrow), Angioedema (broad), Anaphylactic/anaphylactoid shock conditions (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Hypersensitivity (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions:
Allergies: orange and red dye

Diagnostic Lab Data: In ER and at Medical Center

CDC Split Type:

Write-up: Anaphalaxis reaction, stridor an unable to breathe. Happened in 30 seconds

VAERS ID: 914730 (history)
Form: Version 2.0

Age: 44.0
Sex: Female
Location: California

Vaccinated: 2020-12-17 **Onset:** 2020-12-17

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-30

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK5730 / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Computerised tomogram coronary artery normal, Dizziness, Electrocardiogram T wave inversion, Full blood count normal, Hyperhidrosis, Metabolic function test normal, Myocardial necrosis marker increased, Nausea, Presyncope, Troponin normal

SMQs:, Acute pancreatitis (broad), Neuroleptic malignant syndrome (broad), Myocardial infarction (broad), Anticholinergic syndrome (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Other ischaemic heart disease (broad), Vestibular disorders (broad), Hypotonic-hyporesponsive episode (broad), Hypoglycaemia (broad), Hypokalaemia (broad)

Life Threatening? Yes **Birth Defect?** No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 1 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Bupropion HCl XL 300mg tablet QDay Bupropion HCl SR 100mg tablet

QDay Escitalopram 20mg tablet QDay Buspirone HCL 7.5mg tablet TID

Current Illness: None

Preexisting Conditions: Scoliosis Depression

Allergies: None

Diagnostic Lab Data: EKG 12/17/2020, inverted T waves CBC, BMP, within normal limits

Cardiac enzymes x 3, troponin was zero Coronary CT with contrast, WNL

CDC Split Type:

Write-up: Near syncopal episode approximately 2.5 hours after vaccination. Sudden onset of dizziness, nausea, and diaphoresis. Was admitted to ED and observed overnight. Full cardiac work up was done and shown to be within normal limits. I have no pre-existing conditions and considered to be a healthy adult.

VAERS ID: 914798 (history) Version 2.0 Form:

54.0 Age: Sex: Female California Location:

Vaccinated: 2020-12-18 Onset: 2020-12-20

Days after vaccination: 2

Submitted: 0000-00-00 **Entered:** 2020-12-30

Vaccination / Manufacturer	Lot / Dose	Site / Route	
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK5730 / 1	LA / IM	

Purchased by: ? **Administered by:** Private

Symptoms: Bundle branch block right, Cardiac stress test normal, Chest X-ray, Chest pain, Depressed level of consciousness, Electrocardiogram abnormal, Full blood count, Heart rate decreased, Hyperhidrosis, Metabolic function test, Nausea, Pallor, Sinus bradycardia, Transcutaneous pacing, Troponin increased

SMQs:, Acute pancreatitis (broad), Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Myocardial infarction (narrow), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Disorders of sinus node function (narrow), Conduction defects (narrow), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Hypotonic-hyporesponsive episode (broad), Generalised convulsive seizures following immunisation (broad), Hypoglycaemia (broad)

Life Threatening? Yes Birth Defect? No.

Died? No.

Permanent Disability? No

Recovered? Yes Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 1 days Extended hospital stay? No

Previous Vaccinations:

Other Medications: Amlodipine 10 mg daily

Current Illness: none

Preexisting Conditions: Hypertension

Allergies: No known allergies

Diagnostic Lab Data: EKGs, Chest X-rays, Serial Toponin Levels, CBC, CMP, Cariac Stress

CDC Split Type:

Write-up: On Dec. 20, 2020 around 11:30 PM, 2 days after patient received her COVID-19 vaccination, she was found on the bathroom floor, obtunded, very pale, diaphoretic, nauseous, and complaining of severe chest pain. Paramedics was called and patient was

transported to the nearest emergency room. According to paramedics, on the way to the ER while patient was in the ambulance,she was noted with a sudden drop in heart rate about 19 beats/minute and have to be given Atropine IV Push, oxygen and was connected to transcutaneous pacing which improves her heart rate. In the ER patient continued to have chest pain and she was given Morphine, Oxygen, Nitroglycerine and Aspirin. IM had an EKG which showed Sinus Bradycardia with a Right Bundle Branch Block. She had serial ekgs, a chest x-ray, laboratory testing which included Troponin. Her first Troponin level came back elevated prompting her hospital admission to Telemetry. Her next 2 Troponin level improved and return to normal range and her chest pain has resolved.. She underwent a Stress Test which came back negative. Patient was admitted for a total of 20 hours in the Telemetry unit with Cardiology consultation before being discharged home last . She was re-evaluated by the cardiologist yesterday which diagnosed her a chest pain of unknown origin.

VAERS ID: 914821 (history)
Form: Version 2.0

Age: 42.0
Sex: Female
Location: Idaho

Vaccinated: 2020-12-28 **Onset:** 2020-12-28

Days after vaccination: 0

 Submitted:
 0000-00-00

 Entered:
 2020-12-30

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	037K20A / 1	LA / IM

Administered by: Military Purchased by: ?

Symptoms: Chest X-ray, Dizziness, Echocardiogram, Electrocardiogram, Full blood count, Hypertension, Metabolic function test, Myocardial necrosis marker, Paraesthesia oral, Peripheral swelling, Pruritus, Rash, Tachycardia

SMQs:, Cardiac failure (broad), Anaphylactic reaction (broad), Angioedema (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Extravasation events (injections, infusions and implants) (broad), Haemodynamic oedema, effusions and fluid overload (narrow), Hypertension (narrow), Vestibular disorders (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Dehydration (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? Yes
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? No
Previous Vaccinations:
Other Medications: None

Current Illness: None

Preexisting Conditions: None

Allergies: None

Diagnostic Lab Data: EKG, Cardiac enzymes, CBC, CMP, Chest Xray, Echo pending

CDC Split Type:

Write-up: Rash, Itching and swelling of left arm. Progressed to tachycardia in the 150"s,

hypertension 200/114. Tingling of lips, dizziness

VAERS ID: 915199 (history)
Form: Version 2.0

Age: 38.0
Sex: Male
Location: Hawaii

Vaccinated: 2020-12-30 **Onset:** 2020-12-30

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-30

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / 1	LA / IM

Administered by: Other Purchased by: ?

Symptoms: Electrocardiogram, Ocular hyperaemia, Throat irritation

SMQs:, Anaphylactic reaction (broad), Oropharyngeal conditions (excl neoplasms, infections

and allergies) (narrow), Glaucoma (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Lialda for colitis

Current Illness: None

Preexisting Conditions: Colitis

Allergies: None

Diagnostic Lab Data: EKG, pulse ox and blood pressure

CDC Split Type:

Write-up: Itchy throat, red eyes after 30 minutes. EMS on site gave IV Benadryl, epi pen shot and took to ER for monitoring. Vitals were good so he was discharged.

VAERS ID: 915464 (history)
Form: Version 2.0

29.0 Age: Sex: **Female** Location: Unknown

Vaccinated: 2020-12-28 Onset: 2020-12-28

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-31

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL1284 / 1	RA / IM

Purchased by: ? **Administered by:** Private

Symptoms: Hypoaesthesia oral, Paraesthesia oral, Swollen tongue, Tongue dry **SMQs:**, Anaphylactic reaction (broad), Angioedema (narrow), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Dehydration (broad)

Life Threatening? Yes Birth Defect? No. Died? No.

Permanent Disability? No

Recovered? Yes Office Visit? No. ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: **Current Illness:**

Preexisting Conditions: asthma Allergies: no known allergies

Diagnostic Lab Data: CDC Split Type:

Write-up: 10 minutes after receiving vaccine, patient reported numbness across upper lip which progressed to her tongue. Felt tingling and dryness of tongue and swelling. No difficulty breathing or swallowing, no chest pain, no wheezing, no rash, no itching. Taken to ED and given methylprednisolone 125mg IV, diphenhydramine 50mg IV, famotidine 20mg PO. Patient improved and monitored x 4 hours with resolution of symptoms. Prescribed prednisone 50mg po x 4 days.

VAERS ID: 915765 (history) Version 2.0 Form:

Age: 46.0 Sex: **Female** Location: Missouri

Vaccinated: 2020-12-18 **Onset:** 2020-12-19

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2020-12-31

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL0140 / 1	RA / IM

Administered by: Other Purchased by: ?

Symptoms: Anaphylactic reaction

SMQs:, Anaphylactic reaction (narrow), Anaphylactic/anaphylactoid shock conditions

(narrow), Hypersensitivity (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:
Other Medications:
Current Illness:

Preexisting Conditions:

Allergies:

Diagnostic Lab Data:

CDC Split Type:

Write-up: Patient had an anaphylactic reaction to the vaccine the day after it was given and went to the nearest ER.

VAERS ID: 915813 (history)
Form: Version 2.0

Age: 61.0
Sex: Male
Location: Texas

 Vaccinated:
 2020-12-30

 Onset:
 2020-12-30

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-31

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Dysphagia, Full blood count normal, Metabolic function test normal, Paraesthesia oral, SARS-CoV-2 test negative, Swollen tongue

SMQs:, Anaphylactic reaction (broad), Angioedema (narrow), Anticholinergic syndrome (broad), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), COVID-19 (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 1 days
Extended hospital stay? No
Previous Vaccinations:

Other Medications: Hydralazine 50mg BID last taken 3 days prior to vaccination Carvedilol 12.5mg BID last taken 3 days prior to vaccination Aspirin 81mg taken 12/30 AREDS multivitamin taken 12/30

Current Illness:

Preexisting Conditions: Macular degeneration HTN

Allergies: Previous experienced three episodes of angioedema. One episode was thought to be from losartan. Patient experienced 2 additional episodes while off losartan. Previously diagnosed with seasonal allergies. Patient stated all three episodes he had eaten some sort of salad/vegetable and thinks this could be related to environmental allergies.

Diagnostic Lab Data: CMP and CBC were unremarkable 12/30 COVID-19 PCR was negative 12/30

CDC Split Type:

Write-up: Patient stated he stopped his blood pressure medications 3 days prior to vaccination due to a previous reaction to losartan, a medication he was no longer taking. Patient took aspirin and a MVI on day of vaccination and drank lemon water. Patient developed tingling sensation in his mouth after eating dinner around 18:00. Patient stated he ate tacos with apple cider and noticed tingling after dinner. Patient stated he took two benadryl with no relief. His tongue continued to swell and he took two additional benadryl at 22:00. Once he developed difficulty swallowing he went to the emergency department. Patient presented to the ED with tongue swelling and difficulty swallowing. At 23:57 he was adminsitered 0.3mg of epinephrine IM, diphenhydramine 25mg IV, famotidine 40mg IV, dexamethasone 10mg IV at 0114, methylprednisolone 60mg q6hrs started at 0417, diphenhydramine 25mg q6hrs IV started at 0416, albuterol 2.5mg via neb q6hrs started at 0710

VAERS ID: 915928 (history)
Form: Version 2.0

Age: 38.0 Sex: Female

Location: Missouri

 Vaccinated:
 2020-12-28

 Onset:
 2020-12-28

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-31

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / UNK	-/-

Administered by: Private Purchased by: ?

Symptoms: Confusional state, Dizziness, Dysphagia, Dyspnoea, Endotracheal intubation, Immediate post-injection reaction, Palpitations, Paraesthesia oral, Pruritus, Rash, Rash erythematous, Tremor, Vision blurred, Wheezing

SMQs:, Anaphylactic reaction (narrow), Angioedema (broad), Asthma/bronchospasm (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (narrow), Arrhythmia related investigations, signs and symptoms (broad), Dementia (broad), Parkinson-like events (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Glaucoma (broad), Cardiomyopathy (broad), Lens disorders (broad), Eosinophilic pneumonia (broad), Retinal disorders (broad), Vestibular disorders (broad), Hypersensitivity (narrow), Respiratory failure (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 4 days
Extended hospital stay? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions:

Allergies: Percocet, reglan, and emgality migrain injection

Diagnostic Lab Data: CDC Split Type:

Write-up: Started feeling a reaction immediately after the vaccine, felt blurred vision, dizziness, racing heartbeat, chest rash and face, itching all over, difficulty swallowing, tongue tingling and wheezing. Sent to ED. EPI and Benadryl. 1800 Went to see her in the ED, room 33. She has red rash to neck, shaky hands itching to neck and chest. ED Dr to discharge, she stated husband to pick her up and she will follow up with OH tomorrow.

------RN

ED gave her Epinephrine 0.3 mg, Methylprednisolone 125mg, Diphenhydramine HCL 50 mg, Zofran 4mg, Lorazepam 1 mg, Hydroxyzine HCL 50 mg Sumatriptan 6mg, Discharge from

- RN 12/29/2020 1715 called to check on patient. left voicemail for her to call OH. ???????..? 12/29/2020 1838 left voicemail for patient to call OH. ??????????????????? 12/30/20 2030 spoke with her. Tuesday 12/29 3pm-4pm dizziness, confusion, sob. Wheezing. Ambulance called. Hospital admitted. Intubated for less than 24 hours. Breathing treatments, epi drip. Now just on steroids and walking around and feeling better. Still admitted at hospital. Hoping discharged tomorrow. ------RN

VAERS ID: 916268 (history) Version 2.0 Form:

Age: 51.0 Sex: Female Location: Ohio

Vaccinated: 2020-12-31 2020-12-31 Onset:

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-31

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EJ1685 / 1	LA / IM

Administered by: Senior Living **Purchased by: ?** Symptoms: Dyspnoea, Erythema, Swollen tongue

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No

ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions:

Allergies: Anaphylaxis to bee stings

Diagnostic Lab Data: CDC Split Type:

Write-up: Shortly after receiving the vaccine (within 10 minutes) the patient's tongue swelled, facial redness, gasping for air. This resident was marked for a 30 minute observation due to

previous anaphylaxis type reaction. Immediately administered 0.3mg epinephrine x 1 dose. Then administered 50mg IM Diphenhydramine. This treatment course resolved the adverse reaction. Patient was monitored onsite at facility. Her husband came to pick her up and take her home. Tried to reach patient several hours after but was unable to at this time.

VAERS ID: 916414 (history)
Form: Version 2.0

Age: 61.0
Sex: Female
Location: Wisconsin

Vaccinated: 2020-12-31 **Onset:** 2020-12-31

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2020-12-31

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EJ1685 / UNK	LA / IM

Administered by: Work Purchased by: ?

Symptoms: Dysphagia, Dyspnoea, Electrocardiogram, Lip swelling, Swollen tongue SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Anticholinergic syndrome (broad), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Cardiomyopathy (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: erythromycin, synthroid, vitamins b complex,c and vitamin d

Current Illness: none

Preexisting Conditions: hypothyroidism

Allergies: quinolones - rash

Diagnostic Lab Data: ekg / vital sign monitoring, iv fluids along with iv solu-medrol, benadryl

and pepcid

CDC Split Type:

Write-up: approximately 30 minutes after receiving vaccination i began to develop tongue and lip swelling as well as difficulty swallowing and breathing, i then proceeded immediately to the

VAERS ID: 916497 (history)
Form: Version 2.0

Age: 65.0 Sex: Female

Location: Massachusetts

Vaccinated: 2020-12-27 **Onset:** 2020-12-28

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2020-12-31

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	026L2OA / 1	-/SYR

Administered by: Private Purchased by: ?

Symptoms: C-reactive protein increased, Catheterisation cardiac normal, Chest discomfort, Chills, Coronary artery disease, Echocardiogram abnormal, Ejection fraction decreased, Haematocrit normal, Haemoglobin normal, Hypokinesia, Left ventricular end-diastolic pressure increased, Myalgia, Nausea, Red blood cell sedimentation rate increased, Stress cardiomyopathy, Troponin increased, Ventricular hypokinesia, White blood cell count normal SMQs:, Rhabdomyolysis/myopathy (broad), Cardiac failure (narrow), Anaphylactic reaction (broad), Acute pancreatitis (broad), Myocardial infarction (narrow), Embolic and thrombotic events, arterial (narrow), Parkinson-like events (broad), Guillain-Barre syndrome (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (narrow), Eosinophilic pneumonia (broad), Other ischaemic heart disease (narrow), Hypotonic-hyporesponsive episode (broad), Tendinopathies and ligament disorders (broad)

Life Threatening? Yes Birth Defect? No Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 2 days Extended hospital stay? No

Previous Vaccinations:

Other Medications: Vitamin D3, omega-3, Vitamin A/C, psyllium

Current Illness: none

Preexisting Conditions: History of Renal Cell Carcinoma s/p nephrectomy, Hyperlipidemia,

osteopenia, sinus bradycardia, cervical radiculopathy

Allergies: None

Diagnostic Lab Data: TTE 12/30: EF 35%. Regional variation with normal contraction at the base and hypokinesis of the mid and distal segments with perhaps some sparing of the apex. Pattern is consistent with Takotsubo cardiomyopathy. Cardiac Catheterization 12/30: Mild Coronary Disease in LAD. Otherwise minimal CAD. Mildly elevated left sided filling pressure.

ESR: 24 CRP <5 WBC 6.46, H/H 13.7/39.7

CDC Split Type:

Write-up: Patient started having myalgia, chills, nausea on the next day of the vaccination. on 2nd day (12/29) patient had chest pressure which made her present to Hospital ED. She had troponin elevation to 1.14. Cardiac Catheterization was done which was negative. On Trans Thoracic Echocardiogram, patient was found to have hypokinesis of the mid and distal segment with some sparing of apex proving Takotsubo (stress induced) cardiomyopathy. Patient did not have any underlying emotional or physical stress going on in her life or family. Till now extensive infectious as well as inflammatory work up is done to rule out any secondary causes of cardiomyopathy which till date have remained negative. As a diagnosis of exclusion, her presentation seems to be COVID-19 vaccine induced Takotsubo Cardiomyopathy

VAERS ID: 916538 (history)
Form: Version 2.0

Age: 39.0
Sex: Female
Location: Washington

 Vaccinated:
 2020-12-28

 Onset:
 2020-12-28

Days after vaccination: 0

 Submitted:
 0000-00-00

 Entered:
 2020-12-31

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	025J20-2A / 1	RA / IM

Administered by: Private Purchased by: ?

Symptoms: Base excess, Basophil count decreased, Basophil percentage decreased, Blood bicarbonate normal, Blood calcium normal, Blood chloride normal, Blood creatinine normal, Blood glucose normal, Blood pH increased, Blood potassium decreased, Blood sodium normal, Blood urea normal, Carbon dioxide decreased, Chest X-ray normal, Dysphagia, Dyspnoea, Electrocardiogram T wave abnormal, Electrocardiogram abnormal, Eosinophil count decreased, Eosinophil percentage decreased, Granulocyte count, Granulocyte percentage, Haematocrit normal, Haemoglobin normal, Hyperhidrosis, Injection site erythema, Lymphocyte count increased, Lymphocyte percentage decreased, Mean cell haemoglobin concentration normal, Mean cell haemoglobin normal, Mean cell volume normal, Mean platelet volume normal, Monocyte count normal, Monocyte percentage decreased, Muscle rigidity, Neutrophil count increased, Neutrophil percentage increased, Opisthotonus, PCO2 decreased, PO2 decreased, Pharyngeal swelling, Platelet count normal, Rash macular, Rash pruritic, Red blood cell count normal, Red blood cell nucleated morphology, Red cell distribution width normal, Sensory disturbance, Skin warm, Tachypnoea, Tremor, Troponin I normal, White blood cell count increased

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Asthma/bronchospasm (broad), Haematopoietic leukopenia (narrow), Lactic acidosis (broad), Peripheral neuropathy (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Dystonia (narrow), Parkinsonlike events (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Extravasation events (injections, infusions and implants) (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Other ischaemic heart disease (broad), Hypersensitivity (narrow), Respiratory failure (broad).

Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad), Infective pneumonia (broad), Hypokalaemia (narrow)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? Yes
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? No

Previous Vaccinations:

Other Medications: iron 65 mg BID, super B-complex once daily, flax seed oil 1,000 mg daily, vitamin C 500 mg BID, vitamin D3 2,000 IU daily, Zyrtec 10 mg daily for nasal congestion seasonal allergies acyclovir, buspirone, Wellbutrin, hydroxyzine 10 mg prn a **Current Illness:** Did have nasal congestion in November briefly and then again in early December. Did get covid tests each time which were negative. Was feeling fine at the time of her vaccine.

Preexisting Conditions: anxiety, hx of depression, hx of herpes, takes acyclovir for suppression, hx of cholecystectomy

Allergies: none, did develop seasonal nasal congestion this year.

Diagnostic Lab Data: pH Venous 7.33 - 7.43 7.43 pCO2 Venous 39 - 54 mm/Hg 35Low pO2 Venous 25 - 43 mm/Hg 39 HCO3 Venous 24 - 28 mmol/L 22Low BE Venous -3.0 - 3.0 mmol/L -1.2 O2 Sat Ven (Cal) 60 - 85 % 77 Device Room Air Ref Range & Units 12/29/20 3:22 PM Troponin I <=0.03 ng/mL <0.02 Comment: 0.03 ng/mL or less: No detectable cardiac injury 0.04 to 0.49 ng/mL: Possible Cardiac muscle injury 0.50 ng/mL or greater: Myocardial infarction Serial testing is highly recommended with a Troponin of 0.04 ng/mL or greater. Sodium 136 - 145 mmol/L 140 Potassium 3.6 - 5.0 mmol/L 3.4Low Chloride 98 - 107 mmol/L 106 Carbon Dioxide 22 - 28 mmol/L 22 BUN 6 - 20 mg/dL 12 Creatinine 0.60 - 1.10 mg/dL 0.67 Glucose 74 - 100 mg/dL 134High Calcium 8.6 - 10.3 mg/dL 9.3 WBC 4.00 - 10.00 x10"3/uL 15.78High RBC 3.85 - 5.20 x10"6/uL 4.43 Hemoglobin 11.5 - 16.0 gm/dL 13.7 Hematocrit 34.7 - 46.0 % 40.8 MCV 80.0 - 97.0 fL 92.1 MCH 26.0 - 34.0 pg 30.9 MCHC 32.0 -36.0 gm/dL 33.6 RDW 11.5 - 15.0 % 12.0 Platelet Count 140 - 440 x10"3/uL 345 MPV 6.5 -12.4 fL 9.1 Auto % Neut 37.0 - 80.0 % 91.7 High Auto % Lymph 16.0 - 51.0 % 6.1 Low Auto % Mono 0.0 - 12.0 % 1.7 Auto % Eos 0.0 - 8.0 % 0.0 Auto % Baso 0.0 - 3.0 % 0.1 Auto % Imm Gran 0.0 - 1.0 % 0.4 Comment: Immature granulocytes are composed of metamyelocytes, myelocytes, and promyelocytes; bands and blasts are not included. Auto % NRBC 0.0 - 0.2 /100 WBC 0.0 Auto ABS Neut 1.50 - 8.00 x10"3/uL 14.46High Auto ABS Lymph 0.80 - 4.00 x10"3/uL 0.97 Auto ABS Mono 0.00 - 1.20 x10"3/uL 0.27 Auto ABS Eos 0.00 - 0.30 x10"3/uL 0.00 Auto ABS Baso 0.00 - 0.30 x10"3/uL 0.02 Auto ABS Imm Gran 0.00 - 0.10 x10"3/uL 0.06 Auto ABS NRBC 0.00 - 0.01 x10"3/uL 0.00 VENT RATE 94 BPM ATRIAL RATE 94 BPM PR INTERVAL 140 ms QRS DURATION 82 ms QT INTERVAL 368 ms QTC 460 ms P AXIS 62 degrees R AXIS 34 degrees T AXIS 11 degrees Result Narrative Normal sinus rhythm T wave abnormality, consider anterior ischemia Abnormal ECG No previous ECGs available normal

CDC Split Type:

Write-up: 15-20 mins after receiving the vaccine she reported she had difficulty swallowing and difficulty breathing and was ?shaking." a PA wrote in her note that when she ran in to help, she found the patient to be tachypneic, diaphoretic, warm with some red blotchy patches on face, chest & neck. Able to speak easily c/o trouble breathing & sensation of throat swelling & extremities feeling abnormal. No stridor. No facial edema noted by that clinician. Administered epi-pen 0.3mg - IV started, Benadryl 50mg IVP and solumedrol 125mg IVP.

Patient reports she subsequently arched her back and had rigidity of her arms/legs and tremors. Clinic PA reports that while she was there, pt was never hypotensive. Initially hypertensive after epi as expected with some favorable response after 10-15 min Staff there gave her IM epinephrine, IV Solu-Medrol and 50 mg IV Benadryl. EMS was contacted and transported to the emergency room. She arrived at the ER, was monitored for 2 hours, was started on pepcid and benadryl and discharged from the ER. She had a diffuse itchy rash. The following day she again developed recurrence of throat swelling. Went back to a different ER. Developed dyspnea immediately prior to arrival at ER. There was again given solumedrol and benadryl and pepcid and developed muscle rigidity and arched back for 10 minutes. Symptoms of SOB and dyspnea resolved with epinephrine. Was discharged from the ER with prednisone after being monitored for 5 hours. Is continuing to take prednisone and benadryl. Rash is still present but improving with scheduled benadryl. Has new redness at injection site today. Continues to feel some throat swelling but no tightness today. This information was gathered from talking with pt today for a phone appt and also from her medical chart regarding her vaccination visit and two ER visits.

VAERS ID: 916710 (history)
Form: Version 2.0

Age: 23.0
Sex: Female
Location: Missouri

 Vaccinated:
 2020-12-29

 Onset:
 2021-01-01

Days after vaccination: 3

Submitted: 0000-00-00 **Entered:** 2021-01-01

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: <u>Appendicitis, Band neutrophil percentage increased, Surgery, White blood cell</u> count increased

SMQs:, Neuroleptic malignant syndrome (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, ? days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Synthroid

Current Illness:

Preexisting Conditions: Hypothyroidism

Allergies: NKDA

Diagnostic Lab Data: WBCs 13k, 4% Bands, CT with acute appendicitis- taken to surgery

CDC Split Type:

Write-up: Acute appendicitis, onset morning of 1/1/2021 (Reporting this because Pfizer covid vaccine had 3-4x higher risk of appendicitis, although data not reported for Moderna covid vaccine)

VAERS ID: 916790 (history)
Form: Version 2.0

Age: 52.0
Sex: Female
Location: Tennessee

Vaccinated: 2020-12-26 **Onset:** 2020-12-26

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-01

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / 1	RA / IM

Administered by: Private **Purchased by:** ?

Symptoms: Blood pressure diastolic increased, Blood pressure systolic increased, Chest discomfort, Dizziness, Dysphagia, Electrocardiogram, Flushing, Heart rate increased, Hyperhidrosis, Malaise, Nausea, Speech disorder, Throat clearing

SMQs:, Anaphylactic reaction (narrow), Acute pancreatitis (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Dementia (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Psychosis and psychotic disorders (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Hypertension (narrow), Cardiomyopathy (broad), Vestibular disorders (broad), Hypersensitivity (broad), Hypoglycaemia (broad), Dehydration (broad)

Life Threatening? Yes Birth Defect? No Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Estradiol, topiramate, Emgality, sumatriptan, multivitamin

Current Illness:

Preexisting Conditions: Asthma, migraines

Allergies: Sulfa, shellfish

Diagnostic Lab Data: Solu-Medrol, Benadryl IV, Pepcid IV, and EKG monitoring.

CDC Split Type:

Write-up: Flushing, sweating, increased heart rate proceeded to feel difficulty swallowing and clearing my throat. I was taken to the ER. The symptoms progressed to feeling dizziness, difficulty speaking, and chest pressure with increased SBP/DBP. General nausea and feeling very unwell.

VAERS ID: 916859 (history) Version 2.0 Form:

37.0 Age: Sex: **Female**

Location: Rhode Island

Vaccinated: 2020-12-31 Onset: 2020-12-31

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-01

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	039K20A / 1	LA / IM

Administered by: Work **Purchased by: ?**

Symptoms: Blood pressure increased, Chills, Dyspnoea, Enlarged uvula, Headache, Heart rate increased, Injection site pain, Paraesthesia, Pharyngeal swelling, Throat tightness SMQs:, Anaphylactic reaction (broad), Angioedema (narrow), Peripheral neuropathy (broad), Neuroleptic malignant syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Extravasation events (injections, infusions and implants) (broad), Hypertension (narrow), Cardiomyopathy (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Dehydration (broad)

Life Threatening? Yes Birth Defect? No Died? No Permanent Disability? No Recovered? Yes Office Visit? No ER Visit? No ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: fexofenadine, famotidine, hydroxychloroquine,

Current Illness: None

Preexisting Conditions: Undifferentiated connective tissue disorder, asthma, seasonal

allergies, Raynaud's phenomenon, GERD, migraine Allergies: peanuts, soy, oysters, crab/lobster, penicillin

Diagnostic Lab Data:

CDC Split Type:

Write-up: The vaccine was received at 1:12 PM, and I felt fairly fine, aside from injection site pain and some tingling in my left arm until I had sudden significant elevation of heart rate, with shortness of breath, and throat swelling/tightening at approximately 1:26PM. I cold compress was applied to my forehead and I was put in a reclining position & then received Epinephrine

at 1:28PM. EMS (present onsite) arrived for transport at 1:31PM. 4L of oxygen was applied after O2 sat of 89% noted by EMS. Blood pressure was elevated to \$g200/100 initially by EMS. Symptoms improved quickly following epinephrine, with some residual feelings of very mild throat fullness, and I developed chills which improved over time. I was transported to emergency department where I was evaluated (symptoms mostly resolved at that time, but ED physician noted a little swelling remaining in my uvula), then IV Benadryl and Decadron were given. Later acetaminophen was also given for headache that developed during my ED stay. My vitals were monitored throughout and observation occurred until I was discharged at approximately 5:00PM, as symptoms had not recurred.

VAERS ID: 916890 (history)
Form: Version 2.0

Age: 39.0
Sex: Female
Location: Texas

Vaccinated: 2020-12-01 **Onset:** 2020-12-22

Days after vaccination: 21

Submitted: 0000-00-00 **Entered:** 2021-01-01

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / 1	RA / IM

Administered by: Work Purchased by: ?

Symptoms: Chest X-ray, Dyspnoea, Laboratory test, SARS-CoV-2 test, Throat tightness, Urticaria, Wheezing

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Asthma/bronchospasm (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), COVID-19 (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, 4 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Zoloft, vitamin d, vitamin b, zinc, Wellbutrin, singular

Current Illness: None

Preexisting Conditions: None until vaccine

Allergies: None

Diagnostic Lab Data: COVID TEST, LABS, Chest-X-Ray

CDC Split Type:

Write-up: HIVES, SOB, THROAT CLOSING UP, WHEEZING

VAERS ID: 917210 (history)
Form: Version 2.0

Age: 30.0
Sex: Female
Location: Utah

Vaccinated: 2020-12-21 **Onset:** 2020-12-27

Days after vaccination: 6

Submitted: 0000-00-00 **Entered:** 2021-01-02

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK5730 / UNK	AR / IM

Administered by: Private Purchased by: ?

Symptoms: Blood lactate dehydrogenase increased, C-reactive protein increased, Chest X-ray abnormal, Chills, Computerised tomogram thorax, Cough, Diarrhoea, Dyspnoea, Fibrin D dimer normal, Lung consolidation, Lung infiltration, Lung opacity, Procalcitonin increased, Pyrexia, Respiratory viral panel, SARS-CoV-2 test negative, SARS-CoV-2 test positive, Serum ferritin increased, Skin lesion, Sputum culture, Tachycardia, Tachypnoea, White blood cell count increased

SMQs:, Anaphylactic reaction (broad), Asthma/bronchospasm (broad), Interstitial lung disease (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Pseudomembranous colitis (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Noninfectious diarrhoea (narrow), Respiratory failure (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (narrow), Infective pneumonia (broad), Dehydration (broad), Sepsis (broad), Opportunistic infections (broad), COVID-19 (narrow)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, 6 days
Extended hospital stay? No
Previous Vaccinations:

Other Medications: cyclobenzaprine 10mg po tid mirena 52mg IUD Current Illness: COVID-19 Dec 2 Not hospitalized, mild symptoms Preexisting Conditions: Acne Depression Anxiety Obesity BMI 35

Allergies: NKDA

Diagnostic Lab Data: see above

CDC Split Type:

Write-up: 30YO F ICU nurse obesity (BMI 35) COVID 19 on Dec 2 symptoms, Dec 3 tested positive for COVID-19. never hospitalized, outpatient only. 12/12 completed isolation 12/21 received vaccine 12/7 developed Fever chills diarrhea SOB cough Urgent care visit. RLL consolidation on CXR given doxycycline 100 mg po bid worse, fever 40 targetoid lesions to LE (started before doxy) WBC 22K tachycardic tachypneic admitted requiring 2-4L oxygen CT angio without clot, diffuse ground glass and RML dense infiltrate DDimer 7.8 LDH 599 CRP 41 procal 0.67 ferritin 500 Viral respiratory PCR negative Sputum cx with oral flora (pending) COVID ag testing neg COVID PCR 1/3 targets positive (called as indeterminate).

VAERS ID: 917712 (history)
Form: Version 2.0

Age: 24.0
Sex: Female
Location: New York

 Vaccinated:
 2020-12-23

 Onset:
 2020-12-23

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-03

Vaccination / Manufacturer	Lot / Dose	Site / Route	
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK5730 / 1	LA / IM	

Administered by: Private **Purchased by:** ?

Symptoms: <u>Anaphylactic reaction, Chest X-ray, Cough, Productive cough, Respiratory tract</u> congestion, Throat tightness, Vomiting

SMQs:, Anaphylactic reaction (narrow), Acute pancreatitis (broad), Angioedema (broad), Anaphylactic/anaphylactoid shock conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Hypersensitivity (narrow), Infective pneumonia (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications: ESCITALOPRAM 20 MG TAB VITAMIN D3 5000 IU (125 MCG)

Current Illness: NONE

Preexisting Conditions: ANXIETY DEPRESSION

Allergies: SHELLFISH SEAFOOD ALL OF THE PENICILLIN GROUP ANTIBIOTICS

Diagnostic Lab Data: Chest x-ray that was taken after all the I.V. medication was given was

normal.

CDC Split Type:

Write-up: Anaphylaxis. The COVID shot was given, no reaction then. After 7 minutes, congestion, severe cough, vomiting phlegm, feeling like throat closing started happening. Code was called, Benadryl was immediately given intramuscular in the left arm, blood pressure, pulse ox was taken, and then was taken to the Emergency Department. In the ED, I was given prednisone, one EPI, anti-nausea medication all through I.V. and many more medications given to me via I.V. that I don"t sincerely remember. I was under observation for 4 hours. I was discharged after all symptoms dissipated and was given Prednisone 20 MG (3 tabs a day) to take to help my lungs. Management followed up almost immediately, everyone from the moment I had the anaphylactic reaction was quick and prepared.

VAERS ID: 917784 (history)
Form: Version 2.0

Age: 79.0
Sex: Male
Location: Texas

Vaccinated: 2021-01-02 **Onset:** 2021-01-02

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-03

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / UNK	-/-

Administered by: Other Purchased by: ?

Symptoms: Brain natriuretic peptide normal, Cardiac arrest, Cardioversion, Coronary arterial stent insertion, Haematocrit decreased, Haemoglobin normal, Intensive care, Red blood cell count decreased, Resuscitation, Syncope, Thirst, Troponin, White blood cell count increased SMQs:, Torsade de pointes/QT prolongation (broad), Anaphylactic reaction (broad), Haematopoietic erythropenia (narrow), Haemorrhage laboratory terms (broad), Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (narrow), Embolic and thrombotic events, arterial (narrow), Acute central respiratory depression (broad), Cardiomyopathy (broad), Other ischaemic heart disease (narrow), Hypotonic-hyporesponsive episode (broad), Respiratory failure (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad), Dehydration (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 2 days
Extended hospital stay? No
Previous Vaccinations:

Other Medications: None Current Illness: None

Preexisting Conditions: None

Allergies: None

Diagnostic Lab Data: WBC 17.3, RBC 4.43, Hct 40.4, Hgb 14.2, Troponin 0.047, BNP 28

CDC Split Type:

Write-up: Pt had vaccination at city site. Waitied 15 min after shot and was cleared to go. Reported to wife that he was very thristy, so they stopped at a convenience store on the way home. While there, he felt worse and asked to go to the Emergency room. They chose Methodist to enter. Pt went to triage and while at triage, had syncopal episode, then full arrest. After short course of CPR and defib, he had ROSC. Was taken to cath lab for intervention (stents) and is now in ICU.

VAERS ID: 917835 (history)
Form: Version 2.0

Age: 18.0 Sex: Male

Location: Minnesota

 Vaccinated:
 2020-12-30

 Onset:
 2020-12-31

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-03

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / UNK	RA / IM

Administered by: Senior Living Purchased by: ?

Symptoms: Chest X-ray normal, Chest pain, Culture urine negative, Electrocardiogram PR shortened, Electrocardiogram normal, Headache, Immunoglobulin therapy, Malaise, Pain, Pain in extremity, Paraesthesia, Pyrexia, SARS-CoV-2 antibody test, SARS-CoV-2 test negative, Troponin increased

SMQs:, Peripheral neuropathy (broad), Neuroleptic malignant syndrome (broad), Myocardial infarction (narrow), Anticholinergic syndrome (broad), Conduction defects (narrow), Guillain-Barre syndrome (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Cardiomyopathy (broad), Tendinopathies and ligament disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), COVID-19 (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, 3 days
Extended hospital stay? No

Previous Vaccinations:
Other Medications: None

Current Illness: COVID 19 Positive sept 82020 Few days of malaise headache, no

respiratory symptoms or chest pain Seen By cardiology at College no ECHO or Troponins as no symptoms of chest pain or SOB

Preexisting Conditions: H/o Peri Myocarditis hospitalized 11/2/19-11/5/2019 with ST elevation and elevated Troponins, normal biventricular function treated with IVIG F/u in 2020 doing well also seen in Cardiology Clinic 12/1/2020 Doing well ,no troponins but Holter placed x 24 hrs normal

Allergies: none H/o Cow"s milk hypersensitivity at 1 mos of age ,no problems with milk now **Diagnostic Lab Data:** Troponin 4.56 ng/ml after IVIG 2gm/kg 1/2-1/32021 Gammagard 10% (same as 11/2019)

CDC Split Type:

Write-up: Tactile fever ,arm pain, headache and malaise in 24 hrs following injection Next day generalized achiness ,retrosternal chest pain and bilateral forearm tingly pain similar to Nov 2019 and went to Hospital UC,CXR and EKG normal but with short PR interval on EKG ,elevated troponin 3.5 Transferred to hospital troponin 12.1 ng/ml IVIG given SARS IGG positive on admission PCR negative

VAERS ID: 918839 (history)
Form: Version 2.0

Age: 32.0
Sex: Female
Location: Washington

Vaccinated: 2020-12-24 **Onset:** 2021-01-01

Days after vaccination: 8

Submitted: 0000-00-00 **Entered:** 2021-01-04

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	037K20A / 1	- / IM

Administered by: Private Purchased by: ?

Symptoms: Cholecystectomy, Lymphadenopathy, Sepsis

SMQs:, Gallbladder related disorders (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Sepsis (narrow), Opportunistic infections (broad)

Life Threatening? Yes **Birth Defect?** No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Unknown Current Illness: Unknown

Preexisting Conditions: Unknown

Allergies: Unknown

Diagnostic Lab Data: Unknown.

CDC Split Type:

Write-up: Gallbladder removed, septic, 11mm axillary lymph node.

VAERS ID: 919087 (history)
Form: Version 2.0

Age: 50.0
Sex: Male
Location: California

Vaccinated:2020-12-23Onset:2020-12-27

Days after vaccination: 4

Submitted: 0000-00-00 **Entered:** 2021-01-04

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	UNKNOWN / 1	LA / IM

Administered by: Other Purchased by: ?

Symptoms: Antinuclear antibody negative, C-reactive protein increased, Fibrin D dimer increased, Hepatitis C antibody negative, Pericarditis, Red blood cell sedimentation rate normal, Troponin T increased

SMQs:, Haemorrhage laboratory terms (broad), Systemic lupus erythematosus (broad), Myocardial infarction (narrow), Chronic kidney disease (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Immune-mediated/autoimmune disorders (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No

ER Visit? No

ER or Doctor Visit? No Hospitalized? Yes, 1 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Aspirin daily

Current Illness: No illness one month prior to or at time of vaccination

Preexisting Conditions: None

Allergies: NKDA

Diagnostic Lab Data: 12/29 ANA negative. CRP 7.2 mg/dL. ESR 8 mm/hr. 12/28 Troponin T

67 ng/L. Hep C Ab = Non reactive. D-dimer 319 ng/mL.

CDC Split Type:

Write-up: Acute Pericarditis. Patient was admitted from 12/27-12/28/2020 at hospital by cardiology team who strongly felt the acute pericarditis was due to the Pfizer Vaccine (Dr. was senior cardiologist).

VAERS ID: 919252 (history)
Form: Version 2.0

Age: 27.0
Sex: Female
Location: Maine

 Vaccinated:
 2020-12-30

 Onset:
 2020-12-30

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-04

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	025J20A / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Chest discomfort, Headache, Palpitations, Pyrexia, Rash, Skin discomfort **SMQs:**, Anaphylactic reaction (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Cardiomyopathy (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes Birth Defect? No Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? No **Hospitalized?** Yes, 6 days

Extended hospital stay? No

Previous Vaccinations:
Other Medications: unknown
Current Illness: unknown

Preexisting Conditions: unknown

Allergies: NKA

Diagnostic Lab Data: EE was seen in the emergency room and admitted to Hospital. She

remains inpatient today 1/4/21.

CDC Split Type:

Write-up: Employee received COVID 19 vaccination at 9:45am on 12/30/20. ~15 min. later she developed a rash down her left arm, then down her Rt. arm. about 4 hours later she decided to go to the emergency room for Hearty Palpitations, Fever, Chest discomfort and feeling of generalized sunburn. Later developed severe headache..

VAERS ID: 919546 (history)
Form: Version 2.0

Age: 51.0 Sex: Female

Location: Alabama

 Vaccinated:
 2020-12-29

 Onset:
 2021-01-01

Days after vaccination: 3

Submitted: 0000-00-00 **Entered:** 2021-01-04

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	011J20A / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Antinuclear antibody positive, Antiphospholipid antibodies, Aphasia, Blood cholesterol increased, Blood homocysteine, Coagulation time, Craniotomy, Low density lipoprotein increased, Mechanical ventilation, Thrombotic stroke

SMQs:, Dyslipidaemia (narrow), Hyperglycaemia/new onset diabetes mellitus (broad), Systemic lupus erythematosus (narrow), Ischaemic central nervous system vascular conditions (narrow), Dementia (broad), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), Acute central respiratory depression (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Conditions associated with central nervous system haemorrhages and cerebrovascular accidents (broad), Lipodystrophy (broad), Respiratory failure (broad), Immune-mediated/autoimmune disorders (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? Yes
Recovered? No
Office Visit? No

Office Visit? No ER Visit? No

ER or Doctor Visit? No Hospitalized? Yes, 3 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Plaquenil Fioricet Midrin

Current Illness: PMH- Lupus; HTN; marked hyperlipidemia **Preexisting Conditions:** Lupus Hypertension Hyperlipidemia

Allergies: None listed

Diagnostic Lab Data: Total cholesterol- 465 LDL- 351 ANA (+) Labs pending- Lupus AC;

antiphospholipid AB, homocysteine levels; hypercoagulability profile

CDC Split Type:

Write-up: thrombotic stroke -necessitating hospitalization; and craniotomy; required mechanical ventilator for 2 days. Patient now extubated, breathing on her own. Patient remains hospitalized with marked deficits (aphasic)

VAERS ID: 919593 (history)
Form: Version 2.0

Age: 64.0
Sex: Male
Location: lowa

 Vaccinated:
 2020-12-30

 Onset:
 2021-01-02

Days after vaccination: 3

Submitted: 0000-00-00 **Entered:** 2021-01-04

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / 1	RA / -

Administered by: Unknown Purchased by: ?
Symptoms: Arthritis bacterial, Culture wound positive

SMQs:, Arthritis (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? No Hospitalized? Yes, ? days Extended hospital stay? No

Previous Vaccinations: Other Medications: Current Illness: none

Preexisting Conditions: hypertension, sleep apnea, osteoarthritis

Allergies: opioids

Diagnostic Lab Data: Positive wound cultures.

CDC Split Type:

Write-up: Patient developed a septic knee (history of arthroplasty) need for immediate surgery, hospitalization and months to years of antibiotics in his future now.

VAERS ID: 919604 (history)
Form: Version 2.0

Age: 30.0

Sex: Female

Location: Mississippi

 Vaccinated:
 2020-12-30

 Onset:
 2020-12-30

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-04

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	037K20A / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Alanine aminotransferase normal, Anion gap decreased, Aspartate

aminotransferase normal, Basophil count normal, Basophil percentage decreased, Blood albumin normal, Blood alkaline phosphatase normal, Blood bilirubin normal, Blood calcium

normal, Blood chloride normal, Blood creatinine normal, Blood glucose normal, Blood magnesium normal, Blood potassium decreased, Blood sodium normal, Blood thyroid stimulating hormone normal, Blood urea nitrogen/creatinine ratio, Blood urea normal, Carbon dioxide decreased, Chest X-ray normal, Chest discomfort, Cough, Dizziness, Eosinophil count decreased, Eosinophil percentage decreased, Glomerular filtration rate, Haematocrit normal, Haemoglobin normal, Hypoaesthesia, Immature granulocyte count increased, Immature granulocyte percentage increased, Injection site hypoaesthesia, Injection site pain, Lymphocyte count decreased, Lymphocyte percentage decreased, Mean cell haemoglobin concentration normal, Mean cell haemoglobin normal, Mean cell volume normal, Mean platelet volume normal, Monocyte count normal, Monocyte percentage decreased, Nausea, Neutrophil count increased, Neutrophil percentage increased, Pain in extremity, Platelet count normal, Protein total normal, Red blood cell count normal, Red blood cell nucleated morphology, Red cell distribution width increased, Throat tightness, Troponin normal, White blood cell count normal

SMQs:, Anaphylactic reaction (broad), Acute pancreatitis (broad), Angioedema (broad), Haematopoietic leukopenia (narrow), Peripheral neuropathy (broad), Systemic lupus erythematosus (broad), Anticholinergic syndrome (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Extravasation events (injections, infusions and implants) (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Vestibular disorders (broad), Hypersensitivity (broad), Myelodysplastic syndrome (broad), Tendinopathies and ligament disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypokalaemia (narrow), Sexual dysfunction (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 1 days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: Amitriptyline 25 mg PO QHS Bupropion XL 150 mg PO Daily Cyanocobalamin 1000 mcg PO once weekly Ferrous sulfate DR 324 mg PO Daily Levothyroxine 100 mcg PO Daily Methocarbamol 500 mg PO TID prn muscle spasms Scopolamine 1.5 mg patch transder

Current Illness:

Preexisting Conditions: Anemia Asthma Depression Hypothyroidism secondary to thyroid cancer s/p thyroidectomy Hypertension Migraines Vertigo

Allergies: No known allergies

Diagnostic Lab Data: Chest X-ray (12/30/20 @ 1737): The cardiac and mediastinal silhouette are unremarkable. The lungs are free of infiltrates and masses. I see no acute chest disease on today"s film. CBC w/diff (12/30/2020 @ 1658) WBC: 9.0 RBC: 4.38 Hemoglobin: 13.3 Hematocrit: 39.8 MCV: 90.9 MCH: 30.4 MCHC: 33.4 RDW SD: 40.4 Platelet: 264 MPV: 9 NRBC Percent: 0.0 NRBC Absolute: 0.000 Absolute Neutrophil: 8.4 (H) Lymphocyte Absolute: 0.4 (L) Monocytes Absolute, Automated: 0.11 Absolute Eosinophil: 0.00 (L) Basophil Absolute: 0.03 Absolute Immature Granulocytes: 0.03 (H) Neutrophil percent: 93.6 (H) Lymphocyte percent: 4.6 (L) Monocyte percent: 1.2 Eosinophil percent: 0.0 Basophil percent: 0.3 Immature Granulocytes percent: 0.30 (H) CMP (12/30/2020 @ 1658) Sodium: 136 Potassium: 3.3 (L) Chloride: 106 CO2: 21 Anion gap: 9 Glucose: 137 (H) BUN: 15 Creatinine: 1.01 BUN/Creatinine Ratio: 14.9 Calcium: 9.2 Protein total: 7.9 Albumin: 4.6 AST: 12 ALT: 17

ALP: 50 eGFR non-African American: \$g60.0 eGFR African American: \$g60.0 Bilirubin total: 0.4 Magnesium: 2.0 TSH: 2.52 Cardiovascular (12/30/2020 @ 1658) Troponin: <0.015 CDC Split Type:

Write-up: Presented to the ED after developing chest tightness, cough, lightheadedness, and throat closing sensation. She received the Moderna COVID-19 vaccine on the morning of presentation. Within 15 minutes of receiving the vaccine she developed pain and numbness, starting at the injection site traveling down the ulnar aspect of her arm, and nausea. Over the next several hours she continued to develop worsening nausea, chest tightness, cough, lightheadedness, and the sensation that her throat closing. She took PO Benadryl 25mg; however, her symptoms were not alleviated. She was subsequently evaluated in the ED. ? Received PO Benadryl 25mg, IV Benadryl 25mg, Epinephrine 0.3mg x 2, IV Famotidine 20mg, IV Solumedrol 125mg & 60mg, DuoNebs x 3, Racepinephrine x 1.

VAERS ID: 919620 (history)
Form: Version 2.0

Age: 81.0 Sex: Male

Location: Washington

Vaccinated: 2020-12-01 **Onset:** 2021-01-01

Days after vaccination: 31

Submitted: 0000-00-00 **Entered:** 2021-01-04

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL0140 /	LA / IM
UNK : VACCINE NOT SPECIFIED (NO BRAND NAME) / UNKNOWN MANUFACTURER	EL0140 / 1	UN / -

Administered by: Senior Living Purchased by: ?

Symptoms: Body temperature increased, Cardiac failure, Pyrexia

SMQs:, Cardiac failure (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Cardiomyopathy (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, 3 days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: Mucus Relief Tablet 400 MG (GuaiFENesin) Give 1 tablet by mouth every 8 hours as needed for congestion Prescriber Entered Active01/02/202101/04/2021

Omeprazole Capsule Delayed Release 40 MG Give 1 capsule by mouth in the morning for GERD Ph

Current Illness: N/A

Preexisting Conditions: Dementia, Urinary Incontinence, depression, Edema

Allergies: No

Diagnostic Lab Data: CDC Split Type:

Write-up: Decompensation and temp 103.6.

VAERS ID: 919629 (history)
Form: Version 2.0

Age: 51.0
Sex: Female
Location: Ohio

Vaccinated: 2021-01-04 **Onset:** 2021-01-04

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-04

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EJ1605 / 1	LA / IM

Administered by: Senior Living Purchased by: ?

Symptoms: Erythema, Feeling abnormal, Hyperhidrosis, Malaise, Oxygen saturation decreased, Pain in extremity, Pruritus

SMQs:, Anaphylactic reaction (broad), Neuroleptic malignant syndrome (broad), Dementia (broad), Acute central respiratory depression (broad), Hypersensitivity (broad), Respiratory failure (broad), Tendinopathies and ligament disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad), Infective pneumonia (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes

Office Visit? No

ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions:

Allergies:

Diagnostic Lab Data:

CDC Split Type:

Write-up: 20 minutes after receiving the vaccination the resident started to not feel well. She said she felt very far away and just kept repeating I don"t feel well. She was diaphoretic and her chest was very red and she kept scratching and rubbing it at it. I asked if she wanted IM Benadryl or epipen and she at first denied. She also said she felt like she needed to focus on her breathing. At this time we decided it was best to administer Epipen x 1 dose. Immediately after she felt better. She was observed for another 30 minutes and then went home. at 7:17pm I called and spoke with her. She said her arm was sore and that her oxygen levels were about 88-89% which is low for her but she said she felt fine and is currently working right now.

VAERS ID: 920224 (history)
Form: Version 2.0

Age: 35.0
Sex: Male
Location: Texas

Vaccinated: 2020-12-18
Onset: 2020-12-01
Submitted: 0000-00-00
Entered: 2021-01-05

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / UNK	-/-

Administered by: Unknown Purchased by: ?

Symptoms: COVID-19, Chills, Computerised tomogram abnormal, Cough, Dyspnoea, Hypoxia, Intensive care, Lung infiltration, Myalgia, Pain, Pyrexia, SARS-CoV-2 test positive SMQs:, Rhabdomyolysis/myopathy (broad), Anaphylactic reaction (broad), Asthma/bronchospasm (broad), Interstitial lung disease (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Respiratory failure (broad), Tendinopathies and ligament disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Infective pneumonia (broad), Opportunistic infections (broad), COVID-19 (narrow)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, ? days
Extended hospital stay? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions: Comments: List of non-encoded Patient Relevant History: Patient

Other Relevant History 1: None

Allergies:

Diagnostic Lab Data: Test Date: 202012; Test Name: CT scan; Result Unstructured Data: Test Result:showed extensive infiltration in the lungs; Test Date: 20201218; Test Name: O2 saturation; Result Unstructured Data: Test Result:80%; Test Date: 20201226; Test Name:

COVID test; Test Result: Positive

CDC Split Type: USPFIZER INC2020518143

Write-up: had a positive COVID test; had a positive COVID test; O2 Saturation of 80% / Hypoxia: shortness of breath: He has a CT scan which showed extensive infiltration in the lungs; muscle pain; chills; body aches; low grade fever; cough; This is a spontaneous report from a contactable physician (pulmonary medicine). This physician reported similar events for 2 patients. This is 1st of 2 reports. A 35-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 18Dec2020 at single dose for covid-19 immunization. There were no medical history and concomitant medications. Caller stated that his close friend who was ER physician (front line worker) and within 24 hours after receiving the COVID vaccine, developed COVID or symptoms of COVID. Patient received the COVID vaccine on 18Dec2020 and the same night patient started with a low grade fever, body aches, chills, muscle pain, shortness of breath, cough, O2 saturation of 80% (hypoxia) and was in the intensive care unit now. Patient swore this was related to the vaccine. This patient tested positive for COVID. He had a CT (computerised tomogram) scan which showed extensive infiltration in the lungs in Dec2020. Patient was admitted to the hospital on 24Dec2020 and then was moved to the ICU 2 days later, on 26Dec2020. Caller thought patient had a positive COVID test at another hospital. Caller did know that tested positive at the current hospital on 26Dec2020 which was done to confirm the previous positive test. Caller thought patient had his first positive COVID test either the same day or the next day after receiving the vaccine. Event of O2 Saturation of 80% / hypoxia was reported as hospitalization from 24Dec2020 and life threatening; infiltration in the lungs and shortness of breath caused hospitalization from 24Dec2020, muscle pain, chills and positive COVID test was reported as medically significant; and other events were reported as non-serious. Outcome of O2 saturation of 80% / hypoxia and shortness of breath was not recovered, outcome of cough was recovering; and outcome of other events were unknown. Information about lot/batch number has been requested.; Sender"s Comments: Based on the information currently available, a lack of efficacy with suspected vaccine BNT162B2 in this patient cannot be completely excluded.,Linked Report(s): US-PFIZER INC-2020519020 same reporter/drug, different patient/AE.

VAERS ID: 920628 (history)
Form: Version 2.0

Age: 63.0
Sex: Female
Location: New York

 Vaccinated:
 2021-01-02

 Onset:
 2021-01-02

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-05

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL0142 / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Abdominal pain, Chills, Colostomy, Computerised tomogram abdomen, Computerised tomogram abnormal, Intestinal resection, Large intestine perforation, Pain in extremity, Pyrexia

SMQs:, Acute pancreatitis (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Retroperitoneal fibrosis (broad), Malignancy related therapeutic and diagnostic procedures (narrow), Gastrointestinal perforation, ulcer, haemorrhage, obstruction non-specific findings/procedures (broad), Gastrointestinal perforation (narrow), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Ischaemic colitis (narrow), Tendinopathies and ligament disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? Yes
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, ? days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: Tylenol 350 mg as needed Valium 5 mg as needed

Current Illness:

Preexisting Conditions: pancreatic cysts colonic polyps last colonoscopy 9/2020 and one polyp removed ATM gene mutation hyperlipidemia DCIS of breast in 1/2015 s/p lumpectomy and xrt thyroid nodules vertigo

Allergies: Compazine led to restless leg syndrome Penicillin anaphylaxis Sulfamethoxazole rash

Diagnostic Lab Data: CT scan of abdomen and pelvis 1/3/2021

CDC Split Type:

Write-up: 6-7 hours after the vaccine she developed arm pain, fever and chills. About an hour later she started to have abdominal pain which worsened over the course of the day to excruciating. She went to the Emergency Room where a CT scan revealed a perforation of her sigmoid colon and had a resection of the area of the colon and a diverting colostomy surgery done the evening of 1/3/2021.

VAERS ID: 920784 (history)
Form: Version 2.0

Age: 44.0
Sex: Female
Location: Indiana

 Vaccinated:
 2020-12-23

 Onset:
 2020-12-23

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-05

Vaccination / Manufacturer	Lot / Dose	Site / Route
----------------------------	---------------	--------------

COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH 1 LA / SYR

Administered by: Private Purchased by: ?

Symptoms: Anaphylactic reaction, Anxiety, Blood test, Burning sensation, Central nervous system lesion, Chest X-ray, Differential white blood cell count, Dizziness, Dysphagia, Ear pain, Electrocardiogram, Erythema, Flushing, Full blood count, Headache, Hypertension, Hypoaesthesia, Hypoaesthesia oral, Magnetic resonance imaging brain abnormal, Metabolic function test, Mobility decreased, Palpitations, Paraesthesia, Paraesthesia oral, Peripheral swelling, Pharyngeal swelling, Swelling face

SMQs:, Cardiac failure (broad), Anaphylactic reaction (narrow), Angioedema (narrow), Peripheral neuropathy (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Anaphylactic/anaphylactoid shock conditions (narrow), Parkinson-like events (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Extravasation events (injections, infusions and implants) (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Haemodynamic oedema, effusions and fluid overload (narrow), Hypertension (narrow), Cardiomyopathy (broad), Vestibular disorders (broad), Hypersensitivity (narrow), Tendinopathies and ligament disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad), Sexual dysfunction (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, 4 days
Extended hospital stay? No
Previous Vaccinations:
Other Medications: None
Current Illness: None

Preexisting Conditions: None

Allergies: None

Diagnostic Lab Data: 12/23/20 EKG, X-ray of lungs, Lab Blood work 1/1/2021 Basic Metabolic Panel, blood count with auto diff, ECG 12- Lead, MRI Brain WO contrast

CDC Split Type:

Write-up: Anaphylactic Reaction, facial swelling, facial Redness, Face felt like it was burning, face flushing, throat swelling, heart palpitations, trouble swallowing, feet swelling, light headed, anxiety. Hospitalized from the 12/23/20 to 12/26/2020. Medications now on Epinephrine, diphenhydramine, cetirizine, famotidine, prednisone, lorazepam, cephalexin. on 1/1/2021 was taken to E.R. by ambulance around 11:00 am left hand was tingle started to go numb traveled up my arm into left side of my face, ear, tongue, and then down to the left side of my leg and into left foot, could not move left side of body for a good 7 to 8 mins then went away transferred to ambulance enroute to ER blood pressure was high and and started having right ear pain and right side frontal severe headache, arrived to ER and was given diphenhydramine, ketorolac, metoclopramide HCI, lorazepam. MRI was ordered and Neurologist found two small lesions on right side of frontal brain, following up now with neurologist. added more meds naproxen

VAERS ID: 920787 (history)
Form: Version 2.0

Age: 51.0
Sex: Female
Location: Oregon

Vaccinated: 2021-01-04 **Onset:** 2021-01-04

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-05

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	025J20-2A / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Angioedema, Blood pressure increased, Cough, Dyspnoea, Oxygen saturation decreased, Swollen tongue, Tachycardia

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Hypertension (narrow), Cardiomyopathy (broad), Hypersensitivity (narrow), Respiratory failure (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Infective pneumonia (broad), Dehydration (broad)

Life Threatening? Yes **Birth Defect?** No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations: Stamaril- brief sensation of tongue swelling, last 10 mins. No

treatment needed or administered

Other Medications: Bupropion 300mg Vit D3 2000IU B complex Claritin Flonase nasal spray

Levonobunolol eye drops **Current Illness:** none

Preexisting Conditions: Seasonal allergies Menopausal symptoms

Allergies: PCN Biaxin Trans scoplamine patch Soy

Diagnostic Lab Data: none

CDC Split Type:

Write-up: 2 minutes after vaccine was administered, noticed swelling back of tongue, progressed to posterior 2/3 of tongue, tachycardia, elevated BP. Progressive angioedema involving larynx, cough, shortness of breath. No wheezing. Physical exam did do show any obvious swelling. O2 sat decreased to 80, 1st epinephrine IM administered, 50mg benadryl IV and Famotidine administered. some improvement in symptoms. In 30mins, reoccurrence of angioedema and second epinephrine vaccine administered. Monitored for 2 hours without reoccurrence of symptoms and discharged from ER.

VAERS ID: 920994 (history)
Form: Version 2.0

Age: 55.0
Sex: Female
Location: Alabama

Vaccinated: 2021-01-04 **Onset:** 2021-01-04

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-05

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL1284 / 1	LA / IM

Administered by: Senior Living Purchased by: ?

Symptoms: Abdominal pain upper, Body temperature decreased, Dizziness, Dysphagia, Dyspnoea, Fatigue, Feeling hot, Flushing, Headache, Myalgia, Oropharyngeal pain, Retching, Wheezing

SMQs:, Rhabdomyolysis/myopathy (broad), Anaphylactic reaction (narrow), Acute pancreatitis (broad), Angioedema (broad), Asthma/bronchospasm (broad), Anticholinergic syndrome (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Vestibular disorders (broad), Hypersensitivity (broad), Tendinopathies and ligament disorders (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes

Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: EFFEXOR 75MG QD, LIPITOR 80MG QD, FENOFIBRATE 150MG QD,

ASA 81MG QD, QUERCETIN 1200MG QD, ZINC 50MG QD, VIT C 1000MG QD,

Current Illness:

Preexisting Conditions: CEREBROVASCULAR DISEASE, ANEURYSMS- STENT AND REPAIR, DEPRESSION, HYPERCHOLESTEROLEMIA, HYPERTRIGLYCERIDEMIA

Allergies: PENICILLIN-AUGMENTIN (ANAPHYLAXIS/HOSPITALIZED)

Diagnostic Lab Data: NONE REPORTED

CDC Split Type:

Write-up: PATIENT VACCINATED AROUND 9AM. SHE REPORTS SHE FELT WARM/FLUSHING, FAINT AND STOMACH SPASMS WITHIN ABOUT 4-5 MINS. SHE FELT BETTER AND GOT UP TO WALK ABOUT 30 MINS LATER. SYMPTOMS WORSENED

AFTER WALKING ~9:45AM: FAINT AGAIN, SEVERE RETCHING, BP196/140 TO 199/164, TROUBLE SWALLOWING, SOB, WHEEZING. AT 9:58AM, EPI PEN 0.3MG ADMINISTERED AND EMS ACTIVATED. SYMPTOMS REPORTED IMPROVED FOLLOWING EPI. EMS ARRIVED 10:05AM. PATIENT REPORTED RECEIVING 2 BAGS OF PEPCID, STEROIDS, AND ZOFRAN AT HOSPITAL. WAS RELEASED BETWEEN 11:30AM-12PM ON 1/4/21, BP 140/90 AND ACUTE SYMPTOMS RESOLVED. FOLLOW UP WITH PATIENT 1/5/21: NO PRIOR HX OF HTN, BP 120/60, NO SOB/ BREATHING DIFFICULTY. C/O SEVERE HEADACHE, LOW TEMP, FATIGUE, MUSCLE ACHES, SORE THROAT.

VAERS ID: 921641 (history)
Form: Version 2.0

Age: 17.0
Sex: Female
Location: New York

Vaccinated: 2021-01-04 **Onset:** 2021-01-04

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-05

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL0140 / 1	LA / IM

Administered by: Senior Living Purchased by: ?

Symptoms: Acute respiratory failure, COVID-19, Hypoxia, SARS-CoV-2 test positive **SMQs:**, Anaphylactic reaction (broad), Asthma/bronchospasm (broad), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (broad), Torsade de pointes, shock-associated conditions (broad), Hypovolaemic shock conditions (broad), Toxic-septic shock conditions (broad), Anaphylactic/anaphylactoid shock conditions (broad), Hypoglycaemic and neurogenic shock conditions (broad), Acute central respiratory depression (narrow), Pulmonary hypertension (broad), Eosinophilic pneumonia (broad), Hypersensitivity (broad), Respiratory failure (narrow), Infective pneumonia (broad), Opportunistic infections (broad), COVID-19 (narrow)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, ? days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: acetaminophen 160 mg/5 mL (5 mL) oral solution albuterol sulfate 2.5 mg/3 mL (0.083 %) solution for nebulization budesonide 0.5 mg/2 mL suspension for nebulization Certavite-Antioxidant 18 mg-400 mcg tablet ClearLax 17 gram/dose oral powder **Current Illness:** Right lung atelectasis/infiltrate with right mediastinal shift on chest x-ray (12/25) that was treated with steroids and antibiotics

Preexisting Conditions: Chronic respiratory Failure Dependence on mechanical ventilation

Seizure disorder Spastic quadriplegic cerebral palsy Encephalopathy

Allergies: NKA

Diagnostic Lab Data: 1/5/21 COVID PCR result: Positive

CDC Split Type:

Write-up: Administered first dose of COVID19 vaccine at 1:29pm on 1/4/21. At approximately 11:00pm resident exhibited acute respiratory decompensation with very limited air entry and hypoxemia. Patient received Benadryl, steroids, epinephrine, and Duoneb without improvement. Resident was referred to the emergency room and found to be COVID positive. No fever or rash were reported.

VAERS ID: 921989 (history) Form: Version 2.0

46.0 Age: Sex: **Female** Location: Florida

Vaccinated: 2021-01-04 2021-01-04 Onset:

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-05

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL1284 / 1	LA / IM

Administered by: Other **Purchased by: ?**

Symptoms: Anaphylactic reaction, Dizziness, Dyspnoea, Erythema, Obstructive airways disorder, Swelling, Swelling face

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Asthma/bronchospasm (broad), Anticholinergic syndrome (broad), Anaphylactic/anaphylactoid shock conditions (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Haemodynamic oedema, effusions and fluid overload (narrow), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Vestibular disorders (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes Birth Defect? No Died? No **Permanent Disability?** No Recovered? Yes Office Visit? No ER Visit? No ER or Doctor Visit? Yes

Hospitalized? Yes, 1 days Extended hospital stay? No

Previous Vaccinations: Other Medications: None

Current Illness: High cholesterol Frequent UTIs

Preexisting Conditions:

Allergies: None
Diagnostic Lab Data:
CDC Split Type:

Write-up: Anaphylactic reaction (swelling and redness of face and torso, shortness of breath, constriction of airway and dizziness)

VAERS ID: 922264 (history)
Form: Version 2.0

 Age:
 31.0

 Sex:
 Male

 Location:
 California

 Vaccinated:
 0000-00-00

 Onset:
 0000-00-00

 Submitted:
 0000-00-00

 Entered:
 2021-01-05

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	025L20A / 1	LA / SYR

Administered by: Private Purchased by: ?

Symptoms: Dyspnoea, Feeling abnormal, Feeling hot, Heart rate increased, Hypoaesthesia, Hypoaesthesia oral, Immediate post-injection reaction, Palpitations

SMQs:, Anaphylactic reaction (broad), Peripheral neuropathy (broad), Neuroleptic malignant syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Dementia (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Cardiomyopathy (broad), Hypersensitivity (narrow), Dehydration (broad), Sexual dysfunction (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? Yes
ER Visit? No
ER or Doctor Visit? No
Hospitalized? No

Previous Vaccinations: Other Medications: None Current Illness: None

Preexisting Conditions: None

Allergies: None
Diagnostic Lab Data:
CDC Split Type:

Write-up: Immediate warm rush to my head and body. Heart was beating out of my chest and difficultly breathing. Heart rate spiked to 150 (normal around 55). Hand, legs, and mouth started to go numb. Eventually settled down after about 1 hr. Have not felt normal since which has been 3 days.

VAERS ID: 922279 (history)
Form: Version 2.0

Age: 40.0
Sex: Female
Location: California

 Vaccinated:
 2020-12-26

 Onset:
 2020-12-26

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-05

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / 1	AR / IM

Administered by: Unknown Purchased by: ?

Symptoms: Blood pressure increased, Paraesthesia oral

SMQs:, Neuroleptic malignant syndrome (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Hypertension (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions:

Allergies:

Diagnostic Lab Data:

CDC Split Type:

Write-up: Patient presented to receive COVID-19 vaccine, received vaccine at approximately 10 am. Patient waited 15 minutes for observation and left observation area without complaining of any sx. Patient returned a few minutes after reporting tongue tingling which eventually got to her lips. No difficulty breathing or any other sx. No history of allergies. NP/RN administered PO Benadryl 25 mg. As of report of this iReport no additional symptoms or intervention needed. Last vitals: 131/83 75spo2. BP higher than usual per patient, sp02 normal.

VAERS ID: 923000 (history)
Form: Version 2.0

Age: 55.0 Sex: Female

Location: Pennsylvania

Vaccinated: 2020-12-17 **Onset:** 2020-12-26

Days after vaccination: 9

Submitted: 0000-00-00 **Entered:** 2021-01-06

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EJ1685 / 1	LA / IM

Administered by: Private Purchased by: ?

with eosinophilia and systemic symptoms syndrome (broad)

Symptoms: Abdominal pain lower, Appendicectomy, Appendicitis, Computerised tomogram abnormal, Decreased appetite, Laparoscopic surgery, White blood cell count increased SMQs:, Neuroleptic malignant syndrome (broad), Retroperitoneal fibrosis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Drug reaction

Life Threatening? Yes Birth Defect? No Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 3 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Valtrex Wellbutrin Abilify Fish Oil Multi-Vitamin Biotin

Current Illness: None

Preexisting Conditions: None

Allergies: None

Diagnostic Lab Data: CT Scan showed acute appendicitis resulting in a laparoscopic

appendectomy. Elevated WBCs.

CDC Split Type:

Write-up: Severe right lower quadrant pain, anorexia over 12 hours. Went to the emergency department. Lab results showed elevated WBC and CT scan showed acute appendicitis. Admitted for urgent surgery: laparoscopic appendectomy. Was hospitalized from 12/26/20-12/28/20.

VAERS ID: 923015 (history)
Form: Version 2.0

Age: 57.0
Sex: Female
Location: Michigan

 Vaccinated:
 2021-01-02

 Onset:
 2021-01-02

Days after vaccination: 0

Submitted: 0000-00-00

Entered: 2021-01-06

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK9231 /	RA / IM

Administered by: Private Purchased by: ?

Symptoms: Asthenia, Blood test, Dizziness, Dysphonia, Electrocardiogram abnormal, Headache, Heart rate increased, Rash, Throat irritation, Tremor, Urine analysis
SMQs:, Anaphylactic reaction (broad), Neuroleptic malignant syndrome (broad),
Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Parkinson-like events (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Noninfectious encephalopathy/delirium (broad), Cardiomyopathy (broad), Vestibular disorders (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad), Dehydration (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? Yes
ER Visit? No
ER or Doctor Visit? Yes

Littor boctor visit: 163

Hospitalized? No

Previous Vaccinations:

Other Medications: Fish oil Vitamin D3 CQ10 Wellbutrin Multivitamin Magnesium Emergent

C gummies

Current Illness: Muscular Dystrophy

Preexisting Conditions: Muscular Dystrophy

Allergies: Tetracycline Strawberries Milk Chocolate Statins

Diagnostic Lab Data: Bloodwork, EKG-abnormal, urine . In the ER on 1/2/2021. Was given EpiPen during reaction. In the ER I received benadryl twice and a steroid. After almost 10 hours in the ER, I was sent home with benadryl around the clock and an EpiPen. 4 days later,

I'm still on the benadryl with reactions when the benadryl wears off

CDC Split Type:

Write-up: Rapid heart rate, shakiness, headache, rash, scratchy throat, raspy voice, dizziness, extreme weakness

VAERS ID: 924050 (history)
Form: Version 2.0

Age: 55.0
Sex: Female
Location: Hawaii

 Vaccinated:
 2021-01-06

 Onset:
 2021-01-06

Days after vaccination: 0

Submitted: 0000-00-00

Entered: 2021-01-06

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / UNK	-/-

Administered by: Private Purchased by: ? Symptoms: Anaphylactic reaction, Dyspnoea

SMQs:, Anaphylactic reaction (narrow), Anaphylactic/anaphylactoid shock conditions (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiamyanathy (broad), Hypercanditivity (narrow)

Cardiomyopathy (broad), Hypersensitivity (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, ? days

Extended hospital stay? No

Previous Vaccinations:
Other Medications:
Current Illness: unknown

Preexisting Conditions: unknown **Allergies:** Zolpidem, chocolate

Diagnostic Lab Data: CDC Split Type:

Write-up: anaphylaxis, dyspnea

VAERS ID: 924078 (history)
Form: Version 2.0

Age: 60.0
Sex: Female
Location: Florida

Vaccinated: 2021-01-05 **Onset:** 2021-01-05

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-06

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	011L20A / 1	LA / IM

Administered by: Public Purchased by: ?

Symptoms: Anxiety, Chest discomfort, Dyspnoea, Electrocardiogram normal, Flushing **SMQs:**, Anaphylactic reaction (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Hypoglycaemia (broad)

Life Threatening? Yes **Birth Defect?** No

Died? No

Permanent Disability? No

Recovered? Yes

Office Visit? No

ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:
Other Medications: unknown

Current Illness: No reported illness at time of vaccine, unknown for month prior

Preexisting Conditions: unknown other than client stated cardiac issues

Allergies: Bactrim, Augmentin, Cats

Diagnostic Lab Data: EMS checked client at scene. Vitals normal, EKG normal.

CDC Split Type:

Write-up: Client received vaccine at approximately 3:50pm, waited in observational area x30min. Left with husband, stated that she got a few miles down the road and starting experiencing tightness in her chest and flushing. She took 50 mg of Benadryl, 30mg of prednisone and two puffs on her inhaler. She returned to the clinic, upon assessment from nursing she looked extremely flushed and anxious, she stated that she still felt tightness and that she had a history of anaphylaxis once before and had used an epi pen in the past. She had an epi pen with her and questioned whether or not she should give it to herself. BP was 190/68, pulse was normal, respirations normal, she continued to experience tightness and "not able to catch my breath", encouraged to use epi pen. She administered epi pen to right thigh at approximately 4:45PM, 911 called. Within a few minutes, she stated she was feeling better, less tightness in the chest, flushing was subsiding. BP at 190/70 at 4:52. EMS on scene at 5:03pm. Vitals normal, EKG normal. Client decided not to transport with EMS.

VAERS ID: 924201 (history)
Form: Version 2.0

Age: 94.0
Sex: Male
Location: Maryland

Vaccinated: 2020-12-24 **Onset:** 2021-01-03

Days after vaccination: 10

Submitted: 0000-00-00 **Entered:** 2021-01-06

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / UNK	- / IM

Administered by: Private Purchased by: ?

Symptoms: Acute coronary syndrome, Back pain, Catheterisation cardiac abnormal, Chest pain, Coronary arterial stent insertion, Coronary artery stenosis, Echocardiogram abnormal, Ejection fraction decreased, Electrocardiogram abnormal, Percutaneous coronary intervention, Troponin increased

SMQs:, Cardiac failure (narrow), Myocardial infarction (narrow), Arrhythmia related investigations, signs and symptoms (broad), Retroperitoneal fibrosis (broad), Embolic and thrombotic events, arterial (narrow), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Cardiomyopathy (narrow), Other ischaemic heart disease (narrow)

Life Threatening? Yes Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 3 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Prilosec 20 mg qd Lipitor 20 mg qd Levothyroxine 100 mcg/d (incr from 88 for TSH 4.78 8/26/20) Ativan 0.5-1 mg hs prn 10-15/month EC ASA 2 x 81 mg qd

Current Illness: Adjustment disorder/grief reaction

Preexisting Conditions: PAST MEDICAL HISTORY Surgical- T&A age 5 Appendectomy age 8 or 9 Rhinoplasty for deviated septum x 2 1960s Gas gangrene Right Leg- debridement 1972 Right inguinal hernia ~2002 Bilateral Cataracts/IOLs 2014 Umbilical Herniorrhaphy 2020 Medical- Hepatitis and possible malaria 1944 Hyperlipidemia GERD/Barretts- Lower GI bleed hospitalized ~1994; no Tx Hemorrhoids Anal fistula Herpes zoster Nov 2012 Left Trigeminal Hypothyroidism Dec 2013 (fatigue, elevated TSH 5.81, fT4 0.7) Childhood Diseases-Measles- yes; Mumps- yes; Rubella- ?; Varicella- yes; Rheumatic Fever- no; Pertussis- yes Habits- Tobacco- quit 1950; Alcohol- 0-2 night; Drugs- no Immunizations- Td- 3/08, 8/22/19; TdaP-; Influenza- 8/25/20; Pneumovax- yes <2003, 3/08; PCV13- 12/19/14; Hep A-; Hep B-; Zostavax- 3/07; Shingrix- 2/21/18, 10/30/18; Covid 19 (Moderna) 12/24/20

Allergies: PCN- rash? Bee sting- swelling (has Epipen) (no hx food or latex allergy) **Diagnostic Lab Data:** Elevated Troponin, NSST changes on ECG, Cardiac Catheterization showing 99% mid-LAD and 30-40% RCA lesions. Echocardiogram +hypokinesis of anterior wall/septum with reduced EF 45-50%

CDC Split Type:

Write-up: Patient tolerated the vaccine well with no apparent side effects. Ten days later awoke 12:30 AM with severe chest and upper back pain, presented to Med Center where he was found to have an Acute Coronary Syndrome. Transferred to Medical Center where he underwent successful PCI with two drug eluting stents for a 99% mid-LAD stenosis

VAERS ID: 924524 (history)
Form: Version 2.0

Age: 31.0
Sex: Female
Location: Minnesota

 Vaccinated:
 2021-01-05

 Onset:
 2021-01-05

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-06

Vaccination / Manufacturer Lot / Dose Site / Route COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA 026L20A / 1 LA / IM

Administered by: Pharmacy Purchased by: ?

Symptoms: Hypoaesthesia, Obstructive airways disorder, Pruritus, Throat irritation

SMQs:, Anaphylactic reaction (broad), Angioedema (broad), Asthma/bronchospasm (broad),

Peripheral neuropathy (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Eosinophilic pneumonia (broad), Hypersensitivity (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Sexual dysfunction (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes
Hospitalized? Yes, 1 days
Extended hospital stay? No

Previous Vaccinations: ANAPHYLAXIS TO INFLUENZA VACCINE, UNKNOWN DATE

Other Medications: UNKNOWN Current Illness: UNKNOWN

Preexisting Conditions: UNKNOWN

Allergies: ANAPHYLAXIS TO INFLUENZA VACCINES

Diagnostic Lab Data: UNKNOWN

CDC Split Type:

Write-up: PATIENT REPORTING ITCHING AT 30 MINUTES POST INJECTION. AT 1.5 HOURS POST INJECTION PATIENT REPORTED ITCHY THROAT AND NUMBESS OF LEFT SIDE OF FACE. AT THAT TIME ADVISED TO GO TO EMERGENCY ROOM. NEXT DAY WHEN I FOLLOWED UP WITH PATIENT, SHE REPORTED HER AIRWAY STARTED TO CLOSE AND SHE RECEIVED EPINEPHRINE, AFTER 5 HOURS HER STARTED TO CLOSE AGAIN AND RECEIVED ANOTHER DOSE OF EPINEPHERINE, WAS RELEASED FROM HOSPITAL ROUGHLY 15-16 HOURS AFTER GOING TO ER.

VAERS ID: 924657 (history)
Form: Version 2.0

Age: 67.0
Sex: Female
Location: Ohio

 Vaccinated:
 2021-01-05

 Onset:
 2021-01-05

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-06

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	011J20A / 1	RA / IM

Administered by: Private Purchased by: ?

Symptoms: Asthenia, Decreased appetite, Dizziness, Dysphagia, Dyspnoea, Erythema, Fear, Headache, Lip swelling, Nausea, Pain, Pharyngeal swelling, Pruritus, Retching, Swollen tongue, Throat tightness, Tongue pruritus

SMQs:, Anaphylactic reaction (narrow), Acute pancreatitis (broad), Angioedema (narrow), Anticholinergic syndrome (broad), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory

depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Vestibular disorders (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? No

Previous Vaccinations: swine flu vaccine 1978? was very sick and couldn"t walk well **Other Medications:** atenolol 25 mg per day, claritin 10 mg per day, evamist one spray per day, pepcid 20 mg per day, vit b12 3000 mcg per day, vit d 5000 units per day, prenatal gummy vitamin one per day,tylenol 500 mg per day, benadryl 50 mg per day

Current Illness: none

Preexisting Conditions: chronic gastritis, tachycardia, kidney stones. food allergies **Allergies:** aspirin, NSAIDS, flexeril, percocet, thiomerosol in any product, caffeine or stimulants, allergic to milk, ?to eggs, ?to bluberries and strawberries, severe to cheese esp cheddar, ?to onions, ? to garlic, ?to grapes, severe intolerance to alcohol

Diagnostic Lab Data: none

CDC Split Type:

Write-up: 5 minutes after injection, my feet and palms itched and I was lightheaded but I tried to shake it off and it faded over the next 10 minutes. I did report it and stayed longer and was ok. Then i went straight home and layed down because i did not sleep well night before (was on call) i awoke 1 hour post injection dry heaving, very nauseated, mild headache, achy, itchy over different parts of my body and weak. Sat up and my face was getting itchier, lips started to swell, tongue started to swell and itch, throat felt like someone was strangling me, had trouble swallowing and trouble breathing, took 2 benadryls immediately and went out into cold air, thought about calling 911 but got better in 10-15 minutes. never have had a reaction like this in my life. have had hives though in the past. If I would have had an epi pen I would have used it (never have had an epi pen) I was frightened but the benadryl worked and I slept due to the benadryl for 5 hours, when I woke up the benadryl wore off and it started again. took more benadryl, and it improved, before bedtime, the benadryl wore off and I had a hard time swallowing my night time meds like my throat was swollen. Took 2 more benadryls, today I am weak and nauseated and ate very little and feel like my face is still red and itchy. I told my sister and she said she is allergic to PEG which i later noted was in the vaccine. i am very disappointed that I had this reaction- I have desparately wanted this vaccine as a medical worker with a lot of covid patients- I only hopr this one shot will protect me enough because it is clear to me that i cannot take this vaccine again.

VAERS ID: 924658 (history)
Form: Version 2.0

Age: 92.0
Sex: Female
Location: Florida

Vaccinated: 2020-12-26 2021-01-05 Onset:

Days after vaccination: 10

Submitted: 0000-00-00 **Entered:** 2021-01-06

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL0140 / 1	RA / IM

Administered by: Senior Living Purchased by: ?

Symptoms: Erythema, Hypotension, Oxygen saturation decreased, Sensitive skin, Skin warm. Unresponsive to stimuli

SMQs:, Anaphylactic reaction (narrow), Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Acute central respiratory depression (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Hypotonic-hyporesponsive episode (broad), Hypersensitivity (broad), Respiratory failure (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad), Infective pneumonia (broad), Dehydration (broad), Hypokalaemia (broad)

Life Threatening? Yes Birth Defect? No Died? No Permanent Disability? No Recovered? No Office Visit? No ER Visit? No ER or Doctor Visit? Yes Hospitalized? Yes, 2 days Extended hospital stay? No

Previous Vaccinations:

Other Medications: Caltrate, Vitamin B, Azopt, Ensure, Sertraline, Dulcolax, Benzonatate, Tylenol, Melatonin, Flonase, Imodium, Ativan.

Current Illness: L98.9 Disorder of the skin and subcutaneous tissue, unspecified-Scalp(Primary, Admission), R41.841 Cognitive communication deficit, R13.10 Dysphagia, unspecified, R13.12 Dysphagia, oropharyngeal phase, C44.311 Basal cell carcinoma of skin of nose, R26.81 Unsteadiness on feet, M62.81 Muscle weakness (generalized), R53.1 Weakness, Z74.09 Other reduced mobility, Z74.1 Need for assistance with personal care, D51.9 Vitamin B12 deficiency anemia, unspecified, D64.9 Anemia, unspecified, E87.6 Hypokalemia, F03.90 Unspecified dementia without behavioral disturbance, F32.9 Major depressive disorder, single episode, unspecified, G47.00 Insomnia, unspecified, H40.9 Unspecified glaucoma

Preexisting Conditions: L98.9 Disorder of the skin and subcutaneous tissue, unspecified-Scalp(Primary, Admission), R41.841 Cognitive communication deficit, R13.10 Dysphagia, unspecified, R13.12 Dysphagia, oropharyngeal phase, C44.311 Basal cell carcinoma of skin of nose, R26.81 Unsteadiness on feet, M62.81 Muscle weakness (generalized), R53.1 Weakness, Z74.09 Other reduced mobility, Z74.1 Need for assistance with personal care, D51.9 Vitamin B12 deficiency anemia, unspecified, D64.9 Anemia, unspecified, E87.6 Hypokalemia, F03.90 Unspecified dementia without behavioral disturbance, F32.9 Major depressive disorder, single episode, unspecified, G47.00 Insomnia, unspecified, H40.9 Unspecified glaucoma

Allergies: PCN, Sulfa

Diagnostic Lab Data: All assessment and laboratory data is being managed by the hospital, not this facility at this time, the resident is still admitted to the hospital and they areattempting to stabilize

CDC Split Type:

Write-up: Severe Hypotension, Redness, Warmth and sensitivity all over skin surfaces, lack of responsiveness, low oxygen saturation.

VAERS ID: 926042 (history)
Form: Version 2.0

Age: 41.0 Sex: Female

Location: Pennsylvania

Vaccinated: 2021-01-05 **Onset:** 2021-01-05

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-07

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK9231 / 1	LA / IM

Administered by: Private Purchased by: ? Symptoms: Cough, Dyspnoea, Swollen tongue

SMQs:, Anaphylactic reaction (broad), Angioedema (narrow), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 1 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Famotidine, Protonix

Current Illness:

Preexisting Conditions: GERD

Allergies: Allergy to sulfa, latex, bee-stings

Diagnostic Lab Data: CDC Split Type:

Write-up: Developed shortness of breath, swelling of tongue, persistent cough within 5 minutes of vaccination. Was treated with EpiPen and kept in ER for observation overnight.

VAERS ID: 926703 (history)
Form: Version 2.0

Age: 35.0 Sex: Male

Location: Oklahoma

Vaccinated: 2020-12-29 **Onset:** 2020-12-29

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-07

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	025J202A / 1	LA / IM

Administered by: Public Purchased by: ?

Symptoms: Blood test, Guillain-Barre syndrome, Immunoglobulin therapy, Magnetic

resonance imaging, Neuralgia, Neurological examination, Paraesthesia

SMQs:, Peripheral neuropathy (narrow), Guillain-Barre syndrome (narrow), Demyelination (narrow), Immune-mediated/autoimmune disorders (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? Yes

Recovered? No Office Visit? Yes ER Visit? No

ER or Doctor Visit? Yes
Hospitalized? Yes, 2 days
Extended bespital stay?

Extended hospital stay? No

Previous Vaccinations: Other Medications: None Current Illness: None

Preexisting Conditions: Bradycardia at rest. History of Guillain Barre Syndrome/AIDP in

2010.

Allergies: None

Diagnostic Lab Data: MRI and bloodwork, neuro screening and tests.

CDC Split Type:

Write-up: Guillain Barre syndrome/AIDP event. Paresthesia and nerve pain developed in bilateral legs 4 hours after shot and progressed slowly for 4 days in intensity and area involved. Symptoms progressed distally to superior. On the 5th day symptoms progressed rapidly and involved bilateral legs up to the groin, left arm up to lateral shoulder, and right hand. I went to the hospital and was admitted to start IVIG treatment for Guillain Barre Syndrome/AIDP.

VAERS ID: 926787 (history)

Form: Version 2.0

Age: 53.0
Sex: Female
Location: Minnesota

 Vaccinated:
 2020-12-30

 Onset:
 2020-12-31

Days after vaccination: 1

 Submitted:
 0000-00-00

 Entered:
 2021-01-07

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	037K20A / UNK	- / IM

Administered by: Senior Living Purchased by: ?

Symptoms: Asthenia, Blood glucose normal, Breath sounds abnormal, Confusional state, Consciousness fluctuating, Depressed level of consciousness, Dyspnoea, Fatigue, Heart rate increased, Lethargy, Muscle twitching, Oxygen saturation decreased, Pyrexia, Seizure like phenomena, Tremor

SMQs:, Anaphylactic reaction (broad), Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (narrow), Arrhythmia related investigations, signs and symptoms (broad), Dementia (broad), Convulsions (narrow), Dyskinesia (broad), Dystonia (broad), Parkinson-like events (broad), Acute central respiratory depression (narrow), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Cardiomyopathy (broad), Hypotonic-hyporesponsive episode (broad), Generalised convulsive seizures following immunisation (broad), Respiratory failure (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad), Infective pneumonia (broad), Dehydration (broad)

Life Threatening? Yes **Birth Defect?** No

Died? No

Permanent Disability? No

Recovered? Yes

Office Visit? No

ER Visit? No

ER or Doctor Visit? No

Hospitalized? Yes, 6 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: gabapentin, asa, oxycodone, fentanyl, flexiril, requip, omeprazole, keflex, symbicort, restasis, spiriva, synthroid, tylenol, simvastatin, lasix, aldactone

Current Illness:

Preexisting Conditions: DM2, COPD, chronic uti/ neurogenic bladder, CKD, obesity, depression.

Allergies: bee stings, abilify, flowers,

Diagnostic Lab Data: Completed in the ED hospital and then transferred.

CDC Split Type:

Write-up: Resident had the COVID vaccine 12/30/2020. 12/31/20, resident has been in bed all shift. Staff became concerned when resident was not easily aroused. Resident displayed signs of tremors, twitching, confusion, in and out of consciousness, low O2 sats, elevated pulse and fever, fatigue and weakness. Writer called NP. NP stated this is most likely a reaction d/t the COVID vaccine. She gave orders for Benadryl 25mg IM x1 now and Tylenol

1000 mg now. NP also stated resident will not be getting the second dose of vaccine. Will continue to monitor and update NP if worsening symptoms. After receiving Benadryl and Tylenol at 145pm, resident began to appear as though she was feeling better and was talking to talk, fever had gone down. Tonight resident is not easily aroused, lethargic, continues to have tremors and twitches, almost appearing as convulsions. When asked if she knows where she is or what day it is, resident can properly answer. Resident denies SOB but staff has noted loud squeals while breathing. NP was updated and gave new orders to give Benadryl 25 mg IM x1 if needed and Ok to send resident to ED. Resident currently refuses to go to the hospital. Will continue to monitor. BP 152/112, P 116, T 99.1, O2 87-91. Resident's O2 at 1205am was 80% on 3LPM. Resident unable to be aroused from sleep by writer. NAR called to assist. NAR could not arouse resident. Writer and NAR attempted to reposition resident and resident's breathing became more labored. Resident turned back to previous position and writer called on call MD at approx. 1220am. MD returned call approx. 1235am with orders to send resident to ED. 911 called and ambulance arrived about 1245am. History of present condition given to EMTs and they stated resident would be going to Hospital. Writer has attempted to contact Hospital ED x3 but have been unable to get through. An EMT did just call to clarify when vaccine was given, what symptoms have been present and when they started. She said she has everything she should need and she will let Hospital ED staff know to call if they need anything else. Writer will again attempt to contact them though. Resident's temp was 97.5 and BG 128. When EMTs arrived they got an O2 reading of 60%. Resident did open her eyes a couple times during transfer from bed to stretcher and while stretcher was going outside but no responses from resident were made.

VAERS ID: 927223 (history)
Form: Version 2.0

Age: 36.0
Sex: Female
Location: Texas

Vaccinated: 2021-01-06 **Onset:** 2021-01-06

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-07

Vaccination / Manufacturer	Lot / Dose	Site / Route	
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	01122019 / 1	LA / IM	

Administered by: Work Purchased by: ?

Symptoms: Anaphylactic shock, Asthenia, Blood test, Dizziness, Headache, Hypotension, Nausea, Pharyngeal swelling, Urticaria

SMQs:, Anaphylactic reaction (narrow), Acute pancreatitis (broad), Angioedema (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Anaphylactic/anaphylactoid shock conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Vestibular disorders (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Dehydration (broad), Hypokalaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:
Other Medications: Zoloft
Current Illness: None

Preexisting Conditions: None

Allergies: Latex

Diagnostic Lab Data: Blood work done at ER

CDC Split Type:

Write-up: Nausea, hives, anaphylactic shock, throat swelling, hypotension, headache, dizziness, weakness. The symptoms returned at 1:25pm the best day as well. I?ve now had two anaphylactic reactions

VAERS ID: 928209 (history)
Form: Version 2.0

Age: 49.0
Sex: Female
Location: New Mexico

Vaccinated: 2021-01-01 **Onset:** 2021-01-07

Days after vaccination: 6

Submitted: 0000-00-00 **Entered:** 2021-01-08

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL2348 / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Cough, Dyspnoea, Headache, Lip swelling, Nausea, Swollen tongue, Urticaria **SMQs:**, Anaphylactic reaction (narrow), Acute pancreatitis (broad), Angioedema (narrow), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? No
Previous Vaccinations:

Other Medications: Losartan, Symbicort, vitamin B complex, Ioratadine

Current Illness: None

Preexisting Conditions: Hypertension, rheumatoid arthritis, asthma, allergies

Allergies: NKDA, lactose intolerant, possible latex allergy (rash)

Diagnostic Lab Data: None

CDC Split Type:

Write-up: Swollen lips/tongue, shortness of breath, cough, hives, nausea, headache Epi shot.

Benadryl, Pepcid, prednisone

VAERS ID: 928240 (history)
Form: Version 2.0

Age: 33.0 Sex: Female

Location: Pennsylvania

Vaccinated: 2020-12-30 **Onset:** 2020-12-30

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-08

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	026L20A / 1	LA / IM

Administered by: Work Purchased by: ?

Symptoms: Confusional state, Dizziness, Dysarthria, Electrocardiogram, Mouth swelling, Oral pruritus, Pain in extremity, Paraesthesia, Paraesthesia oral, Pharyngeal swelling, Rhinorrhoea, Swollen tongue, Taste disorder

SMQs:, Anaphylactic reaction (broad), Angioedema (narrow), Peripheral neuropathy (broad), Neuroleptic malignant syndrome (broad), Taste and smell disorders (narrow), Anticholinergic syndrome (broad), Dementia (broad), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Haemodynamic oedema, effusions and fluid overload (narrow), Conditions associated with central nervous system haemorrhages and cerebrovascular accidents (broad), Vestibular disorders (broad), Hypersensitivity (narrow), Tendinopathies and ligament disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Zoloft, prenatal vitamins, DHA

Current Illness: None

Preexisting Conditions: None

Allergies: Nickel, grass, latex, dairy? all mild skin reactions

Diagnostic Lab Data:

CDC Split Type: 5005052504

Write-up: Less than 5 minutes after vaccine, nose drained, weird taste in mouth, tingle in nose and on tongue. Throat and tongue swelled, couldn?t speak. Dizzy and slurring speech. Was taken to ambulance outside, BP was 191/101. Given beta blockade. Confused and dizzy for next 2 hours in ER. Evaluated for stroke and given a 12-lead ECG. Given benedryl and prednisone. Felt better after 3 1/2 hours. Continued steroids for 5 days and had to take benedryl every 4 hours for 3 days or swelling/itching/bad taste in mouth would return. Sore arm on day 3.

VAERS ID: 928378 (history)
Form: Version 2.0

Age: 95.0
Sex: Female
Location: Florida

Vaccinated: 2021-01-06 **Onset:** 2021-01-07

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-08

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EH9899 / 2	UN / IM

Administered by: Senior Living Purchased by: ?

Symptoms: <u>Dyspnoea, Hospice care, Myocardial infarction, Respiratory tract congestion, Tachycardia, Unresponsive to stimuli</u>

SMQs:, Anaphylactic reaction (broad), Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Myocardial infarction (narrow), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Embolic and thrombotic events, arterial (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Cardiomyopathy (broad), Hypotonic-hyporesponsive episode (broad), Hypoglycaemia (broad), Dehydration (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 2 days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: On: Norvasc 5mg daily Losartan 50mg daily Menest 0.3mg daily Vitamin

C 500mg twice a day Current Illness: N/A

Preexisting Conditions: HX of CHF Pneumonia HTN Cardiac Murmur Osteoarthritis

Allergies: Vasotec, Zocor, and Cymbalta

Diagnostic Lab Data: Unknown, will need to follow up with hospital.

CDC Split Type:

Write-up: Congestion Shortness of breath Tachycardia Transferred out 911. Per hospital,

patient had a myocardial infarction, is unresponsive, and on hospice services.

VAERS ID: 928461 (history)
Form: Version 2.0

Age: 67.0
Sex: Male
Location: Florida

Vaccinated: 2020-12-29 **Onset:** 2021-01-03

Days after vaccination: 5

Submitted: 0000-00-00 **Entered:** 2021-01-08

Vaccination / Manufacturer	Lot / Dose	Site / Route	
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	011J20A / 1	LA / IM	

Administered by: Private Purchased by: ?

Symptoms: Anaphylactic reaction, Computerised tomogram abnormal, Eye swelling, Intensive care, Laboratory test, Lip swelling, Oedema, Pharyngeal oedema, Pruritus, Rash, Rash erythematous, Rash papular, Swelling face

SMQs:, Cardiac failure (broad), Anaphylactic reaction (narrow), Angioedema (narrow), Anaphylactic/anaphylactoid shock conditions (narrow), Oropharyngeal allergic conditions (narrow), Haemodynamic oedema, effusions and fluid overload (narrow), Cardiomyopathy (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No

ER Visit? No

ER or Doctor Visit? No

Hospitalized? Yes, 5 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Metformin, Lisinopril, Simvastatin, Ozempic, pantopazol

Current Illness: none

Preexisting Conditions: Diabetes

Allergies: Cephlasporin

Diagnostic Lab Data: Multiple labs, ct scan soft tissue edema of throat

CDC Split Type:

Write-up: Anaphylactic reaction, Severe edema and raised red rash entire body, Severe itching ,Soft tissue edema of throat. Swelling of, eyes, lips, face. Multiple trips to ER, treated with steroids, Benadryl, prevacid., CURRENTLY IN ICU ON EPINEPHRINE DRIP, STEROIDS, MULTIPLE MEDS

VAERS ID: 929391 (history)
Form: Version 2.0

Age: 37.0
Sex: Female
Location: New York

 Vaccinated:
 2021-01-06

 Onset:
 2021-01-06

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-08

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	011J20A / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: <u>Acute respiratory failure, Anaphylactic reaction, Dysphagia, Endotracheal intubation, Heart rate increased, Swelling of eyelid, Vomiting</u>

SMQs:, Anaphylactic reaction (narrow), Acute pancreatitis (broad), Angioedema (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (broad), Torsade de pointes, shock-associated conditions (broad), Hypovolaemic shock conditions (broad), Toxic-septic shock conditions (broad), Anaphylactic/anaphylactoid shock conditions (narrow), Hypoglycaemic and neurogenic shock conditions (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (narrow), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Periorbital and eyelid disorders (narrow), Hypersensitivity (narrow), Respiratory failure (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Dehydration (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, 3 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Escitalopram 10mg 1 po Qday Gabapentin 300mg po three times a day

Current Illness:

Preexisting Conditions: Bell's palsy Migraine Seizures Systemic lupus erythematosus

Allergies: Dilantin Ibuprofen Latex Morphine Penicillins Tegretol Valium

Diagnostic Lab Data:

CDC Split Type:

Write-up: 1/6/21 Pt received vaccine and complained of difficulty swallowing and rapid heart rate. Pt received methylprednisolone 125mg IVP, diphenhydramine 25mg IVP, & famotidine 20mg IVP. Pt reported improvement and was discharged. Sent home on diphenhydramine and oral prednisone. 1/7/21 Pt unable to swallow her own secretions and experienced eyelid swelling. Pt vomitted. Pt received epinephrine and Benadryl X 1 dose each. Pt then transported to hospital via ambulance. Reason for admission - acute respiratory failure secondary to anaphylactic reaction. Decision was made to emergently intubate the patient for airway protection despite aggressive intervention. Pt successfully extubated 1/8/21. Plan to discharge home and start Medrol Dose Pack 1/9/21.

VAERS ID: 929418 (history)
Form: Version 2.0

Age: 58.0
Sex: Female
Location: Colorado

Vaccinated: 2021-01-07 **Onset:** 2021-01-07

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-08

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	025L20A / 1	LA / IM

Administered by: Other Purchased by: ?

Symptoms: Chest discomfort, Dizziness, Lip swelling, Swollen tongue, Throat tightness,

Tremor

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Parkinson-like events (broad), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Noninfectious encephalopathy/delirium (broad), Vestibular disorders (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? Yes ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: levothyroxine - estrogen - Ambien progesterone - baby aspirin

Current Illness: none

Preexisting Conditions: hypothyroid

Allergies: almonds

Diagnostic Lab Data: 1/7/2021 no tests/physical exam S/SX

CDC Split Type:

Write-up: Swelling of lips & tongue, tightening of throat. Quivering of arms & legs. Tightening of chest. Dizzyness lightheaded.

VAERS ID: 929526 (history)
Form: Version 2.0

Age: 34.0
Sex: Female
Location: California

Vaccinated: 2020-12-18 **Onset:** 2020-12-24

Days after vaccination: 6

Submitted: 0000-00-00 **Entered:** 2021-01-08

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL0140 / 1	LA / -

Administered by: Private Purchased by: ?

Symptoms: Anaphylactic reaction, Chest discomfort, Dysphonia, Dysphoea, Mouth swelling, Oropharyngeal pain

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Anaphylactic/anaphylactoid shock conditions (narrow), Parkinson-like events (broad), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Haemodynamic oedema, effusions and fluid overload (narrow), Cardiomyopathy (broad), Hypersensitivity (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes

Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: CETRIZINE; NORCO; ; ZOFRAN [ONDANSETRON]

Current Illness:

Preexisting Conditions: Medical History/Concurrent Conditions: House dust mite allergy

Allergies:

Diagnostic Lab Data: Test Name: skin testing; Result Unstructured Data: Test Result:allergy

to Dust mites

CDC Split Type: USPFIZER INC2021005711

Write-up: Anaphylactic reaction 6 days post vaccine 24Dec2020; I had severe chest tightness; SOB; throat soreness; hoarse voice; mouth swelling; This is a spontaneous report from a contactable physician, the patient. A 34-year-old non-pregnant female patient received

the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: EL0140), via an unspecified route of administration in the left arm on 18Dec2020 at 15:30 (at the age of 34-years-old) as a single dose for COVID-19 immunization. Medical history included severe dust mite allergy (based on skin test). Prior to the vaccination, the patient was not diagnosed with COVID-19. Concomitant medications included cetirizine hydrochloride (MANUFACTURER UNKNOWN), hydrocodone bitartrate/paracetamol (NORCO), ibuprofen (MANUFACTURER UNKNOWN), and ondansetron (ZOFRAN); all for unspecified indications from unknown dates and unknown if ongoing. The patient did not receive any other vaccines within four weeks prior to the vaccination. On 24Dec2020 at 10:00, 6 days post vaccination, the patient experienced anaphylactic reaction, severe chest tightness, shortness of breath, throat soreness, hoarse voice, and mouth swelling; all reported as life threatening. The events led to an emergency room visit and she was given epinephrine (EPI-PEN), methylprednisolone (SOLUMEDROL), and diphenhydramine hydrochloride (BENADRYL) as treatment. The patient stated that she developed the reactions 45 minutes after she took premedications for a dilatation and curettage procedure. The premedications included ibuprofen, hydrocodone bitartrate/paracetamol, ondansetron. She stated she had taken these medications several times before and this was the first time she had this reaction. Since the vaccination, the patient had not been tested for COVID-19. The clinical outcomes of the anaphylactic reaction, severe chest tightness, shortness of breath, throat soreness, hoarse voice, and mouth swelling were recovered on unknown dates.; Sender's Comments: Anaphylactic reactions presented as chest tightness, shortness of breath, throat soreness, hoarse voice, and mouth swelling, developed 45 minutes after premedications including included ibuprofen, hydrocodone bitartrate/paracetamol, ondansetron for a dilatation and curettage procedure and 6 days post vaccination with BNT162B2, the event therefore is most likely attributed to these premedications unrelated to the vaccine use. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

VAERS ID: 929689 (history)
Form: Version 2.0

Age: 61.0
Sex: Male
Location: California

Vaccinated: 2021-01-06 **Onset:** 2021-01-07

Days after vaccination: 1

 Submitted:
 0000-00-00

 Entered:
 2021-01-08

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EH9899 / 2	RA / IM

Administered by: Senior Living Purchased by: ?

Symptoms: <u>Bacteraemia</u>, <u>Blood culture</u>, <u>Blood lactic acid</u>, <u>Culture urine</u>, <u>Full blood count</u>, <u>Laboratory test</u>, <u>Liver function test</u>, <u>Pyrexia</u>, <u>Respiratory viral panel</u>, <u>SARS-CoV-2 test negative</u>, <u>Urine analysis normal</u>, <u>Urosepsis</u>

SMQs:, Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Drug

reaction with eosinophilia and systemic symptoms syndrome (broad), Sepsis (narrow), Opportunistic infections (broad), COVID-19 (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes

Office Visit? Yes

ER Visit? No.

ER or Doctor Visit? No

Hospitalized? Yes. ? days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: HCTZ, losartan, carvedilol, aspirin

Current Illness: none

Preexisting Conditions: h/o multiple strokes, vascular dementia (bedbound, unable to

speak) trach for h/o resp failure, G-tube/tubefeed dep

Allergies: amlodipine (gum swelling)

Diagnostic Lab Data: Cultures (blood, urine), COVID PCR & Biofire resp panel on

nasopharyngeal swab (negative), CBC, Chem10, lactate, LFTs

CDC Split Type:

Write-up: Fever to 103.7F, respiratory rate 36. Was transferred from facility to hospital. Since then has been found to have gram-negative rod bacteremia, although urinalysis was negative, urine culture pending. Patient has since defervesced after receiving 1 dose of cefepime. Overall the most likely cause of fever seems to be urosepsis w/ bacteremia, pending confirmation with urine & blood cultures.

VAERS ID: 930079 (history)
Form: Version 2.0

Age: 20.0
Sex: Female
Location: Texas

Vaccinated: 2021-01-08 **Onset:** 2021-01-08

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-08

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / 1	LA / SYR

Administered by: School Purchased by: ?

Symptoms: Anaphylactic reaction, Erythema, Pharyngeal swelling, Swelling, Swelling, Urticaria

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Anaphylactic/anaphylactoid shock conditions (narrow), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Haemodynamic oedema, effusions and fluid overload (narrow), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations: Varicella and hep B

Other Medications: Current Illness:

Preexisting Conditions: Mast Cell Activation Syndrome

Allergies:

Diagnostic Lab Data: CDC Split Type:

Write-up: Swelling of throat and tongue, anaphylaxis, hives, redness, swelling

VAERS ID: 930153 (history)
Form: Version 2.0

Age: 41.0
Sex: Male
Location: Michigan

 Vaccinated:
 2021-01-05

 Onset:
 2021-01-07

Days after vaccination: 2

Submitted: 0000-00-00 **Entered:** 2021-01-08

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / 1	RA / IM

Administered by: Public Purchased by: ?

Symptoms: Condition aggravated, Immune thrombocytopenia, Platelet count decreased **SMQs:**, Haematopoietic thrombocytopenia (narrow), Haemorrhage terms (excl laboratory terms) (narrow), Systemic lupus erythematosus (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Immune-mediated/autoimmune disorders (narrow)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, 1 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Atorvastain 10mg Levothyroxine 112mcg Prilosec 20mg Insulin

Current Illness: NA

Preexisting Conditions: Insulin dependent Diabetes HX of ITP 2014, in remession

Allergies: PCN

Diagnostic Lab Data: Plt 2

CDC Split Type:

Write-up: ITP Plt 2

VAERS ID: 930508 (history)
Form: Version 2.0

Age: 40.0
Sex: Female
Location: California

 Vaccinated:
 2021-01-08

 Onset:
 2021-01-08

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-08

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	9899 / 2	LA / IM

Administered by: Private Purchased by: ?

Symptoms: <u>Dyspnoea</u>, <u>Hypotension</u>, <u>Injection site pruritus</u>, <u>Rash</u>, <u>Tachycardia</u>, <u>Throat irritation</u>, <u>Urticaria</u>

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Dehydration (broad), Hypokalaemia (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? Yes, ? days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Phentermine (ADIPEX-P) 37.5 mg Oral Cap Hydrocortisone 2.5 % Top Crea cloNIDine HCL (CATAPRES) 0.2 mg Oral Tab tiZANidine (ZANAFLEX) 4 mg Oral Tab traZODone (DESYREL) 50 mg Oral Tab Multivitamin (MULTIPLE VITAMIN) Oral Cap

Current Illness: unknown **Preexisting Conditions:**

Allergies: Acetaminophen-codeine Cymbalta [Duloxetine Hcl]

Diagnostic Lab Data: CDC Split Type:

Write-up: Initial itching at injection site, observed and returned to work. Came back ~30-40 minutes later with itchiness in throat and hives to arm. Given Benadryl PO and observed for extended period of time. Symptoms not resolving. Patient transferred to Emergency Department for further care. At that point observed to have full body rash, SOB. Given Epi while in ED. Developed tachycardia, hypotension. Treatment continued.

VAERS ID: 930611 (history)
Form: Version 2.0

Age: 71.0 Sex: Male

Location: Massachusetts

Vaccinated: 2021-01-06 **Onset:** 2021-01-07

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-08

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / UNK	- / IM

Administered by: Senior Living Purchased by: ?

Symptoms: <u>Bilevel positive airway pressure, Cardiac failure congestive, Condition</u> aggravated, Intensive care, Respiratory failure

SMQs:, Cardiac failure (narrow), Anaphylactic reaction (broad), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (broad), Torsade de pointes, shock-associated conditions (broad), Hypovolaemic shock conditions (broad), Toxic-septic shock conditions (broad), Anaphylactic/anaphylactoid shock conditions (broad), Hypoglycaemic and neurogenic shock conditions (broad), Acute central respiratory depression (narrow), Guillain-Barre syndrome (broad), Cardiomyopathy (broad), Hypersensitivity (broad), Respiratory failure (narrow), Hypokalaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, ? days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: Albuterol, metoprolol, fish oil, apixiban, insulin

Current Illness: Advanced diastolic heart failure and CKD. Returned from hospitalization one

week prior for CHF exacerbation treated with BIPAP, IV diuresis

Preexisting Conditions: oxygen dependent COPD, type II DM, diastolic CHF, stage IV renal

failure, personality disorder **Allergies:** statin, PCN

Diagnostic Lab Data: unknonw

CDC Split Type:

Write-up: Developed hypercapnic respiratory failure, CHF exacerbation - readmitted to

Hospital. In ICU with BIPAP

VAERS ID: 930777 (history)
Form: Version 2.0

Age: 36.0

Sex: Female

Location: New York

Vaccinated: 2020-12-23 **Onset:** 2020-12-31

Days after vaccination: 8

Submitted: 0000-00-00 **Entered:** 2021-01-08

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / 1	LA / IM

Administered by: Private **Purchased by:** ?

Symptoms: Areflexia, Guillain-Barre syndrome, Laboratory test, Magnetic resonance

imaging, Sensory loss

SMQs:, Peripheral neuropathy (narrow), Guillain-Barre syndrome (narrow), Demyelination (narrow), Immune-mediated/autoimmune disorders (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? Yes

Recovered? No Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations: Other Medications: n/a Current Illness: n/a

Preexisting Conditions: n/a

Allergies: n/a

Diagnostic Lab Data: labs, MRI

CDC Split Type:

Write-up: Patient presented to the emergency department with sensory loss and loss of reflexes, evaluated by neurology and diagnosed with Guillain- Barre Syndrome thought to be secondary to the Pfizer Covid Vaccine

VAERS ID: <u>930889</u> (history)

Form: Version 2.0

Age: 48.0 Sex: Male

Location: Minnesota

 Vaccinated:
 2020-12-22

 Onset:
 2020-12-27

Days after vaccination: 5

Submitted: 0000-00-00 **Entered:** 2021-01-08

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Angioplasty, Coronary artery occlusion, Electrocardiogram ST segment

elevation, Myocardial infarction, Stent placement

SMQs:, Myocardial infarction (narrow), Embolic and thrombotic events, arterial (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? Yes

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? No Hospitalized? Yes, 3 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Propranolol, Pepcid, cetrizine, losartan

Current Illness: None

Preexisting Conditions: HTN, allergies

Allergies: Nkda

Diagnostic Lab Data: I had a myocardial infarction on December 27, 2020. I had received my first vaccination for COVID-19 on December 22, 2020. I had a ST segment elevation MI requiring emergent angio plasty and stenting with a severe ?99%? proximal LAD lesion.

CDC Split Type:

Write-up: I had a myocardial infarction on December 27, 2020. I had received my first vaccination for COVID-19 on December 22, 2020. Not sure if these are related but I felt I should report it.

VAERS ID: 930894 (history)
Form: Version 2.0

Age: 75.0
Sex: Male
Location: Guam

Vaccinated: 2020-12-29

Onset: 2021-01-02

Days after vaccination: 4

Submitted: 0000-00-00 **Entered:** 2021-01-08

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / UNK	AR / -

Administered by: Private Purchased by: ?

Symptoms: Blood pressure increased, Brain herniation, Computerised tomogram abnormal, Computerised tomogram head, Haemoglobin increased, Haemorrhage intracranial, Headache, Hypertension, Hypertensive emergency, Hypotonia, Intensive care, International normalised ratio normal, Intracerebral haematoma evacuation, Platelet count normal, Pyrexia, Shift to the left, White blood cell count normal

SMQs:, Peripheral neuropathy (broad), Haemorrhage terms (excl laboratory terms) (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Haemorrhagic central nervous system vascular conditions (narrow), Guillain-Barre syndrome (broad), Hypertension (narrow), Hypotonic-hyporesponsive episode (broad), Generalised convulsive seizures following immunisation (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, ? days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: Not on medications

Current Illness: Hypertension

Preexisting Conditions: Hypertension

Allergies: Possibly penicillin

Diagnostic Lab Data: Initial BP 178/73 crept up to \$g200 despite medications, initially controlled then difficult to control SBP 160-211 Noted new flacidity 10am 1/2/2021 Stat CT 1/2/2021 head Acute intracranial hemorrhage 6.5x6x 5 cm with beginning of herniation, left white Laborated 1/2/2021 WPC 8.8 Halp 16 platelets 160 IND 1/2 1.0

shift Labs on 1/1/2021 WBC 8.8, Hgb 16, platelets 160 INR 1/2 =1.0

CDC Split Type:

Write-up: Low grade Fever, headache needing admission Intracranial hemorrhage with hypertension Medical management for hypertensive emergency Received surgical evacuation admitted in Intensive care,

VAERS ID: 930897 (history)
Form: Version 2.0

Age: 48.0 Sex: Female Location: Utah

 Vaccinated:
 2021-01-01

 Onset:
 2021-01-07

Days after vaccination: 6

Submitted: 0000-00-00 **Entered:** 2021-01-08

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL3246 / 2	RA / SYR

Administered by: Work Purchased by: ? Symptoms: Arthralgia, Cough, Dyspnoea, Rash

SMQs:, Anaphylactic reaction (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Hypersensitivity (narrow), Arthritis (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? Yes

ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications: Liothyronine, levothyroxine, losartan, escitalopram, buspirone,

gabapentin, vitamin d, iron, multivitamin

Current Illness: Currently being tested for autoimmune diseases

Preexisting Conditions: Hypothyroidism, hypertension, chronic pain, osteoarthritis,

depression

Allergies: Lortab, had an allergic reaction to potassium citrate when tested for an N95

mask;dogs, cats, rabbits, some trees and weeds

Diagnostic Lab Data: Assessment by NP. Administered Prednisone burst, Albuterol,

Benadryl, Pepcid and Zyrtec

CDC Split Type:

Write-up: Shortness of breath, cough, rash on face and neck, arthralgia

VAERS ID: 931417 (history)
Form: Version 2.0

Age: 60.0
Sex: Male
Location: Florida

Vaccinated: 2021-01-07 **Onset:** 2021-01-07

Days after vaccination: 0

Submitted: 0000-00-00

Entered: 2021-01-09

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL1283 / 1	RA / IM

Administered by: Private Purchased by: ?

Symptoms: Activated partial thromboplastin time prolonged, Arthralgia, Blood chloride decreased, Blood glucose normal, Blood potassium decreased, Blood sodium decreased, Cardiac ventriculogram left, Catheterisation cardiac abnormal, Chest pain, Dyspnoea, Echocardiogram normal, Ejection fraction decreased, Electrocardiogram, Electrocardiogram ST segment elevation, Hypokinesia, Myocardial infarction, N-terminal prohormone brain natriuretic peptide increased, Neck pain, Pain, Prothrombin time prolonged, Pyrexia, SARS-CoV-2 test negative, Stent placement, Troponin T increased

SMQs:, Cardiac failure (narrow), Liver-related coagulation and bleeding disturbances (narrow), Anaphylactic reaction (broad), Haemorrhage laboratory terms (broad), Neuroleptic malignant syndrome (broad), Myocardial infarction (narrow), Anticholinergic syndrome (broad), Embolic and thrombotic events, arterial (narrow), Parkinson-like events (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Hyponatraemia/SIADH (narrow), Cardiomyopathy (narrow), Hypotonichyporesponsive episode (broad), Chronic kidney disease (broad), Arthritis (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypokalaemia (narrow), COVID-19 (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, 1 days
Extended hospital stay? No
Previous Vaccinations:

Other Medications: zinc sulfate omeprazole metoprolol levothyroxine sodium HCTZ

echinacea purpurea extract cholecalciferol

Current Illness: malignant melanoma HTN hypothyroidism GERD

Preexisting Conditions: malignant melanoma

Allergies: codene lactose

Diagnostic Lab Data: portable echo in ER: no effusion, inferior wall poorly visualized EKG: suggestive of Inferior Wall STEMI cardiac cath: RCA-Pd 100% at origin with TIMI 0 flow (infarct related artery) LV angio: inferior and inf-apical hypokinesis, EF approx 45% PCI (drug eluting stent placed to RCA-Pd) troponin T 4.250 NT Pro BNP 2231 SARS CoV-2 (agent for COVID -19) not detected by PCR glucose 106 Na 127 K 3.3 Cl 93 PTT 36.4 PT 13.7 **CDC Split Type:**

Write-up: Myocardial Infarction: patient began to complain of severe chest pain 3 hours after the vaccine was given .. Vaccine NDC # 59267-1000-1. 0.3 ml given by RN. Patient called his PCP: "... I had very bad chest and shoulder pains, neck pains and slight fever from 9 pm until early this morning (Jan 8). My blood pressure was 155/95 mmHg. Should I see you today? Still feel sore all upper body. Above message received at 0720 am (Jan 8) and the patient was called back at 0757 am (Jan 8): patient was told that many of the side effects above were

related to the vaccine but the chest pain was worrisome and the provider requested the patient go to the emergency room. Patient understood the importance to seek medical attention..... Emergency Room notes: seen by MD on Jan 9. Note at 0749: patient complained of chest pain on/off since received COVID vaccine on Jan 7. Pain was substernal and radiated to the left shoulder, assoc with some SOB. EKG obtained and revealed ST segment elevation and a "cardiac alert" was called.

VAERS ID: 931558 (history)
Form: Version 2.0

Age: 47.0
Sex: Female
Location: Arkansas

Vaccinated: 2020-12-22 **Onset:** 2020-12-30

Days after vaccination: 8

Submitted: 0000-00-00 **Entered:** 2021-01-09

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	011J20A / 1	- / IM

Administered by: Pharmacy **Purchased by:** ?

Symptoms: Cerebrovascular accident, Computerised tomogram, Hypercoagulation, Injection site pruritus, Injection site swelling, Injection site warmth, Laboratory test, Magnetic resonance imaging brain, Magnetic resonance imaging neck, Scan with contrast

SMQs:, Ischaemic central nervous system vascular conditions (narrow), Haemorrhagic central nervous system vascular conditions (narrow), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), Extravasation events (injections, infusions and implants) (broad), Haemodynamic oedema, effusions and fluid overload (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? Yes

Recovered? No Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 1 days

Extended hospital stay? No

Previous Vaccinations: Other Medications: None Current Illness: None

Preexisting Conditions: None

Allergies: None

Diagnostic Lab Data: CT with contrast, MRI and MRA of head, MRI neck, expensive labwork

CDC Split Type:

Write-up: 7 day after site itching, hot swelling. Unsure if related 9 day after suffered CVA and have hyper coagulation

VAERS ID: 931772 (history)
Form: Version 2.0

Age: 30.0
Sex: Female
Location: Ohio

Vaccinated: 2021-01-07 **Onset:** 2021-01-07

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-09

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	039K20A / 1	LA / IM

Administered by: Military Purchased by: ?

Symptoms: Anaphylactic reaction

SMQs:, Anaphylactic reaction (narrow), Anaphylactic/anaphylactoid shock conditions

(narrow), Hypersensitivity (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: OTC multi-vitamin

Current Illness: none

Preexisting Conditions: Had COVID 19 diagnosed October 2020

Allergies: Ambien-visual hallucination Bee/wasp venom (localized swelling)

Diagnostic Lab Data: Treated urgently in facility and then transferred to local ED same day

CDC Split Type:

Write-up: Anaphylaxis

VAERS ID: 931851 (history)
Form: Version 2.0

Age: 32.0
Sex: Female
Location: Alaska

Vaccinated: 2020-12-28 **Onset:** 2020-12-30

Days after vaccination: 2

Submitted: 0000-00-00 **Entered:** 2021-01-09

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / 1	LA / IM

Administered by: Other Purchased by: ?

Symptoms: <u>Maternal exposure during breast feeding</u> **SMQs:**, Neonatal exposures via breast milk (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Levothyroxine, prenatal vitamin, vitamin D

Current Illness: N/a

Preexisting Conditions: Hashimoto?s thyroiditis/hypothyroidism

Allergies: N/a

Diagnostic Lab Data: EKG on 12/30/2020 with normal sinus rhythm

CDC Split Type:

Write-up: I am currently breastfeeding my 5-month-old son. I received my first vaccine on 12/28/2020 and directly breastfed within 4 hours of receiving the vaccine. Two days after my vaccine my son was at daycare and had two large diarrhea blowouts and two large emeses followed by a 1-minute episode where he was limp with entire body cyanosis and in-and-out of consciousness. He also had a maculopapular rash on his torso. EMS was called. He was observed in the emergency department for a few hours then recovered well without intervention and did not require hospitalization. EKG was normal. He has continued to be well and back to baseline since the event.

VAERS ID: 956897 (history)
Form: Version 2.0

Age: 42.0
Sex: Female
Location: Unknown

 Vaccinated:
 2021-01-06

 Onset:
 2021-01-07

Days after vaccination: 1

 Submitted:
 0000-00-00

 Entered:
 2021-01-09

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	039K20A / 1	RA / IM

Administered by: Other Purchased by: ?

Symptoms: Blood pressure increased, Chills, Cough, Dizziness, Dysgeusia, Dyspnoea, Headache, Heart rate increased, Insomnia, Myalgia, Nausea, Obstructive airways disorder,

Palpitations, Stridor, Tachycardia, Tachypnoea, Vomiting, Wheezing

SMQs:, Rhabdomyolysis/myopathy (broad), Anaphylactic reaction (broad), Acute pancreatitis (broad), Angioedema (broad), Asthma/bronchospasm (broad), Neuroleptic malignant syndrome (broad), Taste and smell disorders (narrow), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Hypertension (narrow), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Vestibular disorders (broad), Hypersensitivity (broad), Respiratory failure (broad), Tendinopathies and ligament disorders (broad), Infective pneumonia (broad), Dehydration (broad)

Life Threatening? Yes Birth Defect? No Died? No Permanent Disability? No Recovered? Yes Office Visit? No ER Visit? No. ER or Doctor Visit? No Hospitalized? No **Previous Vaccinations:** Other Medications: **Current Illness: Preexisting Conditions: Allergies: Diagnostic Lab Data: CDC Split Type:**

Write-up: Dizziness, Headache, Myalgia, Tachypnea, CoughWheeze, NauseaVomiting, Palpitations & Tachycardia & Narrative: Patient stated that after receiving injection on 01/06/2021, tasted metal in her mouth. No reaction noted in clinic after vaccine administered. Patient states that after returning home, she began to have chills, headache, and muscle aches. Could not sleep. On 01/07/2021. Patient continued to experience above symptoms. Approx. 13:50 on 01/07/2021. Patient presented with respiratory difficult, tachypnea stridor, and stated she felt as if her airway was closing. Patient was vomiting and was tachycardic. Epi-pen administered via left lateral thigh. Patient administered 50mg of PO Benadryl, and 2 puffs of albuterol inhaler. Continuous V/S initiated. Patient began to experience relief of symptoms. HR and blood pressure remained elevated, but this was expected side effect of epi. SpO2 stabilized around 99% on room air. Patient was monitored for 60 minutes. Transportation home was arranged and family was present to observe overnight.

VAERS ID: 964622 (history)
Form: Version 2.0

Age: 67.0
Sex: Female
Location: Unknown

 Vaccinated:
 2021-01-04

 Onset:
 2021-01-04

Days after vaccination: 0

Submitted: 0000-00-00

Entered: 2021-01-09

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK9231 /	UN / SC

Administered by: Other Purchased by: ?

Symptoms: Incorrect route of product administration

SMQs:, Drug abuse and dependence (broad), Medication errors (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? Yes ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations: Other Medications: Current Illness:

Preexisting Conditions:

Allergies:

Diagnostic Lab Data: CDC Split Type:

Write-up: Narrative:

VAERS ID: <u>932145</u> (history)

Form: Version 2.0

Age: 96.0 Sex: Female

Location: North Carolina

Vaccinated: 2021-01-08 **Onset:** 2021-01-08

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-10

Vaccination / Manufacturer	Lot / Dose	Site / Route	
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL3248 / 1	AR / IM	

Administered by: Private Purchased by: ?

Symptoms: Angiogram cerebral, Aphasia, Arteriogram carotid, Cerebral artery occlusion, Computerised tomogram head, Facial paresis, Hypotonia, Ischaemic stroke, Monoparesis, NIH stroke scale abnormal

SMQs:, Peripheral neuropathy (broad), Ischaemic central nervous system vascular conditions (narrow), Dementia (broad), Embolic and thrombotic events, arterial (narrow), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), Guillain-

Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Conditions associated with central nervous system haemorrhages and cerebrovascular accidents (broad), Hypotonic-hyporesponsive episode (broad), Generalised convulsive seizures following immunisation (broad), Immune-mediated/autoimmune disorders (broad)

Life Threatening? Yes

Birth Defect? No

Died? No.

Permanent Disability? Yes

Recovered? No

Office Visit? No

ER Visit? No

ER or Doctor Visit? No

Hospitalized? Yes, ? days

Extended hospital stay? No

Previous Vaccinations:

Other Medications:

Current Illness: Hypertension, hypothyroidism

Preexisting Conditions: Hypertension, hypothyroidism

Allergies: None

Diagnostic Lab Data: Complete stroke workup with noncontrast CT head and CT angiogram

of the head and neck. CDC Split Type:

Write-up: Patient came into the emergency department on 1/8/21 with an acute ischemic stroke with complete occlusion of her left MCA. She had acute and complete flaccid paresis of her right face, arm, and leg, complete aphasia, and neglect of the right side of her body. NIHSS of 27. Onset of deficit was between 6:30pm-7:10pm. She recieved her 1st COVID-19 vaccine dose that morning at 10:31am.

VAERS ID: <u>932366</u> (history)
Form: Version 2.0

Age: 38.0
Sex: Female
Location: Virginia

Vaccinated: 2021-01-09 **Onset:** 2021-01-09

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-10

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL3246 / 1	LA / IM

Administered by: Private **Purchased by:** ?

Symptoms: Angiogram cerebral, Arteriogram carotid, Chest X-ray, Computerised tomogram head, Facial paresis, Full blood count, Hypoaesthesia, International normalised ratio, Magnetic resonance imaging, Metabolic function test, Muscular weakness, Prothrombin time, Visual field defect

SMQs:, Rhabdomyolysis/myopathy (broad), Peripheral neuropathy (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Optic nerve disorders (broad), Retinal disorders (broad), Immune-mediated/autoimmune disorders (broad), Sexual dysfunction (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 2 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: with past 24 hours prior to vxn pt reports taking: One a day women's

vitamin, Benadryl, Allegra Current Illness: none

Preexisting Conditions: asthma, cold sores

Allergies: Pineapple

Diagnostic Lab Data: 1/9 - CT of Head, CTA head and neck, CBC, PT/INR, BMP, Chest xray

1/10 - Repeat CT of head, MRI,

CDC Split Type:

Write-up: The patient presented with left eye peripheral visual loss, left upper and lower extremity and facial numbness sensation and weakness. This started 1 hour after receiving COVID-19 vaccine at her place of employment. Pt was brought to CRMC via EMS.

VAERS ID: <u>932367</u> (history)
Form: Version 2.0

Age: 50.0
Sex: Female
Location: New Jersey

Vaccinated: 2021-01-06 **Onset:** 2021-01-06

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-10

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	026L20A / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Chills, Facial paralysis, Hypoaesthesia, Hypoaesthesia oral, Lip swelling, Myalgia, Swelling face

SMQs:, Rhabdomyolysis/myopathy (broad), Anaphylactic reaction (broad), Angioedema (narrow), Peripheral neuropathy (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious meningitis (broad), Eosinophilic pneumonia (broad), Hearing impairment (broad), Hypersensitivity (narrow), Tendinopathies and ligament disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Sexual

dysfunction (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? Yes

ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:
Other Medications: None
Current Illness: None

Preexisting Conditions: None

Allergies: Erythromycin

Diagnostic Lab Data: I contacted occupational medicine Dr. at hospital and he advised to

monitor and no medication necessary

CDC Split Type:

Write-up: Facial (cheek) numbness and swelling with slight face droop Swelling continued on 1/7/2021 On 1/8/2021, lip swelling and numbness and tongue numbness By 1/9/2021 4pm, swelling and numbness resolved but chills and muscle aches began

VAERS ID: 932420 (history)
Form: Version 2.0

Age: 44.0
Sex: Female
Location: Tennessee

 Vaccinated:
 2020-12-22

 Onset:
 2021-01-04

Days after vaccination: 13

Submitted: 0000-00-00 **Entered:** 2021-01-10

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EJ1685 / 1	LA / IM

Administered by: Work Purchased by: ?

Symptoms: Angiogram cerebral normal, Aphasia, Arteriogram carotid normal, Coagulation test, Echocardiogram normal, Electrocardiogram ambulatory, Magnetic resonance imaging brain normal, Memory impairment, Posturing, Scan with contrast normal, Tremor

SMQs:, Neuroleptic malignant syndrome (broad), Dementia (broad), Dystonia (broad), Parkinson-like events (broad), Psychosis and psychotic disorders (narrow), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Conditions associated with central nervous system haemorrhages and cerebrovascular accidents (broad), Depression (excl suicide and self injury) (broad), Hypoglycaemia (broad)

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes

Office Visit? Yes

ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications: xyzal 10mg 1/day, Sudafed 12 hour XR 1 po qAM, Nasonex nasal spray 2 puffs q AM, Emgality 120mg once a month (last 12/17), carisoprodol 350mg q 6 hours, prn; norco q 6 hours, prn; zanaflex 8 mg qhs, prn. DID take a diflucan the prior nigh

Current Illness: none.

Preexisting Conditions: Chronic migraines, usually without AURA, 2 times in life with aura, Transformed migraine into chronic daily headache after DEPO shot at 23 yo. Chronic neck pain, mild bulging disk, DDD. +ANA, non-specific. Pattern has been different 2 times (3 yrs ago, showed positive for lupus titers, but no lupus sx, so rheumatologist did not feel like I had lupus).

Allergies: PCN (rash), Septra (rash).

Diagnostic Lab Data: MRI/MRA Brain: 1/5/21: normal. MRA neck with and without contrast: 1/8/21: normal Holter monitor: pending (currently wearing) Echo: 1/9/21: normal Blood clotting

workup: pending, but so far negative Neurologist Appointment: 1/7/21

CDC Split Type:

Write-up: I am not sure if related on not. This event was 13 days after my COVID-19 1/2 immunization. Otherwise, I am a very healthy physician, normal BMI, I have also been tested 5-6 times negative for COVID. I do get exposed in my job, but wear proper PPE. Viral infection in FEB that was like COVID-19 sx, I did AB test as soon as it was available, and negative. ---The Event: Monday morning (1/4/21), after getting out of shower, I was talking to my husband (who is MD)and started having BROCA"s aphasia sx (could not get words out coherently), then fell into bed and started right wrist and right foot posturing. This lasted 10 min. I have non-memory of it, but my MD husband witnessed it. After 10 minutes, I was back to normal, except shaky and some word finding difficulties. After 30 min, totally back to normal.

VAERS ID: 932614 (history)
Form: Version 2.0

Age: 43.0
Sex: Female
Location: Texas

 Vaccinated:
 2021-01-09

 Onset:
 2021-01-09

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-10

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / 1	LA / IM

Administered by: Private **Purchased by:** ?

Symptoms: Dysphonia, Paraesthesia oral, Throat clearing, Throat irritation, Throat tightness,

Tongue pruritus

SMQs:, Anaphylactic reaction (broad), Angioedema (broad), Parkinson-like events (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Hypersensitivity (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Synthroid 75 mcg Bystolic 10 mg Current Illness: Covid-19 on December 23, 2020 Preexisting Conditions: HTN, Hypothyroid, asthma

Allergies: NKDA
Diagnostic Lab Data:
CDC Split Type:

Write-up: Throat closing Pruritic throat and tongue Tingling lips and tongue Throat clearing

Hoarse voice

VAERS ID: 932623 (history)
Form: Version 2.0

Age: 78.0
Sex: Male
Location: Illinois

Vaccinated: 2021-01-09 **Onset:** 2021-01-10

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-10

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL1283 / 2	UN / IM

Administered by: Private Purchased by: ?

Symptoms: Angiogram, Basilar artery occlusion, Computerised tomogram, Ischaemic stroke

SMQs:, Ischaemic central nervous system vascular conditions (narrow), Embolic and

thrombotic events, arterial (narrow)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, ? days Extended hospital stay? No

Previous Vaccinations:

Other Medications: amlodipine, atorvastatin, esomeprazole, metoprolol, omega-3, ticagrelor,

cyanocobalamin Current Illness:

Preexisting Conditions: Hypertension, hyperlipidemia, coronary artery disease (s/p

angioplasty) **Allergies:** aspirin

Diagnostic Lab Data: CT/CTA

CDC Split Type:

Write-up: Acute ischemic stroke, basilar occlusion

VAERS ID: 932915 (history)
Form: Version 2.0

Age: 25.0
Sex: Female
Location: Washington

Vaccinated: 2020-12-29 **Onset:** 2021-01-08

Days after vaccination: 10

Submitted: 0000-00-00 **Entered:** 2021-01-10

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	037K20A / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Contusion, Haematocrit normal, Haemoglobin normal, Mean cell haemoglobin concentration normal, Mean cell haemoglobin normal, Mean cell volume normal, Mouth haemorrhage, Platelet count decreased, Red blood cell count normal, Red cell distribution width normal, Thrombocytopenia, White blood cell count normal

SMQs:, Haematopoietic thrombocytopenia (narrow), Haemorrhage terms (excl laboratory terms) (narrow), Systemic lupus erythematosus (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Accidents and injuries (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? Yes

ER Visit? No.

ER or Doctor Visit? Yes Hospitalized? Yes, 3 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Zoloft (sertraline), vitamin D, cetirizine (zyrtec)

Current Illness: None

Preexisting Conditions: Anxiety, history of anti-thyroglobulin antibodies

Allergies: None

Diagnostic Lab Data: CBC 1/8/21 - WBCs 8.65, RBCs 4.47, Hg 13.7, Hct 40, MCV 89, MCH

30.6, MCHC 34.3, Plts 1** (d) C, RDW 11.8%.

CDC Split Type:

Write-up: Severe thrombocytopenia (plts 3k/uL), oral mucosal bleeding, bruising

VAERS ID: 933142 (history) Version 2.0 Form:

Age: 48.0 Sex: Female Location: Arizona

Vaccinated: 2020-12-31 Onset: 2020-12-31

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-10

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / UNK	-/-

Administered by: Unknown Purchased by: ?

Symptoms: Alopecia, Blood glucose increased, Chest X-ray, Cough, Dizziness, Dysphonia, Dyspnoea, Epistaxis, Eye swelling, Full blood count, Headache, Injection site pain, Mental impairment, Pharyngeal swelling, Swelling, Swelling face, Urticaria

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Haemorrhage terms (excl laboratory terms) (narrow), Hyperglycaemia/new onset diabetes mellitus (narrow), Anticholinergic syndrome (broad), Dementia (broad), Parkinson-like events (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Extravasation events (injections, infusions and implants) (broad), Haemodynamic oedema, effusions and fluid overload (narrow), Cardiomyopathy (broad), Vestibular disorders (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes Birth Defect? No Died? No Permanent Disability? No Recovered? No Office Visit? Yes ER Visit? No ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations: Other Medications:

Current Illness: Sinus infection

Preexisting Conditions: DM 1.5, tachycardia

Allergies: PCN, Morphine, nuts, pumpkin, sour cream.

Diagnostic Lab Data: Full blood, chest X-ray.

CDC Split Type:

Write-up: Pain at site of injection, eyes, throat, face swelling. Unclear thinking, hoarse speech, headache, hives, swelling. Intervention taken immediately. Ongoing 11 days: SOB, headaches, nose bleeds, coughing, blood sugars triple, hair falling out, major swelling, dizziness.

VAERS ID: 933369 (history)
Form: Version 2.0

Age: 56.0

Sex: Female

Location: Minnesota

 Vaccinated:
 2021-01-08

 Onset:
 2021-01-08

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-11

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / UNK	-/-

Administered by: Private Purchased by: ?

Symptoms: Anaphylactic reaction

SMQs:, Anaphylactic reaction (narrow), Anaphylactic/anaphylactoid shock conditions

(narrow), Hypersensitivity (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 1 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Albuteral, Loratadine, Fmotidine, Prednisone, Levothyroxine, Epipen

(prn)

Current Illness: None

Preexisting Conditions: Migraine headaches, History of papillary thyroid carcinoma, Latex

allergy

Allergies: Latex

Diagnostic Lab Data: CDC Split Type:

Write-up: Anaphylactic reaction

VAERS ID: <u>933935</u> (history)

Form: Version 2.0

Age: 43.0 Sex: Female

Location: Massachusetts

 Vaccinated:
 2021-01-02

 Onset:
 2021-01-10

Days after vaccination: 8

Submitted: 0000-00-00 **Entered:** 2021-01-11

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	025J20A / 1	AR / IM

Administered by: Private Purchased by: ?

Symptoms: <u>Haemoglobin normal</u>, <u>Immune thrombocytopenia</u>, <u>Platelet count decreased</u>, Thrombocytopenia, White blood cell count normal

SMQs:, Haematopoietic thrombocytopenia (narrow), Haemorrhage terms (excl laboratory terms) (narrow), Systemic lupus erythematosus (narrow), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Immune-mediated/autoimmune disorders (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? No Hospitalized? Yes, ? days Extended hospital stay? No

Previous Vaccinations:

Other Medications: Omeprazole

Current Illness: None

Preexisting Conditions: GERD

Allergies: NKDA

Diagnostic Lab Data: CBC showed platelet count of 2,000. WBC and Hgb normal

CDC Split Type:

Write-up: Sever thrombocytopenia (platelet count 2,000) 8 days following Moderna COVID vaccine. Clinically suspicious for ITP.

VAERS ID: 934156 (history)
Form: Version 2.0

Age: 60.0
Sex: Female
Location: Indiana

 Vaccinated:
 2021-01-05

 Onset:
 2021-01-07

Days after vaccination: 2

 Submitted:
 0000-00-00

 Entered:
 2021-01-11

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	026L20A / 1	RA / IM

Administered by: Senior Living Purchased by: ?

Symptoms: Chills, Intensive care, Laboratory test, Pain, Unresponsive to stimuli **SMQs:**, Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Hypotonichyporesponsive episode (broad), Hypoglycaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, 3 days
Extended hospital stay? No
Previous Vaccinations:

Other Medications: Tylenol, Atenolol, Llpitor, Clonidine, mutlivitamin, Lasix, Gabapentin,

Losartan, Maalox, Miralax, Zofran, Vitamin D2.

Current Illness: No

Preexisting Conditions: 2019-nCoV acute respiratory disease, Hyperlipidemia, unspecified, Chronic obstructive pulmonary disease, unspecified, Other hereditary and idiopathic neuropathies, Essential (primary) hypertension, Peripheral vascular disease, unspecified, Venous insufficiency (chronic) (peripheral), Other chronic pain, Type 2 diabetes mellitus with hyperglycemia, Dehydration, Nondisplaced oblique fracture of shaft of left fibula, sequela, Vitamin D deficiency, unspecified, Nondisplaced fracture of second metatarsal bone, left foot, subsequent encounter for fracture with routine healing, Nondisplaced fracture of third metatarsal bone, left foot, subsequent encounter for fracture with routine healing, Nondisplaced fracture of fourth metatarsal bone, left foot, subsequent encounter for fracture with routine healing, Hypokalemia, Acute respiratory failure with hypoxia, Muscle weakness (generalized), Difficulty in walking, not elsewhere classified, Cognitive communication deficit, Non-pressure chronic ulcer of other part of left lower leg with fat layer exposed, Repeated falls, Cellulitis of right lower limb, Cellulitis of left lower limb, Other iron deficiency anemias, Other recurrent depressive disorders, Hypothyroidism, unspecified, Chronic venous hypertension (idiopathic) with ulcer of bilateral lower extremity. Diabetes mellitus due to underlying condition with other skin complications, Other constipation, Chronic respiratory failure with hypoxia, Other acute kidney failure, Lymphedema, not elsewhere classified, Generalized edema, Morbid (severe) obesity due to excess calories, Chronic ischemic heart disease, unspecified, Gastro-esophageal reflux disease without esophagitis, Disorder resulting from impaired renal tubular function, unspecified, History of falling, Cellulitis/abscess, leg, Impaired renal function NOS, Hypertension, benign essential

Allergies: Bactrim, Kefles, PCN

Diagnostic Lab Data: All tests done at the Hospital

CDC Split Type:

Write-up: 01/06/21 at 6 pm, body aches, and chills 01/07/21 at 12am T102.2, SPO2 62% on room air. Was sent to ER and returned. 01/08/21 at SPO@ less then 60% on room air, non responsive to verbal tactile stimuli. Responsive to sternal rub only. Was sent to ER and

VAERS ID: 934676 (history)
Form: Version 2.0

Age: 58.0
Sex: Female
Location: Washington

Vaccinated: 2020-12-31 **Onset:** 2021-01-02

Days after vaccination: 2

Submitted: 0000-00-00 **Entered:** 2021-01-11

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EH9899 / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Arthralgia, Aspiration joint, Chills, Ultrasound joint

SMQs:, Arthritis (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 3 days Extended hospital stay? No

Previous Vaccinations:

Other Medications: Sertraline 25mg, Aspirin 81 mg, Calcium Citrate with Vitamin D3,

Multivitamin with Iron, Hair Skin & Nails soft gel, Probiotic, Cetirizine

Current Illness: None **Preexisting Conditions:**

Allergies: None

Diagnostic Lab Data: Ultrasound-guided aspiration of the right hip joint

CDC Split Type:

Write-up: Chills Hip pain

VAERS ID: 934745 (history)
Form: Version 2.0

Age: 79.0
Sex: Female
Location: lowa

Vaccinated: 2021-01-09

2021-01-10 Onset:

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-11

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL1284 / 1	LA / IM

Administered by: Senior Living Purchased by: ?

Symptoms: Heart rate increased, Musculoskeletal stiffness, Oxygen saturation decreased, Peripheral coldness, Presyncope, Pulse absent, Respiratory rate increased, Seizure like phenomena, Skin discolouration, Skin warm, Thrombosis, Unresponsive to stimuli SMQs:, Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (narrow), Convulsions (narrow), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), Dystonia (broad), Parkinson-like events (broad), Thrombophlebitis (broad), Acute central respiratory depression (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Hypotonic-hyporesponsive episode (broad), Arthritis (broad), Respiratory failure (broad), Hypoglycaemia (broad), Infective pneumonia (broad), Dehydration (broad)

Life Threatening? Yes Birth Defect? No

Died? Yes

Date died: 2021-01-12 Davs after onset: 2 Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications: Exelon 13.3 mg daily, APAP 500 mg three times a day, Namenda 10 mg two times a day, Senna 8.6 mg two tablets daily, Mirilax 27 grams two times a day, 2 cal 4oz three times a day, Amlodipine 5 mg daily

Current Illness: NA

Preexisting Conditions: Alzheimers, dementia, hypertension,

Allergies: NKA

Diagnostic Lab Data: Family requested comfort cares. No tests provided.

CDC Split Type:

Write-up: Resident had seizure like activity followed by a vagel response with large bowel movement. Resident then began to show signs of blood clot to left lower extremity. No pedal pulse, area on leg warm to touch. Left lower leg now cold to touch, stiff, purple and white in color. No other signs of modeling, body warm to touch, no fever noted. Respirations and pulse increased with low oxygen levels. Resident not responding to stimuli.

VAERS ID: 934749 (history)

Form: Version 2.0

 Age:
 38.0

 Sex:
 Female

 Location:
 Unknown

 Vaccinated:
 0000-00-00

 Onset:
 0000-00-00

 Submitted:
 0000-00-11

 Entered:
 2021-01-11

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / 1	- / IM

Administered by: Unknown Purchased by: ?

Symptoms: Altered state of consciousness, Dizziness, Dyspnoea, Endotracheal intubation, Flushing, Hyperhidrosis, Immediate post-injection reaction, Intensive care, Mechanical ventilation, Pharyngeal swelling, Stridor, Tachycardia, Tachypnoea, Urticaria, Wheezing SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Asthma/bronchospasm (broad), Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Vestibular disorders (broad), Hypotonic-hyporesponsive episode (broad), Generalised convulsive seizures following immunisation (broad), Hypersensitivity (narrow), Respiratory failure (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad), Infective pneumonia (broad), Dehydration (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, ? days
Extended hospital stay? No
Previous Vaccinations:

Other Medications: Imitrex, Effexor XR, COVID-19 Vaccine (Pfizer)

Current Illness:

Preexisting Conditions: GERD, Migraines, Anxiety, allergic to Reglan

Allergies:

Diagnostic Lab Data: CDC Split Type:

Write-up: 38-year-old female who is healthcare worker and received first dose of COVID vaccine (Pfizer). Immediately after receiving the vaccine, patient developed lightheadedness, flushing, hives, wheezing and throat swelling. Patient was treated in an emergency department with epinephrine, gradually improved and was able to be sent home with an EpiPen, prednisone, hydroxyzine, and famotidine. The next day, patient again developed shortness of breath and her husband administered the EpiPen. EMS arrived and gave another

dose of IM epinephrine and IV diphenhydramine. On arrival to the emergency department, the patient was altered, diaphoretic, tachypneic, tachycardic, and stridulous. Patient was given multiple doses of IM epinephrine and started on epinephrine drip. Stridor continued and was unresponsive to nebulized albuterol. Patient was then intubated and placed on mechanical ventilation. Other treatments included solumedrol, pepcid, magnesium sulfate, nebulized epinephrine, and IV fluids. admitted to the intensive care unit, weaned off epinephrine drip, and extubated the next day. Patient was monitored on hospital floor for one additional day and was then discharged with no residual symptoms.

VAERS ID: 935090 (history)
Form: Version 2.0

Age: 62.0
Sex: Female
Location: Maine

Vaccinated: 2021-01-09 **Onset:** 2021-01-09

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-11

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	039K20A / UNK	UN / IM

Administered by: Work Purchased by: ?

Symptoms: Chest X-ray, Dyspnoea, Echocardiogram, Electrocardiogram, Insomnia,

Laboratory test

SMQs:, Anaphylactic reaction (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Metoprolol, Sertraline, irbesartan pantoprazole Vit B shot monthly Vit D2

Current Illness: Diarrhea and Gastric issues but not COVID related

Preexisting Conditions: GERD, HTN, skin CA,

Allergies: PCN Percocet, Darvocet, Heparin, Bees Has an Epi Pen **Diagnostic Lab Data:** ED vist- EKG, heart ultra sound, Labs, CXR

CDC Split Type:

Write-up: SOB, Sleeplessness,

VAERS ID: 935180 (history)

Form: Version 2.0

Age: 28.0 Sex: Female

Location: North Dakota

 Vaccinated:
 2021-01-08

 Onset:
 2021-01-08

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-11

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL3249 / 1	- / IM

Administered by: Public Purchased by: ?

Symptoms: <u>Dizziness</u>, <u>Throat irritation</u>, <u>Throat tightness</u>

SMQs:, Anaphylactic reaction (broad), Angioedema (broad), Anticholinergic syndrome (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow),

Vestibular disorders (broad), Hypersensitivity (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:
Other Medications: Unknown

Current Illness: Unknown

Preexisting Conditions: Asthma, Obesity **Allergies:** Penicillin and Green Peppers

Diagnostic Lab Data: Epinephrine 0.5mg IM given

CDC Split Type:

Write-up: Scratchy throat, dizziness and eventually feeling like her throat is closing in

VAERS ID: 935478 (history)
Form: Version 2.0

Age: 34.0 Sex: Female

Location: Massachusetts

Vaccinated: 2021-01-09 **Onset:** 2021-01-09

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-11

Vaccination / ManufacturerLot / DoseSite / RouteCOVID19: COVID19 (COVID19 (MODERNA)) / MODERNA026L20A / 1RA / IM

Administered by: Private Purchased by: ?

Symptoms: Anxiety, Blood test, Diarrhoea, Dizziness, Dyspnoea, Electrocardiogram, Feeling abnormal, Hot flush, Immediate post-injection reaction, Rash, Rash erythematous, Urticaria SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Anticholinergic syndrome (broad), Dementia (broad), Pseudomembranous colitis (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Vestibular disorders (broad), Hypersensitivity (narrow), Noninfectious diarrhoea (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes

Hospitalized? No Previous Vaccinations:

Other Medications: zyrtec 10mg ----- other daily meds not taken this day vitamin d otc lysine

otc adderall xr 25 valacylovir 500 cymbalta 30mg spirolactone 100mg

Current Illness: na

Preexisting Conditions: anxiety, adhd, acne **Allergies:** cillins as baby-rash compazins-dizzy

Diagnostic Lab Data: ekg, blood work, iv fluids, zofran, ativan. sent home from er with pepcid

20mg prednisone 50mg and zofran 4mg. (with epi pen as well)

CDC Split Type:

Write-up: right after vaccine was given i got a head to toe hot flush. i thought it was just anxiety. within 2 minutes i had expolsive diarrhea, felt dizzy. looked in the mirror and saw my neck and chest covered in red rash and hives. felt hot flush again. dr came in noticed hives all over both my arms as well. felt sob and if someone was holding my neck with their hand. given benadryl and epi taken to local er.

VAERS ID: 935939 (history)
Form: Version 2.0

Age: 38.0
Sex: Female
Location: California

 Vaccinated:
 2021-01-09

 Onset:
 2021-01-09

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-11

Vaccination / Manufacturer	Lot / Dose	Site / Route
----------------------------	---------------	--------------

COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / EL1283 / PFIZER/BIONTECH 2

Administered by: Private **Purchased by:** ?

Symptoms: Cough, Dysgeusia, Dysphagia, Hypoaesthesia oral, Respiratory distress, Speech disorder, Tachycardia, Tachypnoea, Throat irritation, Throat tightness, Use of accessory respiratory muscles

SMQs:, Anaphylactic reaction (broad), Angioedema (broad), Asthma/bronchospasm (broad), Neuroleptic malignant syndrome (broad), Taste and smell disorders (narrow), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Dementia (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Psychosis and psychotic disorders (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Eosinophilic pneumonia (broad), Hypersensitivity (broad), Respiratory failure (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Infective pneumonia (broad), Dehydration (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? Yes
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? No
Previous Vaccinations:

Other Medications: None Current Illness: None

Preexisting Conditions: None

Allergies: None
Diagnostic Lab Data:
CDC Split Type:

Write-up: Metallic taste in the back of throat between 15-20 minutes post vaccination, noticeable swallowing and throat irritation at 20-25 minutes post vaccination, tongue and lip numbness and throat tightness at 25-30 minutes, dry hacking cough at 30 minutes. Treated in the ED approximately 1 hour post vaccination, at time of arrival in respiratory distress with subcostal retractions, coughing, speaking 1-2 word sentences, with tachycardia and tachypnea. Treated with IM epinephrine, IV solumedrol and IV Benadryl and IV Benadryl with marked improvement in symptoms.

VAERS ID: 936011 (history)
Form: Version 2.0

Age: 33.0
Sex: Female
Location: California

 Vaccinated:
 2021-01-09

 Onset:
 2021-01-09

Days after vaccination: 0

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EJ1685 / 2	RA / IM

Administered by: Private Purchased by: ?

Symptoms: Anaphylactic reaction, Blood potassium decreased, Dizziness, Dysphagia, Electrocardiogram change, Feeling hot, Hypokalaemia, Metabolic function test, Tachycardia SMQs:, Anaphylactic reaction (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Anaphylactic/anaphylactoid shock conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Cardiomyopathy (broad), Vestibular disorders (broad), Hypersensitivity (narrow), Dehydration (broad), Hypokalaemia (narrow)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes

Hospitalized? No **Previous Vaccinations:**

Other Medications: No change from dose #1

Current Illness: No

Preexisting Conditions: Chronic severe idiopathic neutropenia

Allergies: Possibly NSAIDs or unknown

Diagnostic Lab Data: EKG changes, lab draw BMP showed potassium of 2.9 and I dont normally have hypokalemia so I assume it is linked to anaphylaxis especially since the last episode of anaphylaxis I had also resulted in hypokalemia.

CDC Split Type:

Write-up: Anaphylaxis within 5 minutes of dose given. Tachycardia 130-140s, hot body temperature, trouble swallowing, lightheaded/dizzy, ekg changes, feeling like I was going to pass out even when in bed. IV fluids, benedryl, soul-medrol, famotadine and IM epi given.

VAERS ID: 936026 (history)
Form: Version 2.0

Age: 37.0
Sex: Female

Location: North Dakota

 Vaccinated:
 2021-01-08

 Onset:
 2021-01-08

Days after vaccination: 0

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL1284 /	RA / IM

Administered by: Private Purchased by: ?

Symptoms: Dysphagia, Paraesthesia oral, Throat tightness

SMQs:, Anaphylactic reaction (broad), Angioedema (broad), Anticholinergic syndrome (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Hypersensitivity (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Omeprazole Lexapro 10mg

Current Illness: None

Preexisting Conditions: Anxiety Genital herpes TMJ disorder

Allergies: Penicillin

Diagnostic Lab Data: None

CDC Split Type:

Write-up: Trouble swallowing, tingling around the mouth within 5 minutes of vaccine administration. IV started with 25mg Benadryl within 5 minutes of symptom onset. Transfer to ER at 1430. Symptoms unresolved, hr - 120, bp 140/100, O2 sats 100, resp: 21 Additional 25mg Benadryl, 125mg solumedrol, 1ml Ativan given IV at 1435. Symptoms began to resolve, patient discharged at 1600 to home with instructions to return if needed. Patient returned to ER Sunday January 10 at 1300 complaining of throat tightness. Patient was seen by doctor, no acute distress and airway issues seen. Patient elected to stay for 50mg benadryl and 40mg prednisone PO. Patient was discharged to home with script for 40mg prednisone q day for 3 days. Patient feels any remaining allergic symptoms have resolved.

VAERS ID: 936612 (history)
Form: Version 2.0

Age: 51.0
Sex: Female
Location: California

 Vaccinated:
 2021-01-06

 Onset:
 2021-01-06

Days after vaccination: 0

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL3248 / 1	LA / -

Administered by: Private Purchased by: ?

Symptoms: Anaphylactic reaction, Chills, Cough, Dizziness, Headache, Hypoaesthesia, Oropharyngeal pain, Pharyngeal paraesthesia, Pruritus, Pyrexia, SARS-CoV-2 test negative, Tachycardia, Throat tightness, Wheezing

SMQs:, Anaphylactic reaction (narrow), Angioedema (broad), Asthma/bronchospasm (broad), Peripheral neuropathy (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Anaphylactic/anaphylactoid shock conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Eosinophilic pneumonia (broad), Vestibular disorders (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Dehydration (broad), COVID-19 (broad), Sexual dysfunction (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? No

Previous Vaccinations:

Other Medications: ; ; LEVOTHROID; WELLBUTRIN

Current Illness:

Preexisting Conditions: Medical History/Concurrent Conditions: ADHD; Adrenal insufficiency; Congenital hip dislocation; Hypermobility syndrome; Hypothyroidism; Paroxysmal supraventricular tachycardia

Allergies:

Diagnostic Lab Data: Test Date: 20210106; Test Name: Nasal Swab; Test Result: Negative

CDC Split Type: USPFIZER INC2021011058

Write-up: anaphylaxis; throat tightening; throat tightening/tingling; throat tightening/tingling/soreness; dry wheezy cough a little dizziness; dizziness; tachycardia; ltching; chills; numb R foot; Low grade temp; h/a today; This is a spontaneous report from a contactable Nurse (patient). A 51-years-old female patient (no pregnant) started to receive bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number el3248), via an unspecified route of administration on 06Jan2021 11:00 at the first single dose at left arm for covid-19 immunisation. Medical history included supraventricular tachycardia, adrenal insufficiency, hypothyroidism, attention deficit hyperactivity disorder, hypermobility syndrome, developmental hip. Concomitant medication included hydrocortisone, trazodone, levothyroxine sodium (LEVOTHROID), bupropion hydrochloride (WELLBUTRIN). The patient previously took erythromycin, morphine and experienced drug hypersensitivity. The patient experienced anaphylaxis, throat tightening/tingling/soreness, dry wheezy cough a little dizziness and tachycardia. Itching, numb R foot, Low grade temp and chills and headache on 06Jan2021 11:15. Seriousness criteria reported as life threatening. Taken to ER had IV benadryl, solumedrol, pepcid for anaphylaxis. Placed on O2 and given albuterol nebulizer.

Had IV fluid bolus. Now on benadryl and 5 days of prednisone. The patient felt completely fine prior to vaccine. The patient underwent lab tests and procedures which included sars-cov-2 test: negative on 06Jan2021. The outcome of events was recovering. No other vaccine in four weeks; No covid prior vaccination.; Sender"s Comments: A possible causal association between administration of BNT162B2 and the onset of anaphylaxis presented as throat tightening/tingling/soreness, dry wheezy cough a little dizziness and tachycardia. Itching, numb R foot, Low grade temp and chills and headache cannot be excluded, considering the plausible temporal relationship and the known adverse event profile of the suspect product. The underlying predisposing condition of drug allergies may put the patient at high risk of anaphylactic reactions. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

VAERS ID: 936618 (history)
Form: Version 2.0

Age: 36.0
Sex: Female
Location: Arizona

Vaccinated: 2021-01-11 **Onset:** 2021-01-11

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-12

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	-/2	LA / SYR

Administered by: Public **Purchased by:** ?

Symptoms: <u>Headache</u>, <u>Injection site pain</u>, <u>Pain</u>, <u>Pyrexia</u>, <u>Sleep disorder</u>

SMQs:, Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Extravasation events (injections, infusions and implants) (broad), Drug reaction with

eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No

ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications: Magnesium, fish oil, vitamin b12, maca powder, CoQ10, biotin

Current Illness: None

Preexisting Conditions: None

Allergies: None
Diagnostic Lab Data:

CDC Split Type:

Write-up: Soreness at injection site started at 1600 Body aches, headache, and low grade fever woke me up around 0100

VAERS ID: <u>936666</u> (history)
Form: Version 2.0

Age: 47.0
Sex: Female
Location: Illinois

 Vaccinated:
 2021-01-08

 Onset:
 2021-01-08

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-12

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL1283 / 2	-/-

Administered by: Unknown Purchased by: ?

Symptoms: Anaphylactic reaction, Chest discomfort, Dizziness, Dyspnoea, Erythema, Flushing, Headache, Hyperhidrosis, Rash, Tachycardia, Urticaria

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Anaphylactic/anaphylactoid shock conditions (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Vestibular disorders (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad), Dehydration (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions: Comments: List of non-encoded Patient Relevant History: Patient

Other Relevant History 1: none

Allergies:

Diagnostic Lab Data:

CDC Split Type: USPFIZER INC2021015751

Write-up: Anaphylactic reaction; Flushed; Diaphoretic; redness and rash; hives on chest; Tachycardia; shortness of breath; Chest tightness; Dizziness; Headache; This is a spontaneous report from a contactable nurse, the patient. A 47-year-old female patient

received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: EL1283), via an unspecified route of administration on 08Jan2021 at 08:49 (at the age of 47-years-old) as a single dose for COVID-19 immunization. There were no known medical history or concomitant medications. The patient previously received the first dose of BNT162B2 on 18Dec2020 (Lot Number: EK5730) for COVID-19 immunization and experienced nausea, headache, and fatigue. On 08Jan2021, about 5-10 minutes after the second dose, the patient experienced anaphylactic reaction, flushed, diaphoretic, redness and rash, hives on chest, tachycardia, shortness of breath, and chest tightness, reported as lifethreatening. She reported that these events occurred within less than 10 minutes of receiving the vaccine. She went to the emergency room and was treated with methylprednisolone (SOLUMEDROL), diphenhydramine hydrochloride (BENADRYL), famotidine (PEPCID), and epinephrine (MANUFACTURER UNKNOWN). She was sent home and prescribed methylprednisolone and epinephrine (EPI-PEN). Later on 08Jan2021, she experienced dizziness and headache, which were consistent. She stated she would most likely take ibuprofen (MOTRIN) as treatment (not specified if taken). The clinical outcomes of the flushed, diaphoretic, redness and rash, hives on chest, tachycardia, shortness of breath, and chest tightness were recovered on 08Jan2021; while the outcomes of the dizziness and headache were not recovered and that of the anaphylaxis was reported as recovering.; Sender"s Comments: The reported information is limited. Based on the close temporal relationship and the description of the events, there is a reasonable possibility that the events are related to BNT162 vaccine. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.

VAERS ID: 936715 (history)
Form: Version 2.0

Age: 24.0 Sex: Female

Location: Pennsylvania

Vaccinated: 2021-01-11
Onset: 2021-01-11

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-12

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK9231 / 2	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Dizziness, Dyspnoea, Intensive care, Palpitations, Vomiting

SMQs:, Anaphylactic reaction (broad), Acute pancreatitis (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Vestibular disorders (broad)

Life Threatening? Yes Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? Yes, 1 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Sprintec, QVar ProAir, Prevacid, Respi Click

Current Illness: Unknown

Preexisting Conditions: Asthma

Allergies: Sulfa, Neomycin, Bacitracin, Motrin, Shellfish, Cats/Dogs

Diagnostic Lab Data: Would need to obtain intensive care record from the hospital.

CDC Split Type:

Write-up: Approx 10-15 post vaccine, employee said she felt lightheaded and like her heart was racing. Within 10 minutes she said she felt difficulty breathing, She then vomited. The observation nurse at the clinic administered Epi Pen and called a Code. The employee was transported to the Emergency Dep"t and then to intensive care. She was placed on an Epi drip.

VAERS ID: 937932 (history)
Form: Version 2.0

Age: 28.0 Sex: Male Location: Utah

Vaccinated: 2021-01-07 **Onset:** 2021-01-08

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-12

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / UNK	-/-

Administered by: Private Purchased by: ?

Symptoms: Chest pain, Electrocardiogram ST segment elevation, Myalgia, Myocarditis, Pyrexia, Troponin increased

SMQs:, Rhabdomyolysis/myopathy (broad), Neuroleptic malignant syndrome (broad), Myocardial infarction (narrow), Anticholinergic syndrome (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Tendinopathies and ligament disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Immune-mediated/autoimmune disorders (broad)

Life Threatening? Yes Birth Defect? No Died? No Permanent Disability? No Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? No Hospitalized? Yes, 2 days

Extended hospital stay? No

Previous Vaccinations: Other Medications: Current Illness:

Preexisting Conditions: No known chronic conditions

Allergies: Spring seasonal allergies

Diagnostic Lab Data: CDC Split Type:

Write-up: Patient presented with myalgias, fevers, and chest pain on 1/10/21 and was found to have diffuse ST elevation and elevation troponin. He was evaluated by cardiology and diagnosed with acute myopericarditis. He was treated with NSAIDs and colchicine. He improved with this treatment and was discharged on 1/12/21 with ibuprofen and colchicine and outpatient cardiology follow up.

VAERS ID: 938118 (history)
Form: Version 2.0

Age: 51.0
Sex: Female
Location: Michigan

Vaccinated: 2021-01-05 **Onset:** 2021-01-08

Days after vaccination: 3

Submitted: 0000-00-00 **Entered:** 2021-01-12

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK9231 / 1	- / IM

Administered by: Public Purchased by: ?

Symptoms: Abdominal X-ray, Aneurysm, Angiogram cerebral, Arteriogram carotid, Cerebellar haemorrhage, Cerebrovascular accident, Chest X-ray, Computerised tomogram abdomen, Computerised tomogram head, Computerised tomogram pelvis, Computerised tomogram spine, Computerised tomogram thorax

SMQs:, Haemorrhage terms (excl laboratory terms) (narrow), Ischaemic central nervous system vascular conditions (narrow), Haemorrhagic central nervous system vascular conditions (narrow), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow)

Life Threatening? Yes Birth Defect? No Died? Yes

Date died: 2021-01-10
Days after onset: 2
Permanent Disability? No

Recovered? No Office Visit? No. ER Visit? No.

ER or Doctor Visit? Yes Hospitalized? Yes. 2 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: multivitamin: vitamin D

Current Illness: none mentioned

Preexisting Conditions: no significant past medical history

Allergies: latex

Diagnostic Lab Data: CT brain head; CT cervical spine; chest xray; CT chest, abdomen,

pelvis; abdominal xray; CT angiogram neck & brain

CDC Split Type:

Write-up: on 1/8/2021 17:30 patient taken to ER, cerebellar hemorrhage, stroke, aneurysm

VAERS ID: 938425 (history) Form: Version 2.0

44.0 Age: Sex: **Female** Location: Texas

Vaccinated: 2020-12-30 2021-01-06 Onset:

Days after vaccination: 7

Submitted: 0000-00-00 **Entered:** 2021-01-12

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	025L20A / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Atrial fibrillation, Blood test, Dizziness, Echocardiogram, Electrocardiogram abnormal, Hot flush, Intensive care, Palpitations

SMQs:, Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Supraventricular tachyarrhythmias (narrow), Cardiomyopathy (broad), Vestibular disorders (broad)

Life Threatening? Yes

Birth Defect? No

Died? No.

Permanent Disability? No

Recovered? Yes

Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? Yes. 3 days

Extended hospital stay? No

Previous Vaccinations: Other Medications: Zvrtec **Current Illness:** None

Preexisting Conditions: None

Allergies: Reglan, Bactrim, Augmentin

Diagnostic Lab Data: EKG, ECHO, blood work all done on 1/6/2021-1/8/2021

CDC Split Type:

Write-up: Woke up on 1/6/2021 with hot flashes, palpitations, dizziness and heart racing. Went to urgent care and they did an EKG which showed A-Fib, so I was sent to the ER and from there, I was transferred to an ICU at a different facility. I stayed until 1/8/2021. No cause was found and no history of A-Fib or family history.

VAERS ID: 938443 (history)
Form: Version 2.0

Age: 52.0
Sex: Female
Location: Arkansas

Vaccinated: 2021-01-04 **Onset:** 2021-01-04

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-12

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	039K20A / 1	RA / -

Administered by: Private Purchased by: ?

Symptoms: Dysphonia, Immediate post-injection reaction, Oropharyngeal discomfort, Paraesthesia oral, Pruritus, SARS-CoV-2 antibody test negative

SMQs:, Anaphylactic reaction (broad), Parkinson-like events (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), COVID-19 (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: allegra 180mg po qd, welbutrin xl 300mg po qam, fluoxetine 40mg po qam, synthroid 0.125mg po qam, lasix 40mg po qam, kcl 20mEq po qam, flonase 2sprays each nostril daily, dulera 2 puffs qd-bid, vitamin D 50000IU q week

Current Illness: viral symtpoms 1 week before-fatigue, cough, rhinorrhea, myalgias, COVID test (roche) negative antibodies to covid drawn in ED after reaction-negative

Preexisting Conditions: hypothyroidism migraines obesity allergies asthma mild intermittent

Allergies: bactrim anaphylaxis avocado angioedema allergy shots-anyphylaxis

Diagnostic Lab Data: covid 19 antibody test negative 1/4/21

CDC Split Type:

Write-up: immediate tingling of lips, followed by fullness of posterior oropharynx, hoarseness and pruritus

VAERS ID: 938524 (history) Version 2.0 Form:

43.0 Age: Sex: **Female** Location: New York

Vaccinated: 2021-01-08 Onset: 2021-01-11

Days after vaccination: 3

Submitted: 0000-00-00 **Entered:** 2021-01-12

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL3246 / 2	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Anaphylactic reaction, Blood magnesium normal, Blood potassium decreased, Chest X-ray normal, Dyspnoea, Fibrin D dimer normal, Full blood count, Headache, Human chorionic gonadotropin negative, Intensive care, Metabolic function test abnormal, Nausea, Pain, Procalcitonin normal, Pruritus, Tachycardia, Urticaria, White blood cell count increased SMQs:, Anaphylactic reaction (narrow), Acute pancreatitis (broad), Angioedema (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Anaphylactic/anaphylactoid shock conditions (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Dehydration (broad), Hypokalaemia (narrow)

Life Threatening? Yes Birth Defect? No Died? No Permanent Disability? No Recovered? Yes Office Visit? No ER Visit? No ER or Doctor Visit? No

Hospitalized? Yes, 1 days Extended hospital stay? No

Previous Vaccinations:

Other Medications: mg, vit b complex, calicum with vit D, zyrtec, singulair, klonopin,

omeprazole, prednisone

Current Illness: non systemic vasculitis bilat feet

Preexisting Conditions: asthma, seasonal allergies, feet non systemic vasculitis, colon

polyps

Allergies: peanuts, tree nuts, compazine, ct dye

Diagnostic Lab Data: cbc, mild elevated wbc, cmp abn low K 2.8, d dimer neg, procalcitonin neg, hcg negative, chest xray negative, mg normal,

CDC Split Type:

Write-up: first day after shot, nausea, body aches, 2nd day Sunday headache, Monday 5 am woke up itching, then 9 am hives everywhere, trouble breathing, anaphylaxis, went to ER, got epi X 2, solumedrol, benadryl, pepcid, then still with hives, tachycardia, dyspnea, iv fluids were influsing and epi drip started, went to ICU

VAERS ID: 938820 (history)
Form: Version 2.0

Age: 30.0
Sex: Male
Location: Arizona

 Vaccinated:
 2021-01-08

 Onset:
 2021-01-08

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-12

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	025L20A / 1	LA / IM

Administered by: Private Purchased by: ? Symptoms: Flushing, Pharyngeal swelling

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes **Birth Defect?** No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:
Other Medications: None
Current Illness: None known

Preexisting Conditions: None known

Allergies: Ibuprofen

Diagnostic Lab Data: None

CDC Split Type:

Write-up: Within 3 minutes of receiving vaccine felt flush and throat swelling, responded to Epi Pen and Benadryl p.o. EMS took him to ED where he remained several hours receiving 1 liter NS 125 mg solumedrol IV, discharge with 4 days of prednisone 40 mg daily and a prescription for an Epi Pen. As of 1.12 he is totally okay with no after effects.

VAERS ID: <u>938829</u> (history)

Form: Version 2.0

Age: 44.0
Sex: Female
Location: Maryland

Vaccinated: 2021-01-09 **Onset:** 2021-01-10

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-12

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	PFIZER EL 3302 / 1	LA / SYR

Administered by: Work Purchased by: ?

Symptoms: Dysphagia, Dyspnoea, Headache, Nausea, Throat tightness

SMQs:, Anaphylactic reaction (broad), Acute pancreatitis (broad), Angioedema (broad), Anticholinergic syndrome (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Hypersensitivity (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations: Hepatitis A and B Vaccine **Other Medications:** Valsarten, Hydrochlorothiazide

Current Illness: None

Preexisting Conditions: Type II Diabetes High Blood Pressure

Allergies: Cinnamon, Veal, Lamb Nexium, Lisinopril

Diagnostic Lab Data: None

CDC Split Type:

Write-up: First Day after the injection I had a headache and nausea the entire day into the next day. The second day I still had the headache and the nausea. I work overnights. When I awoke in the afternoon, my throat was closing up. It was hard to swallow and I struggled to breath. I immediately drank liquid Benadryl and called my doctor in the morning.

VAERS ID: 938868 (history)
Form: Version 2.0

Age: 34.0 Sex: Female Location: Virginia

 Vaccinated:
 2021-01-12

 Onset:
 2021-01-12

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-12

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK4176 / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Anaphylactic reaction, Blood pressure increased, Chest discomfort, Chest pain, Cough, Dizziness, Dysphonia, Dyspnoea, Electrocardiogram, Oxygen saturation decreased, Stridor, Swollen tongue, Throat clearing, Throat irritation, Throat tightness, Tongue pruritus SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Anaphylactic/anaphylactoid shock conditions (narrow), Parkinson-like events (broad), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Hypertension (narrow), Cardiomyopathy (broad), Vestibular disorders (broad), Hypersensitivity (narrow), Respiratory failure (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Infective pneumonia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? Yes
ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations: Allergic reaction with swelling, flushing, rash, migraine. And another was neurological changes. Third one was fainting, chills,

Other Medications: Lexapro, Synthroid, One-A-Day Prenatal Vitamins, Culturelle Women's Health probiotic, Flonase, Tylenol.

Current Illness: Seasonal allergies

Preexisting Conditions: Anorexia nervosa, eczema, GERD, chronic low back pain, seasonal allergies. H/o anaphylaxis x2 in 2019 unknown etiology.

Allergies: Latex sensitivity, sulfa antibiotics, Gardasil, Voltaren. Flu vaccine 2014. Soy intolerance, seasonal allergies. Pertussis vaccine in 1986. Had TDaP 12/2019 no r?action. Influenza vaccine 2014, had flu vaccine 2019 and 2020 no issues.

Diagnostic Lab Data: Continuous telemonitoring (Ekg, heart rate, respirations, O2 saturation)

while in ER Physical assessment of body and lungs/throat

CDC Split Type: vsafe

Write-up: -0715 vaccine administered. -0735 started to feel dizzy/off and right side of tongue felt like it was mildly swelling and itchy. -0735 asked to have blood pressure taken as know when I am having anaphylaxis my blood pressure escalates. -0740 took blood pressure and it was 141/86 in right arm. Normal is 110s/60s-70s. No anxiety feelings. -0740 throat started to have increased mucous production. Had the tickle and tightness in throat. Asked and received

25mg Benadryl with cup of water. -0742 started clearing throat frequently and slight cough. Knew it was anaphylaxis and told the team I need to go to the ER. Asked for additional 25mg Benadryl. Also took 20mg Famotidine and 2 puffs Albuterol inhaler--this is my prescribed anaphylaxis routine. Had Epipens on standby. -0743 put on O2 saturation monitor and watched O2 drop into 90-92 range. Asked for epipen on standby as I know when I need to start it. Didn't want to take that when I knew I was about to get it in the ER and knowing self hadn"t progressed that far. Felt chest tightness and shortness of breath. Voice started becoming hoarse. -0800 EMS arrived (delay as team didn"t know if they were supposed to call 911 or a Code--they chose EMS even though in hospital). Then staff at COVID vaccine clinic kept emphasizing need to go in ambulance while EMS and self fought to go through hospital (much quicker route). Finally cleared to go through hospital to ER. To get some air via breathing in had to sit up leaning forward. Voice completely hoarse by this time. -About 0817 arrived to ER bay. At this time, frequently coughing and cough started to sound stridorous. Difficulty getting breaths in. Had chest pain near heart. Greeted by MD, 2 RNS, and technician. -0819 received IM epinephrine. Attached to 5 lead EKG monitoring and O2 monitoring. Blood pressure done again. Higher than previous. -About 0821 had working IV (previous two attempts failed as veins were constricting). Given IV Solumderol. Started bolus of 1L Normal Saline. -Not sure how long after by cough subsided, increased mucous production subsided, as well as hoarseness decreased. -Held for observation for 2hours (would be longer if not resolved). - Discharged around 1015. At this time, hoarseness almost all gone. Minimal throat clearing. Cough resolved. -Prescribed epipen inhalers (mine expired) and Prednisone. Prednisone is PRN for mild breathing difficulties if it starts again tomorrow 1/13/21. -At 1400 took 50mg Benadryl and 20mg Famotidine as previously prescribed for anaphylaxis maintenance. Will continue this as previously prescribed every 6hours until symptoms stay resolved. -Made follow up appointment with Primary Care Physician per protocol

VAERS ID: 939190 (history)
Form: Version 2.0

Age: 32.0
Sex: Female
Location: Illinois

Vaccinated: 2021-01-07 **Onset:** 2021-01-07

Days after vaccination: 0

 Submitted:
 0000-00-00

 Entered:
 2021-01-12

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL1283 / 2	RA / SYR

Administered by: Private Purchased by: ?

Symptoms: Anaphylactic reaction, Asthenia, Blood glucose, Confusional state, Dizziness, Electrocardiogram, Heart rate increased, Pharyngeal swelling, Saliva altered, Speech disorder, Throat clearing

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Anaphylactic/anaphylactoid shock conditions (narrow), Dementia (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Psychosis and psychotic disorders (broad), Guillain-Barre syndrome (broad), Noninfectious

encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Vestibular disorders (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad), Dehydration (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Montelukast 10mg, magnesium 200mg

Current Illness: None

Preexisting Conditions: Asthma

Allergies: Dairy allergy

Diagnostic Lab Data: EKG, glucose, orthostatic blood pressure all ordered prior to

anaphylaxis diagnosis and completed as part of the ED visit.

CDC Split Type:

Write-up: Started to feel lightheaded, weak, faint like I was going to pass out, heart rate increased, confusion, trouble speaking, brought to the ED, throat started to swell and started having thick spit and clearing my throat excessively. Diagnosed as anaphylaxis.

VAERS ID: 939194 (history)
Form: Version 2.0

Age: 32.0
Sex: Female
Location: Minnesota

 Vaccinated:
 2021-01-07

 Onset:
 2021-01-11

Days after vaccination: 4

 Submitted:
 0000-00-00

 Entered:
 2021-01-12

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK4176 / 2	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Angioedema, Chills, Eye swelling, Headache, Hypoaesthesia oral, Lip swelling, Nausea, Pharyngeal swelling, Poor quality sleep, Pruritus, Pyrexia, Rash, Sleep disorder SMQs:, Anaphylactic reaction (narrow), Acute pancreatitis (broad), Angioedema (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Depression (excl suicide and self injury) (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome

(broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: metformin, Ocelle (cOCP), vit d, women's multivitamin, cholestyramine

Current Illness: none

Preexisting Conditions: PCOS Allergies: shellfish- anaphylaxis

Diagnostic Lab Data: CDC Split Type:

Write-up: within 1 hr post-vaccine on 1/7 I had a mild headache that resolved with Tylenol. At about 12 hours post-vaccine I developed nausea, fever (100.4) and chills and secondary to this had poor sleep. The next day I took scheduled alternating Tylenol & ibuprofen during the day and then overnight 1 episode of chills that woke me up. no events Saturday or Sunday. Then Monday 1/11 in the early morning I started to develop a rash on my b/I elbow and right foot 3rd toe. I applied mometasone topical cream to these locations, while at work the rash extended down both forearms then by 5pm it was on both hips and extending along both legs. I applied Benadryl cream to the most irritated sites and took PO Benadryl 50mg at bedtime and again at 1am when the itching woke me up. I repeated Benadryl 25mg at 8am. The rash seems to be getting better on the arms but then by noon I had a new breakout on my neck and face. I took Benadryl 50mg at 1pm. The rash continued to have a rapid progression over the next hour and resulted in angioedema with my throat swelling, lips puffed and numb and eye swelling. I was injected with an epi pen and sent to the ED where I received PO prednisone, famotidine, and Benadryl. The face/neck rash then greatly improved and I was sent home on prednisone 40mg daily for 3 days.

VAERS ID: 939216 (history)
Form: Version 2.0

Age: 22.0
Sex: Male
Location: New York

 Vaccinated:
 2021-01-08

 Onset:
 2021-01-12

Days after vaccination: 4

Submitted: 0000-00-00 **Entered:** 2021-01-12

Vaccination / ManufacturerLot / DoseSite / RouteCOVID19: COVID19 (COVID19 (MODERNA)) / MODERNA011J20A / 1LA / SYR

Administered by: Other Purchased by: ?

Symptoms: Cyanosis, Dyspnoea, Feeling abnormal, Headache, Hyperhidrosis, Muscle

fatique, Pallor, Vision blurred

SMQs:, Rhabdomyolysis/myopathy (broad), Anaphylactic reaction (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Dementia (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Glaucoma (broad), Cardiomyopathy (broad), Lens disorders (broad), Retinal disorders (broad), Hypotonic-hyporesponsive episode (broad), Hypoglycaemia (broad)

Life Threatening? Yes

Birth Defect? No

Died? No.

Permanent Disability? No

Recovered? Yes

Office Visit? No

ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations: Other Medications: N/A Current Illness: N/A

Preexisting Conditions: N/A

Allergies: N/A

Diagnostic Lab Data: Self Treated via personal medical knowledge

CDC Split Type:

Write-up: Blurred vision, difficulty breathing (pale skin/blue lips), profuse sweating, muscle fatigue, headache. This lasted about 15 minutes. Until severity went down. Followed by 20 minutes of profuse sweating and headache. I thought I was going to die

VAERS ID: 939914 (history)
Form: Version 2.0

Age: 42.0
Sex: Female
Location: Arkansas

 Vaccinated:
 2021-01-05

 Onset:
 2021-01-05

Days after vaccination: 0

 Submitted:
 0000-00-00

 Entered:
 2021-01-13

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL0142 / 1	RA / IM

Administered by: Private Purchased by: ?

Symptoms: Anxiety, Choking, Dysphagia, Dyspnoea, Dyspnoea exertional, Hypoaesthesia oral, Injection site paraesthesia, Mouth swelling, Pain, Paraesthesia, Paraesthesia oral, Pharyngeal hypoaesthesia, Pharyngeal paraesthesia, Pharyngeal swelling, Sleep disorder, Speech disorder, Swelling face, Throat tightness

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Peripheral neuropathy (broad), Anticholinergic syndrome (broad), Dementia (broad), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Psychosis and psychotic disorders (broad), Pulmonary

hypertension (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Haemodynamic oedema, effusions and fluid overload (narrow), Cardiomyopathy (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? No
Previous Vaccinations:

Other Medications: Zyrtec 10 mg at HS Omeprazole 20mg at HS Estrodol 2mg at HS Multi Vit. GNC energy+metabolism x1 tab HS Asmanex HFA-2puffs swallowed PRN esophageal swelling /reflux-last used 2 plus months prior to vaccination

Current Illness: n/a

Preexisting Conditions: seasonal allergies sensitive to high greases/fat content food=reflux

lactose intolerance hormone replacement per post total hysterectomy 3/2018

Allergies: Phenergan latex DMDM hydantion-a preservative in beauty products, Keflex

Tamaflu

Diagnostic Lab Data: na

CDC Split Type:

Write-up: 2230 feeling of unease, body aches, site arm tingling, general mild aches 0220 awoke from sleep choking, having difficulty breathing, felt very SOB, worse with exertion or trying to speak, great difficulty swallowing and speaking even in brief words. Took 50mg of Benadryl PO and went to the ED, about a 15 minute car ride. Had tingling and numbness of the tongue and back of throat by arrival but still able to breath with focus. Exertion of just walking into the ED greatly increased the SOB. Was triaged, Benadryl starting to help, was able to speak a little better, 3-4 words without too much SOB caused. Was walked to a room, SOB milder with that exertion. Seen by Dr. Given IV Sol-u-Medrol and 50mg Benadryl. Was observed on cardiac monitor/Q15VS for a few hours and discharged home around 5:30. Given Rx of Prednisone 20mg -3tabs x2 days, 2tabs x5 days all once a days and told to take 50mg of Benadryl Q4H for the next 24 hours at least and to return prn. I did need to stay on Benadryl, as the Sol-u-Medrol wore off some of the swelling in thr throat did return but not severe, Benadryl did help, along with taking my Asthmnex I already had. I also continued my normal HS antihistamines. I had SOB on exertion, progressively better from the 6th-10th with it mostly resolved to yesterday. Body aches have continued but also progressively better. Yeasterday 1/12/21 the Rx of prednisone was completed and I did have some mild swelling /tingling in the throat/face/mouth return in the evening, took Benadryl 50mg again and inhaler used. I have an appointment today to seek further care at my primary doctor"s office. Asthmnax used again this morning as well, only mild tightness in the throat currently with mild body aches this whole time.

VAERS ID: 940813 (history)
Form: Version 2.0

Age: 100.0
Sex: Female
Location: New Jersey

Vaccinated: 2021-01-02 **Onset:** 2021-01-02

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-13

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / UNK	-/-

Administered by: Other Purchased by: ?

Symptoms: Blood pressure decreased, Unresponsive to stimuli

SMQs:, Anaphylactic reaction (broad), Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Hypotonic-hyporesponsive episode (broad), Hypoglycaemia (broad), Dehydration (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? No

ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions: Medical History/Concurrent Conditions: COVID-19 (If COVID prior vaccination: Yes); Dehydration; UTI; Vomiting

Allergies:

Diagnostic Lab Data: Test Date: 20210102; Test Name: blood pressure; Result Unstructured Data: Test Result:dropped to 70/40; Test Name: oxygen levels; Result Unstructured Data: Test Result:normal; Test Date: 202012; Test Name: COVID; Result Unstructured Data: Test Result:positive; Comments: testing positive in mid December to COVID and being declare Covid free on 30Dec.; Test Name: vitals; Result Unstructured Data: Test Result:normal; Test Name: vitals; Result Unstructured Data: Test Result:improved significantly

CDC Split Type: USPFIZER INC2021013942

Write-up: she was dying as her blood pressure dropped to 70/40 and to come for a last visit; This is a spontaneous report from a contactable consumer. A 100-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 02Jan2021 at single dose for COVID-19 immunization. Medical history included COVID in Dec2020, urinary tract infection (UTI), dehydration and Covid sickness (vomiting) (was treated earlier in month for UTI and dehydration from the Covid sickness (vomiting)). Known allergies: no. The patient"s concomitant medications were not reported. After testing positive in mid December to COVID and being declared Covid free on 30Dec by the nursing staff and in good health, with normal vitals and oxygen levels, the patient was

given a vaccination on 02Jan2021. In the early evening the patient's blood pressure dropped to 70/40 and the reporter was told to come for a last visit. The patient was sleeping comfortably. She did not wake up when spoke with her. No one expected her to make it through the night. The next morning she work up, ate breakfast, watched TV, got IVs and oxygen and her vitals improved significantly. Lab tests and procedures included blood pressure: 70/40 on 02Jan2021, oxygen levels: normal, COVID test: positive in Dec2020 (testing positive in mid December to COVID and being declare Covid free on 30Dec), vitals: normal: improved significantly. Facility where the most recent COVID-19 vaccine was administered: Nursing Home/Senior Living Facility. If the patient received any other vaccines within 4 weeks prior to the COVID vaccine: No. Prior to vaccination, was the patient diagnosed with COVID-19: Yes. Since the vaccination, has the patient been tested for COVID-19: No. AE resulted in: Life threatening illness (immediate risk of death from the event). Serious: Yes. Seriousness criteria-Results in death: No. Seriousness criteria-Life threatening: Yes. Seriousness criteria-Caused/prolonged hospitalization: No. Seriousness criteria-Disabling/Incapacitating: No. Seriousness criteria-Congenital anomaly/birth defect: No. Information about lot/batch number has been requested.

VAERS ID: 941118 (history)
Form: Version 2.0

Age: 52.0
Sex: Male
Location: Louisiana

 Vaccinated:
 2021-01-12

 Onset:
 2021-01-13

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-13

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK4176 / 1	LA/SYR

Administered by: Other **Purchased by:** ?

Symptoms: Fear, Injection site pain, Nausea, Pyrexia, Sleep disorder

SMQs:, Acute pancreatitis (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Extravasation events (injections, infusions and implants) (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? No

Previous Vaccinations:

Other Medications: Lisinopril, Plavix, Wellbutrin, Eliquis, Atorvastatin, and Vitamin D 50,000

every 2 weeks

Current Illness: Hypertension

Preexisting Conditions: High Blood Psi.

Allergies: No allergies.

Diagnostic Lab Data: None

CDC Split Type:

Write-up: At first I has some injection site pain and soreness nothing too bad. But around 01:30 I awoke with a really high fever. My fever was 102.8 when I first woke up. I was very nauseous and my fever felt worse. My thermometer would not read any more until my temp came down. I can only guess how high it got but at least 103 degrees. I took Advil Liquid Gells and then my fever broke. I was actually scare for my life. In March I actually caught coronavirus and developed anti bodies for Covid. I can only guess my body was fighting for it"s life.

VAERS ID: 941361 (history)
Form: Version 2.0

Age: 59.0 Sex: Female

Location: Massachusetts

 Vaccinated:
 2020-12-21

 Onset:
 2020-12-22

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-13

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK5730 / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Blood pressure decreased, Blood pressure immeasurable, Body temperature decreased, Computerised tomogram, Depressed level of consciousness, Diarrhoea, Full blood count, Hyperhidrosis, Malaise, Metabolic function test, Nausea, Syncope, Vomiting SMQs:, Torsade de pointes/QT prolongation (broad), Anaphylactic reaction (broad), Acute pancreatitis (broad), Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (broad), Torsade de pointes, shock-associated conditions (broad), Hypovolaemic shock conditions (broad), Toxic-septic shock conditions (broad), Anaphylactic/anaphylactoid shock conditions (broad), Hypoglycaemic and neurogenic shock conditions (broad), Pseudomembranous colitis (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Hypotonic-hyporesponsive episode (broad), Generalised convulsive seizures following immunisation (broad), Noninfectious diarrhoea (narrow), Hypoglycaemia (broad), Dehydration (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 4 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Labetalol, Buspirone, Rosuvastatin, Levothyroxine, Lisinopril, Bupropion, Gabapentin, Rabeprazole, Probiotic, Vitamin D, Cevimeline, Scopolamine

Current Illness:

Preexisting Conditions:

Allergies:

Diagnostic Lab Data: 12/21/2020 CBC, metabolic panel, CT scan

CDC Split Type:

Write-up: Went to bed not feeling well. My husband came to check on me approx. 12:30 am. He was unable to arouse me. When he tried to get me up out of bed I collapsed and then had syncopal episode. He call 911. Paramedics could not get blood pressure and I was diaphoretic and body temp was cold. They rushed me to the hospital. My blood pressure was dangerously low along with my body temperature. I was given epinephrine and LEVOPHED to get a blood pressure. I was warmed up. Then I had GI issues of vomiting, diarrhea, nausea. I spend 4 days in hospital.

VAERS ID: 941401 (history)
Form: Version 2.0

Age: 99.0
Sex: Female
Location: California

Vaccinated: 2021-01-10 **Onset:** 2021-01-11

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-13

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL3429 / 1	LA / IM

Administered by: Senior Living Purchased by: ?

Symptoms: <u>Asthenia</u>, <u>Atrial fibrillation</u>, <u>Dysarthria</u>, <u>Electrocardiogram abnormal</u>, <u>Magnetic resonance imaging brain abnormal</u>, <u>Mental status changes</u>, <u>Thalamic infarction</u>

SMQs:, Arrhythmia related investigations, signs and symptoms (broad), Supraventricular tachyarrhythmias (narrow), Ischaemic central nervous system vascular conditions (narrow), Dementia (broad), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Cardiomyopathy (broad), Conditions associated with central nervous system haemorrhages and cerebrovascular accidents (broad), Hypoglycaemia (broad)

Life Threatening? Yes Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes

Office Visit? No ER Visit? No

ER or Doctor Visit? No

Hospitalized? Yes, 2 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Levothyroxine

Current Illness: None

Preexisting Conditions: hypothyroidism, secondary hyperparathyroidism, chronic kidney

disease stage 3 **Allergies:** None

Diagnostic Lab Data: MRI 1/11/21: acute infarct in the right medial thalamus EKG 1/11/21:

atrial fibrillation CDC Split Type:

Write-up: Patient is a 99yr old female who got a covid vaccine in the afternoon of 1/10/21 and woke up in the morning of 1/11/21 with altered mental status, weakness, and dysarthria. She was taken from her assisted living facility to the hospital and MRI showed a small stroke in the right medial thalamus. She was also found to have new onset atrial fibrillation. She was treated appropriately for both conditions and discharged to a skilled nursing facility on 1/13/21.

VAERS ID: 941476 (history)
Form: Version 2.0

Age: 45.0
Sex: Male
Location: Florida

 Vaccinated:
 2020-12-28

 Onset:
 2020-12-28

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-13

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	011J20A / 1	RA / IM

Administered by: Private **Purchased by:** ?

Symptoms: Angiogram, Chills, Computerised tomogram, Hemianopia, Intensive care, Ischaemic stroke, Magnetic resonance imaging, Malaise, Migraine, Nausea, Pyrexia

SMQs:, Acute pancreatitis (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Ischaemic central nervous system vascular conditions (narrow), Embolic and thrombotic events, arterial (narrow), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Optic nerve disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No

Office Visit? Yes ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 6 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Valacyclovir 1gm daily Spirinolactone 100mg TID Januva 100mg 1 daily Glimepiride 2mg BID Elmiron 100mg TID Lisinopril 20mg once daily Escitalopram 10mg once daily

Current Illness:

Preexisting Conditions: Diabetes Morbid obesity Hypertension Herpes

Allergies: None

Diagnostic Lab Data: CT CT Angio MRI/MRA

CDC Split Type:

Write-up: Patient received vaccine in afternoon of 12/28. She works in ER as housekeeper 7pm-7am. The day she received the vaccine she became ill with fever chills and nausea and left work at 2am. On 12/31 she developed hemianopia. She went to ER and they did CT scan. She was told it was complex migraine. She left and came Home. On 1/1/21 her vision was back to normal. On 1/3 she suffered bilateral cerebellum ischemic stroke. She is currently in medical center. In Trauma.

VAERS ID: 941522 (history)
Form: Version 2.0

Age: 50.0
Sex: Female
Location: Vermont

Vaccinated: 2020-12-01 **Onset:** 2021-01-04

Days after vaccination: 34

 Submitted:
 0000-00-00

 Entered:
 2021-01-13

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	026L20A / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Chest X-ray abnormal, Computerised tomogram thorax abnormal, Dyspnoea, Fibrin D dimer increased, Pulmonary embolism, SARS-CoV-2 test negative

SMQs:, Anaphylactic reaction (broad), Haemorrhage laboratory terms (broad), Embolic and thrombotic events, venous (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Infective pneumonia (broad), COVID-19 (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? Yes
ER Visit? No
ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations: Other Medications: None Current Illness: None

Preexisting Conditions: None

Allergies: None

Diagnostic Lab Data: At the emergency room I had a d-dimer done which was elevated. I had an X-ray and CAT scan which I was diagnosed with bilateral pulmonary embolisms. I was

put on Eliquis and sent home.

CDC Split Type:

Write-up: I was short of breath and went to emergency room on 1/5/2021. I was diagnosed with bilateral pulmonary embolisms. I was Covid negative and had no other symptoms.

VAERS ID: 941563 (history)
Form: Version 2.0

Age: 43.0
Sex: Female
Location: Texas

Vaccinated: 2021-01-13 **Onset:** 2021-01-13

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-13

	Vaccination / Manufacturer	Lot / Dose	Site / Route
C	COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	041L20A / 1	LA / IM

Administered by: Military **Purchased by:** ?

Symptoms: Chest discomfort, Electrocardiogram abnormal, Pruritus, Sinus tachycardia **SMQs:**, Anaphylactic reaction (narrow), Arrhythmia related investigations, signs and symptoms (broad), Supraventricular tachyarrhythmias (narrow), Cardiomyopathy (broad), Hypersensitivity (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Dehydration (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Topamax, Amitriptyline, Odansetron, Losartan, Bisacodyl, advair, EpiPen,

Prednisone, Ubrogepant, Galcanezbumab injection monthly, benadryl

Current Illness: None

Preexisting Conditions: Iron deficiency anemia, allergic rhinitis, migraines, HTN,

BPPV, Asthma

Allergies: Egg, Gadolinium, Iodine, Penicillin G

Diagnostic Lab Data: EKG showed sinus tachycardia

CDC Split Type:

Write-up: Patient received COVID-19 Vaccine at 0956 and reported symptoms of itchy face and chest pressure at approximately 1008 during observation period. Pt vital signs were 133/86, HR 130 and oxygen saturation 100% on room air. Pt reported worsening symptoms of chest pressure and itchiness to face. Provider instructed Epi Pen be given and pt to be transported to ED for further evaluation. EKG obtained and showed sinus tachycardia. Nonrebreather oxygen mask applied with 2L/min and oxygen saturation remained at 100%. Pt was transported via ambulance to at 1038 and pt reported feeling improved symptoms prior to leaving the clinic at approximately 1034. Pt stable at time of transfer.

VAERS ID: 941576 (history)
Form: Version 2.0

Age: 23.0
Sex: Female
Location: Kentucky

 Vaccinated:
 2021-01-12

 Onset:
 2021-01-13

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-13

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	L3248 / 2	AR / IM

Administered by: Senior Living Purchased by: ?

Symptoms: Chills, Condition aggravated, Loss of consciousness, Nausea, Pyrexia, Seizure, Somnolence, Syncope

SMQs:, Torsade de pointes/QT prolongation (broad), Acute pancreatitis (broad), Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Systemic lupus erythematosus (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Dementia (broad), Convulsions (narrow), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Hypotonic-hyporesponsive episode (broad), Generalised convulsive seizures following immunisation (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? No
Previous Vaccinations:

Other Medications: Employee is currently taking anti seizure medications

Current Illness: None

Preexisting Conditions: non-epileptic seizure disorder

Allergies: None known Diagnostic Lab Data: CDC Split Type:

Write-up: Employee was awaken at 5:30 am on 1/13/2021 by chills and a feverish feeling. She then became nauseous and faint. She passed out and was noted by her mother who is a RN to have a seizure. She remained out for several minutes and then aroused. She has remained groggy the rest of today but has improved. She has a history of non-epileptic seizures since she was 14 and has been on medications for this. Employee stated she has not has any seizure activity in over a year. She did not see medical attention due to recovering quickly from this.

VAERS ID: 941834 (history)
Form: Version 2.0

Age: 61.0
Sex: Male
Location: California

Vaccinated: 2021-01-08 **Onset:** 2021-01-08

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-13

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / UNK	-/-

Administered by: Private Purchased by: ?

Symptoms: Arthralgia, Asthenia, Chills, Cytokine storm, Headache, Hypotension, Myalgia, Pyrexia, Tachycardia, Ventricular arrhythmia, Ventricular tachycardia

SMQs:, Torsade de pointes/QT prolongation (narrow), Rhabdomyolysis/myopathy (broad), Anaphylactic reaction (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Ventricular tachyarrhythmias (narrow), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (narrow), Torsade de pointes, shock-associated conditions (narrow), Guillain-Barre syndrome (broad), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Hypersensitivity (broad), Arthritis (broad), Tumour lysis syndrome (broad), Tendinopathies and ligament disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Dehydration (broad), Hypokalaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? No

Other Medications: Vitamin D, C, Zinc, Selenium, Tamsolusin, Rosuvastatin, Aspirin

Current Illness: no

Previous Vaccinations:

Preexisting Conditions: no

Allergies: NKA

Diagnostic Lab Data: none

CDC Split Type:

Write-up: about 14 hours after vaccination I experienced what appeared to be a severe case of Cytokine storm. I had a moderate case of COVID in May 2020 and had positive IgG AB in August. The symptoms started with heavy shaking chills, lasting 1 1/2 hours, fever and most concerning sustained tachycardia with heart rate of 180" to 200" over hours, which then destabilized into runs of Vtach and complex ventricular dysrythmia, low BP, profound weaklness, head aches and joint and muscle pains (similar to the experienced COVID symptoms)

VAERS ID: 942237 (history)
Form: Version 2.0

Age: 63.0
Sex: Female
Location: Oklahoma

Vaccinated: 2020-12-23 **Onset:** 2021-01-04

Days after vaccination: 12

Submitted: 0000-00-00 **Entered:** 2021-01-13

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / 1	LA / IM

Administered by: Public Purchased by: ?

Symptoms: Angiogram cerebral abnormal, Cerebral artery stenosis, Cerebral infarction, Cerebrovascular accident, Facial paresis, Hemiparesis, Lacunar infarction, Magnetic resonance imaging brain abnormal

SMQs:, Ischaemic central nervous system vascular conditions (narrow), Haemorrhagic central nervous system vascular conditions (narrow), Embolic and thrombotic events, arterial (narrow), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious meningitis (broad), Conditions associated with central nervous system haemorrhages and cerebrovascular accidents (narrow), Immune-mediated/autoimmune disorders (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, 3 days
Extended hospital stay? No
Previous Vaccinations:

Other Medications: Aspirin, atorvastatin, citalopram, metoprolol, vitamin D.

Current Illness:

Preexisting Conditions: CAD, hyperlipidemia, HTN, smoker

Allergies: sulfa, nicotine patch adhesive

Diagnostic Lab Data: CTA showed 80% stenosis of R MCA. MRI head showed small, acute

lacunar infarct in the R MCA distribution.

CDC Split Type:

Write-up: She got the vaccine on Dec 23, and then on Jan 4 she had a mild stroke with left sided arm and face weakness. She did recover fully. She already has known CAD and risk factors for CVD. It is possible, but by no means certain, that the vaccine was an indirect cause of the event. Since the vaccine provoked an immune response, as it was supposed to, it is possible that this inflammation may have set up a metabolic predisposition that may have contributed to the event, which was 12 days later.

VAERS ID: 942808 (history)

Version 2.0 Form:

Age: 41.0 Sex: Female Location: Michigan

Vaccinated: 2021-01-08 Onset: 2021-01-09

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-14

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL0140 / 2	LA / -

Administered by: Private Purchased by: ?

Symptoms: Angioedema, Chest discomfort, Dyspnoea, Hypertension, Pruritus, Tachycardia, Urticaria

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Oropharyngeal allergic conditions (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Hypertension (narrow), Cardiomyopathy (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Dehydration (broad)

Life Threatening? Yes Birth Defect? No. Died? No Permanent Disability? No Recovered? No Office Visit? No ER Visit? No ER or Doctor Visit? Yes Hospitalized? No

Previous Vaccinations:

Other Medications: LEXAPRO; ACETAMINOPHEN; ;

Current Illness: Anxiety **Preexisting Conditions:**

Allergies:

Diagnostic Lab Data:

CDC Split Type: USPFIZER INC2021014929

Write-up: severe angioedema, hives, tachycardia, hypertension, pruritus, chest tightness and shortness of breath.; severe angioedema, hives, tachycardia, hypertension, pruritus, chest tightness and shortness of breath.; severe angioedema, hives, tachycardia, hypertension, pruritus, chest tightness and shortness of breath.; severe angioedema, hives, tachycardia, hypertension, pruritus, chest tightness and shortness of breath.; severe angioedema, hives. tachycardia, hypertension, pruritus, chest tightness and shortness of breath.; severe angioedema, hives, tachycardia, hypertension, pruritus, chest tightness and shortness of breath: severe angioedema, hives, tachycardia, hypertension, pruritus, chest tightness and shortness of breath; This is a spontaneous report from a contactable nurse (reporting for herself). A 41-year-old non-pregnant female patient received two doses of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), both via an unspecified route of administration in the left arm, the first dose on 16Dec2020 09:00 (lot number: EH9899) and the second dose on 08Jan2021 07:15 (lot number: EL0140), both at a single dose for COVID-19 immunization. Medical history included ongoing anxiety, from an unspecified date. The patient had no known allergies. Concomitant medication included escitalogram oxalate (LEXAPRO), acetaminophen (MANUFACTURER UNKNOWN), naproxen sodium (MANUFACTURER UNKNOWN), ibuprofen (MANUFACTURER UNKNOWN). The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19 and since the vaccination, has not been tested for COVID-19. On 09Jan2021 at 01:30 AM, the patient experienced severe angioedema, hives, tachycardia, hypertension, pruritus, chest tightness and shortness of breath, all of which were reported as being life-threatening. The patient went to the Emergency room due to the events. Therapeutic measures were taken as a result of the events and included: methylprednisolone sodium succinate (SOLUMEDROL) 125 mg. famotidine (MANUFACTURER UNKNOWN) 20 mg and diphenhydramine hydrochloride (BENADRYL) 50 mg. The clinical outcome of severe angioedema, hives, tachycardia, hypertension, pruritus, chest tightness and shortness of breath was recovering.; Sender's Comments: A possible causal association between administration of BNT162B2 and the onset severe angioedema, hives, tachycardia, hypertension, pruritus, chest tightness and shortness of breath cannot be excluded, considering the plausible temporal relationship and the known adverse event profile of the suspect product. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

VAERS ID: 943220 (history)
Form: Version 2.0

Age: 43.0
Sex: Female
Location: New Jersey

 Vaccinated:
 2021-01-11

 Onset:
 2021-01-11

Days after vaccination: 0

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL1284 / 2	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Cough, Dysphagia, Dyspnoea, Enlarged uvula, Feeling abnormal, Intensive care, Oral pruritus, Pallor, Paraesthesia oral, Rash, Rash erythematous, Rash pruritic, Speech disorder, Throat tightness, Tongue pruritus, Vomiting, Wheezing

SMQs:, Anaphylactic reaction (narrow), Acute pancreatitis (broad), Angioedema (broad), Asthma/bronchospasm (broad), Anticholinergic syndrome (broad), Dementia (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Psychosis and psychotic disorders (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Hypotonic-hyporesponsive episode (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, 4 days
Extended hospital stay? No
Previous Vaccinations:

Other Medications: Multivitamin

Current Illness: No

Preexisting Conditions: None

Allergies: No

Diagnostic Lab Data: N/a

CDC Split Type:

Write-up: Began with tingling/itching to tongue and roof of mouth approx 15 minutes after administration, progressed to tingling of lips, was sent to the ED for observation. Within 20-30 minutes developed cough, throat tightness, difficulty swallowing, breathing, vomiting, shortness of breath. Noted to have uvular swelling and wheezing on examination. Given Benadryl, Pepcid, Solumedrol, Zofran, Albuterol MDI, Epi IM. within a few minutes symptoms returned and were worse where I felt like I could not breathe, throat was closing, could not talk. Noted to be pale, HR in 140?s. Given second dose of epi IM and symptoms improved. Was transferred to Obs Unit., within 2 hours (approx 6 hours after administration), developed SOB, throat tightness, cough, vomiting, difficulty breathing. Again noted to have swelling of uvula, wheezing on exam. Given Solumedrol, Benadryl, SQ epi, Albuterol, Racemic Epi nebulizer. Was transferred to ICU, all meds held except Pepcid. Day #2 ~10 am (25 hours from administration) developed throat tightness, diffuse red rash to arms, difficulty breathing, vomiting. Again noted to have uvular swelling and wheezing. Given Solumedrol, Benadryl, Pepcid, Albuterol MDI, Racemic Epi neb. Solumedrol started q12hour dosing. Strange

feeling/fullness in throat continued all day, got additional racemic Epi neb that night with improvement of symptoms. Following morning (day#2 after vaccine) noted to have diffuse red rash to chest and face, spread to arms, then began coughing. Given Solumedrol, Pepcid, Benadryl, Advair, Racemic Epi nebulizer. Solumedrol changed to q8 dosing. Approx 4 hrs later nurse noted rash worse on face, associated with itching, throat tightness. Given additional Benadryl, Racemic Epi neb with improvement. Rash continued that night with throat tightness, got additional Benadryl and Racemic Neb that night (total of 3 Racemic nebulizer on Day#2 post vaccine). Transferred to telemetry floor. Day#3 post vaccine rash improved, but still present to chest and face. Throat fullness present, especially after drinking. Am still hospitalized while writing this report

VAERS ID: 943272 (history)
Form: Version 2.0

Age: 42.0
Sex: Female
Location: Missouri

 Vaccinated:
 2021-01-08

 Onset:
 2021-01-08

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-14

	Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID1	9: COVID19 (COVID19 (MODERNA)) / MODERNA	012L20A / 1	RA / IM

Administered by: Senior Living Purchased by: ?

Symptoms: Anaphylactic reaction

SMQs:, Anaphylactic reaction (narrow), Anaphylactic/anaphylactoid shock conditions

(narrow), Hypersensitivity (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No

ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions:

Allergies: Latex, other products not listed on vaccine administration form

Diagnostic Lab Data: CDC Split Type:

Write-up: Systemic: Anaphylaxis-Medium; symptoms lasted 1 day

VAERS ID: <u>943359</u> (history)

Form: Version 2.0

Age: 38.0
Sex: Female
Location: Kansas

Vaccinated: 2020-12-30 **Onset:** 2021-01-12

Days after vaccination: 13

Submitted: 0000-00-00 **Entered:** 2021-01-14

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL3246 / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Computerised tomogram, Electroencephalogram, Generalised tonic-clonic seizure, Laboratory test, Magnetic resonance imaging brain

SMQs:, Systemic lupus erythematosus (broad), Convulsions (narrow), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Generalised convulsive seizures following immunisation (narrow), Hypoglycaemia (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 2 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Zoloft, buspirone, multivitamin, protonix

Current Illness: None

Preexisting Conditions: Obesity **Allergies:** Betadine, citalprozam

Diagnostic Lab Data: Labs, CT, EEG, MRI brain

CDC Split Type:

Write-up: Unprovoked seizure (clonic tonic) 13 days later, requiring hospitalization and

testing

VAERS ID: 943741 (history)
Form: Version 2.0

Age: 71.0
Sex: Male
Location: Oregon

Vaccinated: 2020-12-23

Onset: 2021-01-08

Days after vaccination: 16

Submitted: 0000-00-00 **Entered:** 2021-01-14

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EJ1685 / 1	AR / IM

Administered by: Private Purchased by: ?

Symptoms: Fatigue, Mucosal inflammation, Pyrexia, Rash, Rash macular **SMQs:**, Anaphylactic reaction (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Pseudomembranous colitis (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? Yes, 3 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications:

Current Illness: Prostate Cancer, completing radiation therapy

Preexisting Conditions: Prostate Cancer undergoing radiation therapy, history of Afib

Allergies: Azithromycin Diagnostic Lab Data: CDC Split Type:

Write-up: Patient reports no symptoms until 1/8/21 at which time a rash developed along with fatigue and fevers. Patient was seen in ED 1/8 and 1/11/21. Was admitted 1/11/21 with Concern for STevens Johnson and sepsis. Patient subsequently developed full body macular rash and mucosal lesions. Fevers to 102-104.

VAERS ID: 944169 (history)
Form: Version 2.0

Age: 59.0
Sex: Male
Location: Delaware

 Vaccinated:
 2020-12-29

 Onset:
 2020-12-29

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-14

Vaccination / Manufacturer	Lot / Dose	Site / Route
----------------------------	---------------	--------------

COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH - / 1 UN / IM

Administered by: Senior Living Purchased by: ?

Symptoms: Agitation, Band neutrophil percentage increased, Blood creatinine increased, Blood culture, Blood glucose normal, Blood pH increased, Haemoglobin decreased, Hypoxia, Mental status changes, Neutrophil percentage increased, Nitrite urine, Pyrexia, Respiratory failure, Urine leukocyte esterase positive, White blood cell count decreased, White blood cells urine positive

SMQs:, Rhabdomyolysis/myopathy (broad), Acute renal failure (broad), Anaphylactic reaction (broad), Asthma/bronchospasm (broad), Haematopoietic erythropenia (broad), Haematopoietic leukopenia (narrow), Haemorrhage laboratory terms (broad), Neuroleptic malignant syndrome (broad), Systemic lupus erythematosus (broad), Anticholinergic syndrome (broad), Retroperitoneal fibrosis (broad), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (broad), Torsade de pointes, shock-associated conditions (broad), Hypovolaemic shock conditions (broad), Toxic-septic shock conditions (broad), Anaphylactic/anaphylactoid shock conditions (broad), Hypoglycaemic and neurogenic shock conditions (broad), Dementia (broad), Acute central respiratory depression (narrow), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Hostility/aggression (broad), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Chronic kidney disease (broad), Hypersensitivity (broad), Tumour lysis syndrome (broad), Respiratory failure (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (narrow), Hypoglycaemia (broad), Infective pneumonia (broad), Hypokalaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 15 days
Extended hospital stay? No
Previous Vaccinations:

Other Medications: metoprolol amlodipine hydralazine omeprazole

Current Illness: hx CKD, DM, HTN lymphedema, bipolar d/o, previous covid infection dx

11/21 now admitted 12/29 with altered mental status, hyopxemic resp failure

Preexisting Conditions: see above **Allergies:** lisinopril seasonal allergies

Diagnostic Lab Data: Normotensive. Labs are significant for glucose 112. Creatinine 1.49 (baseline creatinine approximately 1.3) VBG 7.49. UA showed positive leukocytosis esterase, Nitrites, \$g 100 WBC. Blood culture blood cultures were obtained and are pending. CBC showed WC count of 2.6, hemoglobin 10.9. Neutrophils of 71% 6.3% bands.

CDC Split Type:

Write-up: altered mental status, hypoxic, fever 39.3, agitated

VAERS ID: 944219 (history)
Form: Version 2.0

90.0 Age: Sex: Male

Location: Minnesota

Vaccinated: 2021-01-07 2021-01-12 Onset:

Days after vaccination: 5

Submitted: 0000-00-00 **Entered:** 2021-01-14

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	011L20A / UNK	LA / IM

Administered by: Senior Living Purchased by: ?

Symptoms: Blood pressure increased, Condition aggravated, Dysstasia, Hypotonia, Loss of personal independence in daily activities, Mobility decreased, Speech disorder

SMQs:, Peripheral neuropathy (broad), Neuroleptic malignant syndrome (broad), Dementia (broad), Parkinson-like events (broad), Psychosis and psychotic disorders (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Hypertension (narrow), Hypotonic-hyporesponsive episode (broad), Generalised convulsive seizures following immunisation (broad), Tendinopathies and ligament disorders (broad)

Life Threatening? Yes Birth Defect? No Died? No Permanent Disability? No Recovered? No Office Visit? No ER Visit? No ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications: Systane drops, Lipitor, Mirtazapine, Digoxin, Lasix, Aspirin, Cymbalta, Trazodone, Levothyroxine, Depakote, Biofreeze, Senna, Neurontin, Risperidone, Flovent HFA,

Current Illness: Resident has slowly been declining over the past several months. Physically he went from being able to walk, to needing the E-Z stand to transfer and most recently has become total assist with all ADL cares.

Preexisting Conditions: Cerebral Infarction, Occlusion and stenosis of left carotid artery, COPD, Hyperlipidemia, Hallucinations, Hypertension, Dizziness, Anxiety, Dementia

Allergies: No known allergies

Diagnostic Lab Data: Resident has a history of strokes with his most recent stroke being on 2/15/20 (Acute Ischemic Stroke).

CDC Split Type:

Write-up: On 1/12/20 resident woke up and was not able to stand in the E-Z stand. E-Z lift was needed. In addition he needed assistance with eating. At that time VS were stable, equal hand grasp noted, and no further concerns. Around 3pm resident became flaccid on the left side of his face and speech became mumbled. Hand grasp was equal at that time and VS were stable, but B/P was elevated compared to previous recordings earlier in the day. Family did not want him sent to the hospital and asked for comfort cares. Hospice referral obtained and he will be admitted to hospice in the near future. Resident's left side of face has improved within the last 48 hours. He remains total assist with all cares.

VAERS ID: 944270 (history)
Form: Version 2.0

Age: 58.0 Sex: Male

Location: Massachusetts

Vaccinated: 2020-12-16 **Onset:** 2020-12-16

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-14

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / 1	- / OT

Administered by: Private Purchased by: ?

Symptoms: <u>Basal ganglia haemorrhage</u>, <u>Blood pressure increased</u>, <u>Brain oedema</u>, <u>Cerebrovascular accident</u>, <u>Coagulation test normal</u>, <u>Computerised tomogram head abnormal</u>, <u>Culture negative</u>, <u>Fatigue</u>, <u>Hemiparesis</u>, <u>Impaired work ability</u>, <u>Intracranial mass</u>, <u>Muscular weakness</u>, <u>Myalgia</u>, <u>Platelet count decreased</u>, <u>Pyrexia</u>, <u>Syncope</u>

SMQs:, Torsade de pointes/QT prolongation (broad), Rhabdomyolysis/myopathy (broad), Haematopoietic thrombocytopenia (narrow), Peripheral neuropathy (broad), Haemorrhage terms (excl laboratory terms) (narrow), Neuroleptic malignant syndrome (broad), Systemic lupus erythematosus (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Ischaemic central nervous system vascular conditions (narrow), Haemorrhagic central nervous system vascular conditions (narrow), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Hyponatraemia/SIADH (broad), Haemodynamic oedema, effusions and fluid overload (narrow), Hypertension (narrow), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Conditions associated with central nervous system haemorrhages and cerebrovascular accidents (narrow), Hypotonic-hyporesponsive episode (broad), Tendinopathies and ligament disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? Yes
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 22 days
Extended hospital stay? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions: Medical History/Concurrent Conditions: Hypertension; Stress

Allergies:

Diagnostic Lab Data: Test Date: 20201218; Test Name: BP; Result Unstructured Data: Test

Result:high as 200s/100; Test Date: 20201218; Test Name: BP; Result Unstructured Data: Test Result:179/101; Test Date: 20201218; Test Name: head CT; Result Unstructured Data: Test Result:Rt basal ganglia hemorrhage w/ edema and mass effe; Comments: Rt basal ganglia hemorrhage w/ edema and mass effect; Test Name: platelets; Result Unstructured Data: Test Result:normal coags; Test Date: 20201218; Test Name: platelets; Result Unstructured Data: Test Result:114 (unknown baseline); Test Date: 20201218; Test Name: platelets; Result Unstructured Data: Test Result:Low; Test Date: 20201218; Test Name: Nasal Swab; Result Unstructured Data: Test Result:Negative

CDC Split Type: USPFIZER INC2021014540

Write-up: He collapsed with left sided hemiparesis: Stroke: Rt basal ganglia hemorrhage w/ edema and mass effect.; Rt basal ganglia hemorrhage w/ edema and mass effect.; Low platelets, 114; His bp as high as 200s/100; Hand weakness; Myalgia; Fever; Severe fatigue; This is a spontaneous report from a contactable physician. A 58-year-old male patient received first dose of bnt162b2 (Pfizer BioNTech COVID vaccine), intramuscularly on 16Dec2020 at a single dose for COVID-19 immunization. Medical history included hypertension with reported med noncompliance in the last few months due to stress. Concomitant medication included hypertension medications in two weeks. The patient was presumed neg covid status prior to vaccine. He worked as a Pulm/critical care physician. He reported fever, myalgia, fatigue on 16Dec2020. Next day (17Dec2020), he took off from work due to his symptoms. The following day (18Dec2020), he came to work. He c/o ongoing severe fatigue & hand weakness in am. Staff noted him to be evaluating his hands during clinic. At 12:15, he collapsed with left sided hemiparesis. The reporter had suspicion for stroke. He was transported to the Emergency Room (ER), head CT showed Rt basal ganglia hemorrhage w/ edema and mass effect. Labs notable for Low platelets, 114 (unknown baseline) on 18Dec2020, normal coags on an unspecified date. BP recorded as 179/101, but it was noted in trauma room his bp as high as 200s/100. He had a history of hypertension with reported med noncompliance in the last few months due to stress. Patient was transferred for further care. Full course was unknown but had rebleed there with low plts. Adverse event (he collapsed with left sided hemiparesis) resulted in hospitalization (22 days), life threatening illness (immediate risk of death from the event), disability/incapacitating or permanent damage. Treatment was received for adverse events. Results of tests and procedures for investigation of the patient: on 18Dec2020, Nasal Swab test: negative. The outcome of events was not recovered. Unknown if any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient was not tested for COVID-19. Information on the lot/batch number has been requested.; Sender's Comments: Collapsed with left sided hemiparesis/suspicion for stroke are as consequences of basal ganglia hemorrhage with edema, which is caused by worsening of hypertension. Low platelet also contributes to brain hemorrhage. All these serious events are unrelated to the vaccine use. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

VAERS ID: 944283 (history)
Form: Version 2.0

Age: 34.0
Sex: Female
Location: Illinois

Vaccinated: 2021-01-08

 Onset:
 2021-01-01

 Submitted:
 0000-00-00

 Entered:
 2021-01-14

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL1283 / 2	LA / OT

Administered by: Private Purchased by: ?

Symptoms: Appendicectomy, Appendicitis, Chills, Headache, Hyperhidrosis,

<u>Hypersensitivity</u>, <u>Hypoaesthesia</u>, <u>Hypoaesthesia</u> oral, <u>Nausea</u>, <u>Paraesthesia</u>, <u>Paraesthesia</u> oral, Pharyngeal hypoaesthesia, Pharyngeal paraesthesia, Rash

SMQs:, Anaphylactic reaction (broad), Acute pancreatitis (broad), Angioedema (broad), Peripheral neuropathy (broad), Neuroleptic malignant syndrome (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad), Sexual dysfunction (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 1 days
Extended hospital stay? No

Previous Vaccinations: Other Medications:

Current Illness:

Preexisting Conditions: Medical History/Concurrent Conditions: Anemia; Celiac disease; Gluten sensitivity (known allergies); Sulfonamide allergy (known allergies)

Allergies:

Diagnostic Lab Data:

CDC Split Type: USPFIZER INC2021017248

Write-up: Saturday had. Sweating. Chills. Headache. Nausea.; Sunday had emergency appendectomy for actuate appendicitis.; Friday at 3pm, the patient had numbness and tingling to left hand, lips and throat: Friday at 3pm, the patient had numbness and tingling to left hand, lips and throat: Friday at 3pm, the patient had numbness and tingling to left hand, lips and throat; Friday at 3pm, the patient had numbness and tingling to left hand, lips and throat; Friday at 3pm, the patient had numbness and tingling to left hand, lips and throat; Friday at 3pm, the patient had numbness and tingling to left hand, lips and throat; Post surgery had allergic reaction unknown reason with head to toe rash; Post surgery had allergic reaction unknown reason with head to toe rash; This is a spontaneous report from a contactable nurse (patient). A 34year-old female patient (pregnant: No) received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via intramuscular (lot number: EL1283) on left arm on 08Jan2021 at 6:30 AM at single dose for covid-19 immunisation. The relevant medical history included celiac, anemia, known allergies: Sulfa and Gluten. Concomitant medications were not reported. The patient received first dose of BNT162B2 via intramuscular (lot number:

Ek5730) on left leg on 18Dec2020 at 11:00 AM at single dose for covid-19 immunisation. The patient previously took Codeine, fish oil and experienced allergies. Friday at 3pm, the patient had numbness and tingling to left hand, lips and throat. On Saturday the patient had sweating, chills, headache, nausea. On Sunday had emergency appendectomy for actuate appendicitis. Post surgery had allergic reaction unknown reason with head to toe rash. It was also reported that the adverse event started on 08Jan2021 at 03: 15 PM (as reported). The patient had 1day hospitalization. The patient received treatment for the events. The adverse events resulted in Emergency room/department or urgent care. The events were reported as serious due to life threatening and hospitalization. The most recent COVID-19 vaccine was administered at hospital. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The outcome of the events was recovering.; Sender's Comments: A causal association between BNT162B2 and the reported events cannot be excluded based on a compatible temporal relation between vaccination and onset of events. Medications administered during appendectomy may confound reactions experienced post-surgery. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RAs, Ethics Committees, and Investigators, as appropriate.

VAERS ID: 944289 (history)
Form: Version 2.0

Age: 22.0
Sex: Female
Location: New Jersey

Vaccinated: 2021-01-06 **Onset:** 2021-01-09

Days after vaccination: 3

Submitted: 0000-00-00 **Entered:** 2021-01-14

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK9231 / 2	LA / -

Administered by: Private Purchased by: ?

Symptoms: Condition aggravated, Culture negative, Cyanosis, Deep vein thrombosis, Peripheral swelling, Pulmonary embolism

SMQs:, Cardiac failure (broad), Anaphylactic reaction (broad), Angioedema (broad), Embolic and thrombotic events, venous (narrow), Thrombophlebitis (broad), Acute central respiratory depression (broad), Extravasation events (injections, infusions and implants) (broad), Haemodynamic oedema, effusions and fluid overload (narrow), Hypotonic-hyporesponsive episode (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? Yes
ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 2 days Extended hospital stay? No

Previous Vaccinations: Other Medications:

Current Illness:

Preexisting Conditions: Medical History/Concurrent Conditions: Clot blood; Fish allergy

Allergies:

Diagnostic Lab Data: Test Date: 20210109; Test Name: Nasal Swab; Test Result: Negative

CDC Split Type: USPFIZER INC2021023309

Write-up: she was diagnosed with bilateral deep vein thrombosis (DVT) and pulmonary embolism (PE); she was diagnosed with bilateral deep vein thrombosis (DVT) and pulmonary embolism (PE); This is a spontaneous report from a contactable nurse (patient). A 22-year-old female patient received 2nd dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot# EK9231), via an unspecified route of administration in left arm on 06Jan2021 13:45 at single dose for COVID-19 immunisation. Medical history included allergy to all fish, and clots. The patient was not pregnant. There were no concomitant medications. The patient previously received 1st dose of BNT162B2 (lot numer: EH9899) in left arm on 16Dec2020 13:45 for COVID-19 immunisation and experienced left sided lower back pain on 20Dec2020. No other vaccine received in four weeks. It was reported that the patient had the first covid vaccine on 16Dec2020 and on 20Dec2020 started with left sided lower back pain and then received the second on 06Jan2021 and then on 09Jan2021 11:00 her legs became blue and swollen and she was diagnosed with bilateral deep vein thrombosis (DVT) and pulmonary embolism (PE). The patient otherwise healthy and had never had covid. Other than the clots, she had no other health issues. The patient underwent lab tests and procedures which included nasal swab: negative on 09Jan2021. Events resulted in doctor or other healthcare professional office/clinic visit, emergency room/department or urgent care, hospitalization, and life threatening illness (immediate risk of death from the event), hospitalized for 2 days (in Jan2021). Adverse event treatment: heparin drip and xarelto at home. Recovered with lasting effects on an unspecified date of Jan2020. This case was reported as serious, serious criteria was life threatening. caused/prolonged hospitalization.; Sender"s Comments: The underlying risk factors/predisposing condition of thrombotic diathesis have been assessed to have played a contributory role toward the events.

VAERS ID: 944450 (history)
Form: Version 2.0

Age: 26.0 Sex: Female

Location: Massachusetts

 Vaccinated:
 2021-01-13

 Onset:
 2021-01-13

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-14

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK4176 / 2	LA / IM

Administered by: Work Purchased by: ?

Symptoms: Cough, Dyspnoea, Electrocardiogram ST segment depression, Feeling hot, Flushing, Heart rate irregular, Lip swelling, Paraesthesia oral, Pruritus, Urticaria

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Cardiomyopathy (broad), Cardiac arrhythmia terms, nonspecific (narrow), Other ischaemic heart disease (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypokalaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 2 days
Extended hospital stay? No

Previous Vaccinations: Flu vaccine administered on 10/7/20 at Medical Center to (r) deltoid.

Lot # UJ427AC, manufacturer Fluzone. Reportedly develop

Other Medications: Cymbalta

Current Illness: Fioricet - Hives Mushrooms & pineapple - swollen lips, cough, hives Flu vaccine - had lip swelling and hives at injection site x 1 on 10/8/20 after receiving flu vaccine this year at Hospital. Has had flu vaccine annually prior to 2020 through the hospital without issues.

Preexisting Conditions: 2018-2019 herniated discs in neck. Resolved with physical therapy. 2007 appendectomy; pneumonia in childhood Sports sports induced asthma, well controlled, no daily meds, no inhaler.

Allergies:

Diagnostic Lab Data: Per pt report Epi Pen administered on 1/13/21 in ED. EKG done in ED 1/13/21 & 1/14/21; IV medication administered.

CDC Split Type:

Write-up: Per pt, sx onset began at 1520 with pruritus/hives of the scalp. She was in the post vaccine observation area at this time. At 1530, EE returned to vaccination room to alert staff of her reaction. Upon hearing her new onset cough, an assessment was performed immediately. Reported tingling and swelling of her lips, cough, minor difficulty breathing with mask on, facial flushing and feeling hot, and severe pruritus, especially on the scalp. 50 mg IM Benadryl administered and was taken to ED via wheelchair which is 7 minutes away. Epi Pen administered in ED and admitted overnight for observation d/t irregular HR and ST depression on monitor.

VAERS ID: 944663 (history)
Form: Version 2.0

Age: 67.0
Sex: Female
Location: Kentucky

Vaccinated: 2021-01-12 **Onset:** 2021-01-14

Days after vaccination: 2

Submitted: 0000-00-00 **Entered:** 2021-01-14

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	L3248 / 2	AR / IM

Administered by: Senior Living Purchased by: ?

Symptoms: Body temperature increased, Condition aggravated, Fall, Seizure

SMQs:, Neuroleptic malignant syndrome (broad), Systemic lupus erythematosus (broad), Convulsions (narrow), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Accidents and injuries (narrow), Generalised convulsive seizures following immunisation (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Alendronate Sodium 70 mg, Diltiazem CD 120 MG daily, Hydrochlorothiazide 25 mg daily, Loratadine 10 mg daily, Multi Vitamin Daily, Pantoprazole SOD 40 mg Daily, Trazadone 50 mg at bedtime, CalCarb 600+D Daily, Fiber Lax tablets twice daily

Current Illness: None

Preexisting Conditions: Resident has a history of convulsions/seizures, hypertension, and has an intellectual disability. She had a recent medication drug level on her Keppra and her Dilantin and both were within normal range.

Allergies: Resident is allergic to Tylenol and PCN

Diagnostic Lab Data: Sent out to the ER so unknown at this time

CDC Split Type:

Write-up: Resident had been monitored and had shown no signs or symptoms of any kind until 2 pm on 1/14/2021. Resident was found in the floor of her room. She had fallen and was having a seizure, temperature was 99.7F and Oxygen saturation was 82%.

VAERS ID: 944831 (history)
Form: Version 2.0

Age: 27.0
Sex: Female
Location: Missouri

 Vaccinated:
 2020-12-23

 Onset:
 2020-12-23

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-14

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	025J20-2A / 1	LA / IM

Administered by: Public Purchased by: ?

Symptoms: Cellulitis, Hypersensitivity, Impaired work ability, Injection site pain, Injection site pruritus, Injection site reaction, Injection site warmth, Lymphadenopathy, Nausea, Skin discolouration, Somnolence, Throat tightness, Urticaria, Vertigo

SMQs:, Anaphylactic reaction (narrow), Acute pancreatitis (broad), Angioedema (narrow), Anticholinergic syndrome (broad), Dementia (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Extravasation events (injections, infusions and implants) (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Vestibular disorders (narrow), Hypotonichyporesponsive episode (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? Yes
ER Visit? No
ER or Doctor Visit? Yes

Hospitalized? No Previous Vaccinations:

Other Medications: bupropion, sertraline, loestrin BCP, clonapin, tizanidine, Vivanse,

Adderal

Current Illness: none

Preexisting Conditions: anxiety, depression, ADHD, insomnia

Allergies: sulfa - welts as infant

Diagnostic Lab Data: 12/31/2020: went to ED at Hospital. DX cellulitis and delayed allergic reaction. Treated with prednisone, benadryl, antibiotics unknown date: follow up with primary care 1/14/2021: much improved, but arm still discolored, random pain, still swollen, taking pain meds

CDC Split Type:

Write-up: 12/23/2020: 2 hr after injection, patient noted swollen lymph nodes, nausea, room spinning (motion sickness-like) sx. Stayed home from work that day and slept. 12/24/2020: "typical injection site pain" 12/30/2020: injection site hot, itchy, welts 12/31/2020: area of welts doubled in size to entire upper left arm; throat starting to close up

VAERS ID: 945038 (history)
Form: Version 2.0

Age: 42.0
Sex: Female
Location: Wisconsin

Vaccinated: 2021-01-14 **Onset:** 2021-01-14

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-14

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	041L20A / 1	RA / IM

Administered by: Public Purchased by: ? Symptoms: Pharyngeal swelling, Pruritus

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? Yes ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications: birth control

Current Illness: no

Preexisting Conditions: no

Allergies: Bee and cat-swelling only to bees, no anaphylaxis,

Diagnostic Lab Data: Vitals

CDC Split Type:

Write-up: Vaccination given 1314 and sent to waiting room for monitoring. Began to have itching at 1325. PO benadryl administered. Then with throat swelling. Epinephrine administered by EMS/Fire at 1:32pm: 0.5mg IM right arm. 1342 improving 1350 itching/throat swelling returning while EMS/Fire on phone with medical director. 1352 second dose of epinephrine administered by De Pere EMS/Fire: 0.5mg IM left arm Medical Director on site for evaluation. Client given option to transport to hospital or stay for monitoring with EMS/Dr. Condition improving, chose to stay for monitoring. Client improved and up walking halls 1513 Client cleared to be released home via private transport

VAERS ID: 945090 (history)
Form: Version 2.0

Age: 28.0 Sex: Female

Location: Pennsylvania

 Vaccinated:
 2021-01-12

 Onset:
 2021-01-13

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-14

Vaccination / Manufacturer	Lot / Dose	Site / Route	
----------------------------	---------------	--------------	--

COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH - / UNK LA / IM

Administered by: Private Purchased by: ?

Symptoms: Choking, Cough, Dysphonia, Dyspnoea, Pharyngeal swelling, Speech disorder, Swelling

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Dementia (broad), Parkinson-like events (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Psychosis and psychotic disorders (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Haemodynamic oedema, effusions and fluid overload (narrow), Cardiomyopathy (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Montelukast, Allegra, omeprazole

Current Illness: None

Preexisting Conditions: Asthma, GERD

Allergies: Lots of foods (\$g30), no known medication or vaccine allergies

Diagnostic Lab Data: ER on day two of symptoms

CDC Split Type:

Write-up: Day after vaccine: mild shortness of breath, sensation of swelling in my throat/neck area. Took Benadryl 50mg before bedtime. 2 days after vaccine: woke up with voice changes, coughing/choking with speaking. Used epipen once, felt full relief for about 1-2 hours. Trouble speaking again. Then went to ER, had epipen again twice, over two hours, Benadryl 50IV and Pepcid and steroids. Sitting in the ER now debating admission. Likely being admitted., home epipen are too expensive to treat g2h by myself.

VAERS ID: 945596 (history)
Form: Version 2.0

Age: 41.0
Sex: Female
Location: Connecticut

Vaccinated: 2021-01-13 **Onset:** 2021-01-13

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-14

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	-/1	LA / IM

Administered by: Work Purchased by: ?

Symptoms: Anaphylactic reaction, Chest discomfort, Intensive care, Laboratory test, Nausea, Pruritus, Rash, Throat tightness, Wheezing

SMQs:, Anaphylactic reaction (narrow), Acute pancreatitis (broad), Angioedema (broad), Asthma/bronchospasm (broad), Anaphylactic/anaphylactoid shock conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Eosinophilic pneumonia (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 3 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Albuterol HFA TRELEGY ELLIPTA nexium 40mg Lexapro 20mg

Current Illness: None

Preexisting Conditions: Asthma

Allergies: None

Diagnostic Lab Data: BM

CDC Split Type:

Write-up: Anaphylaxis- throat tightness, nausea, rash, pruritis, chest tightness, wheezing. 9-11 called epinephrine x 2, decade on, IV Benadryl, duo-nebs, famotidine, admission to icu high dose prednisone, nebulizers, zofran, duo-neb nebulizers

VAERS ID: 947648 (history)
Form: Version 2.0

Age: 52.0 Sex: Male

Location: Minnesota

 Vaccinated:
 2021-01-05

 Onset:
 2021-01-05

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-14

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / UNK	-/-

Administered by: Private Purchased by: ?

Symptoms: Atrial fibrillation, Cerebral haemorrhage, Disorientation, Dizziness, Laboratory

<u>test</u>

SMQs:, Haemorrhage terms (excl laboratory terms) (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Supraventricular tachyarrhythmias (narrow), Haemorrhagic central nervous system vascular conditions (narrow), Dementia

(broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Vestibular disorders (broad), Hypoglycaemia (broad), Dehydration (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? Yes

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, ? days Extended hospital stay? No

Previous Vaccinations:
Other Medications: Multiple

Current Illness: No Acute only chronic

Preexisting Conditions: T2DM, HTN, CAD, CHF, AICD, anticoag(+)

Allergies: Adhesives

Diagnostic Lab Data: Multiple -remains hospitalized

CDC Split Type:

Write-up: Pt. with dizziness, then Afib with RVR, then massive cerebral hemorrhage Pt. non

oriented & unable to give history - History provided by S.O and daughter

VAERS ID: 946096 (history)
Form: Version 2.0

Age: 22.0
Sex: Female
Location: New Jersey

Vaccinated: 2020-12-16
Onset: 2020-12-20

Days after vaccination: 4

Submitted: 0000-00-00 **Entered:** 2021-01-15

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EH9899 / 1	LA / -

Administered by: Private Purchased by: ?
Symptoms: Back pain, SARS-CoV-2 test negative

SMQs:, Retroperitoneal fibrosis (broad), COVID-19 (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? Yes ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? Yes, 2 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Current Illness:

Preexisting Conditions: Medical History/Concurrent Conditions: Fish allergy

Allergies:

Diagnostic Lab Data: Test Date: 20210109; Test Name: covid test; Test Result: Negative

CDC Split Type: USPFIZER INC2021021415

Write-up: started with left sided lower back pain; This is a spontaneous report from a contactable Nurse (patient). A 22-year-old female patient received the first dose of BNT162B2 (lot number: EH9899), via an unspecified route of administration at left arm on 16Dec2020 13:45 at single dose for covid-19 immunization. Medical history included allergies for All fish. The patient"s concomitant medications were not reported. The patient had the first covid vaccine on 16Dec2020 and on 20Dec2020 started with left sided lower back pain. The event resulted in Doctor or other healthcare professional office/clinic visit, Emergency room/department or urgent care, Hospitalization (2 days), Life threatening illness (immediate risk of death from the event). The patient received the Heparin drip and xarelto at home for the event. The patient was not pregnant. The patient received the covid test post vaccination on 09Jan2021. Test type was Nasal Swab. The result was negative. The outcome of the event was recovered with sequel on unspecified date.; Sender"s Comments: From the information provided it is unclear what is the nature of the reported event and what are the reasons that have put the subject at immediate risk of death. The event is considered possibly related to the suspect product based on the positive temporal association.

VAERS ID: 946098 (history)
Form: Version 2.0

Age: 44.0
Sex: Female
Location: Maryland

Vaccinated: 2021-01-09 **Onset:** 2021-01-10

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-15

Vaccination / Manufacturer	Lot / Dose	Site / Route
	PFIZER EL 3302	LA / -
PFIZER/BIONTECH	/ 1	

Administered by: Work Purchased by: ? Symptoms: Dyspnoea, Throat tightness

SMQs:, Anaphylactic reaction (broad), Angioedema (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Hypersensitivity (broad)

Life Threatening? Yes Birth Defect? No Died? No Permanent Disability? No Recovered? Yes Office Visit? Yes ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications: Current Illness:

Preexisting Conditions: Medical History/Concurrent Conditions: Allergy; Blood pressure

high; Diabetes Allergies:

Diagnostic Lab Data:

CDC Split Type: USPFIZER INC2021021602

Write-up: throat closing up; struggled the breath; This is a spontaneous report from a contactable consumer (patient). A 44-year-old female patient (non-pregnant) received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/lot number: Pfizer EL 3302), via an unspecified route of administration on 09Jan2021 07:30 am at single dose at left arm for covid-19 immunization. Medical history included diabetes, high blood pressure, allergies. The patient's concomitant medications were not reported. Patient didn''t receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient was not diagnosed with COVID-19 prior to vaccination. Since the vaccination, patient has not been tested for COVID-19. On 10Jan2021 14:30, patient woke up with throat closing up and struggled the breath. Patient immediately drank a dose of diphenhydramine hydrochloride (BENADRYL). Patient did that two more time in the evening of 10Jan2021. Patient called the doctor in the morning. Events were considered serious per life-threatening. The adverse events resulted in doctor or other healthcare professional office/clinic visit, life threatening illness (immediate risk of death from the event). Patient received treatment liquid diphenhydramine hydrochloride, epinephrine (EPI-PEN) for events. Outcome of events was recovered in Jan2021.

VAERS ID: 946553 (history)
Form: Version 2.0

Age: 26.0
Sex: Female
Location: New Mexico

Vaccinated: 2021-01-14 **Onset:** 2021-01-14

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-15

Vaccination / ManufacturerLot / DoseSite / RouteCOVID19: COVID19 (COVID19 (MODERNA)) / MODERNA039K20A / 1LA / IM

Administered by: Work Purchased by: ?

Symptoms: <u>Anaphylactic reaction</u>, <u>Chest discomfort</u>, <u>Electrocardiogram normal</u>, <u>Lethargy</u>, <u>Lip</u> swelling, Nausea, Palpitations, Vomiting

SMQs:, Anaphylactic reaction (narrow), Acute pancreatitis (broad), Angioedema (narrow), Arrhythmia related investigations, signs and symptoms (broad), Anaphylactic/anaphylactoid shock conditions (narrow), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad),

Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations: flu vaccine reaction unknown

Other Medications: unknown

Current Illness: none

Preexisting Conditions: allergies Allergies: flu vaccine allergy

Diagnostic Lab Data: n/a 12-lead EKG normal

CDC Split Type:

Write-up: anaphylaxis by lethargy, nausea, vomiting, palpitations, funny feeling in chest,

swollen lips

VAERS ID: 946978 (history)
Form: Version 2.0

Age: 49.0
Sex: Male
Location: Florida

Vaccinated: 2020-12-29 **Onset:** 2021-01-03

Days after vaccination: 5

 Submitted:
 0000-00-00

 Entered:
 2021-01-15

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	LOT#026L20A / 2	RA / IM

Administered by: Private Purchased by: ?

Symptoms: Anticoagulant therapy, Asthenia, Chest X-ray normal, Computerised tomogram thorax abnormal, Cough, Deep vein thrombosis, Dyspnoea, Dyspnoea exertional, Fatigue, Fibrin D dimer increased, Heart rate increased, Intensive care, Oxygen saturation decreased, Pneumonia, Pulmonary embolism, Respiratory distress, SARS-CoV-2 test negative, Thrombolysis, Ultrasound Doppler abnormal

SMQs:, Anaphylactic reaction (broad), Haemorrhage laboratory terms (broad), Neuroleptic malignant syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), Embolic and thrombotic events, venous (narrow), Thrombophlebitis (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Hypersensitivity (broad), Respiratory failure (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Infective pneumonia (narrow), Dehydration (broad), COVID-19 (broad)

Life Threatening? Yes Birth Defect? No

Died? No

Permanent Disability? Yes

Recovered? No Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 3 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: lexothyroxine, vitamin D, montelukast, manesium citrate

Current Illness: Sinus infection at the beginning of December treated with augmentin

Preexisting Conditions: hypothyroidism, allergic rhinitis

Allergies: NKDA

Diagnostic Lab Data: PCR covid test 1/4/21 negative Chest Xray 1/6/21 negative at the ER at the Medical Center on 1/10/21 d-dimer levels were very high, chest CT showed multiple bilateral pulmonary emboli, leg US revealed bilateral emboli

CDC Split Type:

Write-up: Onset of shortness of breath and cough on 1/3 that progressively got worse. Clinical diagnosis of pneumonia without fever was made, patient started azithromycin on 1/5 and albuterol treatments every 4-6 hrs. Initially he improved, but then worsened. chest xray on 1/6 was negative for pneumonia, PCR covid test was negative, albuterol treatment did not bring much relief. He started respiratory distress on 1/10 and was taken by car to the local ER where another covid test was negative and chest CT revealed multiple bilateral pulmonary emboli. The leg US revealed blood clots in both of his legs. He had an emergency catheter-delivered thrombolysis and was discharged home from the ICU on 1/12 on oral anticoagulants. He is gradually improving, but very weak. He tires easily and gets a drop in oxygen to 90- 93%, as well as an increase in the heart rate to 120 when walking less than half a mile. He runs out of breath with exertion.

VAERS ID: 947019 (history)
Form: Version 2.0

Age: 32.0
Sex: Female
Location: Arizona

Vaccinated: 2021-01-14 **Onset:** 2021-01-14

Days after vaccination: 0

 Submitted:
 0000-00-00

 Entered:
 2021-01-15

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	011L20A / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Dysphonia, Flushing, Immediate post-injection reaction, Throat tightness

SMQs:, Anaphylactic reaction (narrow), Angioedema (broad), Parkinson-like events (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Hypersensitivity

(narrow)

Life Threatening? Yes **Birth Defect?** No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations: Meningococcal 8/6/2006 pruritis

Other Medications: None Current Illness: Not currently ill

Preexisting Conditions: None that we are aware of

Allergies: Meningococcal Vaccine - patient denied anaphylactic reaction to vaccine, she had pruritic and rash. She also is allergic to fruit, primarily melons and bananas - oral pruritic.

Diagnostic Lab Data: None

CDC Split Type:

Write-up: Patient developed a hoarsenss of voice and tightness of throat and flushed feeling immediately following vaccination. Epi Pen was administered and 50 mg Benadryl given p.o., EMS transport to ED after administration of solumedrol 125 mg - received Pepcid and Zofran and NS IV in the ED. Discharged from ED with prednisone 40 mg daily x 4 day with Epi Pen prescription.

VAERS ID: 947687 (history)
Form: Version 2.0

Age: 52.0
Sex: Female
Location: Maryland

 Vaccinated:
 2020-12-24

 Onset:
 2021-01-08

Days after vaccination: 15

Submitted: 0000-00-00 **Entered:** 2021-01-15

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL1284 / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Abdominal pain, Abdominal pain lower, Activated partial thromboplastin time, Appendicectomy, Ascites, Chest X-ray, Complicated appendicitis, Computerised tomogram abdomen abnormal, Computerised tomogram pelvis abnormal, Culture negative, Decreased appetite, Drain placement, Full blood count, Metabolic function test, Nausea, Omentectomy, Pathology test, Pelvic abscess, Pelvic pain, Prothrombin time, Pyrexia, SARS-CoV-2 test negative, Troponin, White blood cell count increased

SMQs:, Liver related investigations, signs and symptoms (narrow), Hepatic failure, fibrosis and cirrhosis and other liver damage-related conditions (narrow), Acute pancreatitis (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Retroperitoneal fibrosis (broad), Malignancy related therapeutic and diagnostic procedures (narrow), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Haemodynamic

oedema, effusions and fluid overload (narrow), Cardiomyopathy (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (narrow), COVID-19 (broad), Sexual dysfunction (broad)

Life Threatening? Yes **Birth Defect?** No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? No

Hospitalized? Yes, 3 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Synthroid 112mcg once per day **Current Illness:** Recent doagnosis of SVT (12/20)

Preexisting Conditions: Thyroidectomy 2/14, now on replacement therapy Overweight

Allergies: None

Diagnostic Lab Data: All of my medical workup was done at Hospital. On admission I had a CBC, CMP, Tropinin, CT of the abdomen and pelvis, CXR, Type and Cross, PT/PTT done. Of note my WBC was elevated to 13 and my CT was abnormal revealing appendicitis. My cultures and pathology intraoperatively have been negative.

CDC Split Type:

Write-up: I had no side effects after my vaccine on 12/24/20 until 1/8/21. On Friday, 1/8/21 at 830pm I began with severe abdominal pain, low grade fever, nausea and loss of appetite. My abdominal pain persisted and worsened over the next 24-36hours. I presented to the ER on Sunday, January 10, 2021 at 8am with severe right lower quadrant pain, pelvic pain, nausea and low grade fever. I was promptly diagnosed with appendicitis and taken to the OR at approximately 2pm on the same day. In the OR my appendix was gangrenous, there was pus in the pelvic area nd fluid in my peritoneum. My appendix was not ruptured. My appendix was removed as well as part of the omentum. I remained in the hospital on IV Metronidazole and Ciprofloxacin for 2 days and was discharged on 1/13/21 at 9pm. I am continuing to recvoer at home on the same 2 antibiotics in oral form. I have a JP drain that is still in place. Of note I had two negative COVID 19 tests on 1/9/21 and 1/10/21. Both were PCR tests.

VAERS ID: 947718 (history)
Form: Version 2.0

Age: 24.0
Sex: Female
Location: Texas

Vaccinated: 2021-01-14 **Onset:** 2021-01-14

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-15

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	037K20A / 1	RA / IM

Administered by: Unknown Purchased by: ?

Symptoms: Paraesthesia, Pharyngeal swelling

SMQs:, Anaphylactic reaction (broad), Angioedema (narrow), Peripheral neuropathy (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions:

Allergies:

Diagnostic Lab Data:

CDC Split Type:

Write-up: Tingling and throat swelling to Moderna COVID-19 Vaccine EUA

VAERS ID: 947992 (history)
Form: Version 2.0

Age: 41.0
Sex: Female

Location: California

Vaccinated: 2021-01-13 **Onset:** 2021-01-13

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-15

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EJ1686 / 1	LA / IM

Administered by: Work Purchased by: ?

Symptoms: Anaphylactic reaction, Lip pruritus, Lip swelling, Mouth swelling, Oral pruritus, Pharyngeal swelling, Throat irritation, Tongue pruritus

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Anaphylactic/anaphylactoid shock conditions (narrow), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Haemodynamic oedema, effusions and fluid overload (narrow), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Armour thyroid 120mg, seasonal birth control, Allegra 180mg, Singulair 10mg, Protonix 40mg, Midodrine 2.5mg, Trokendi XR 200mg, Gabapentin 300mg, Benadryl 50mg, Vitamin B121ML/week, B6 50mg daily, D3 5,000 daily, apple cider vinegar gummies

Current Illness:

Preexisting Conditions: Migraines Hashimoto"s hypothyroidism Dysautonomia/POTS

Allergies: Sulfa Tree nuts Diagnostic Lab Data: CDC Split Type:

Write-up: About 10 minutes after getting my vaccine I noticed the roof of my mouth itching as well as my tongue and back of my throat. I waited to see if it would go away and then a couple minutes later noticed my lips started itching and swelling and from there it just got worse. I told the nurse practitioner that I think I was having a reaction, she had me take a seat told her my entire mouth throat & lips felt swollen and itching and she looked and said it was full blown anaphylaxis reaction. Administered EpiPen, benadryl and called ambulance where they took me to medial emergency department.

VAERS ID: 948243 (history)
Form: Version 2.0

Age: 64.0
Sex: Female
Location: Unknown

Vaccinated: 2021-01-12 **Onset:** 2021-01-13

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-15

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL3249 / 2	- / IM

Administered by: Senior Living Purchased by: ?

Symptoms: Condition aggravated, Mechanical ventilation, Oxygen saturation decreased, Seizure, Unresponsive to stimuli

SMQs:, Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Systemic lupus erythematosus (broad), Convulsions (narrow), Acute central respiratory depression (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Hypotonic-hyporesponsive episode (broad), Generalised convulsive seizures following immunisation (narrow), Respiratory failure (broad), Hypoglycaemia (broad), Infective pneumonia (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? Yes, ? days

Extended hospital stay? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions: Epilepsy, Congenital Hydrocephalus, Essential Hypertension, Major

depressive disorder, Heart Failure, Type II Diabetic Mellitus without complications,

Allergies: No known drug allergies

Diagnostic Lab Data: CDC Split Type:

Write-up: Observed in her room having seizure activity and unresponsive to stimuli. BP of 200/120, oxygen level dropped to 86%, HR was 116. She was transferred from Hospital A and later transferred to Hospital B and placed on a ventilator. This remains her current status

VAERS ID: 948285 (history)
Form: Version 2.0

Age: 50.0

Sex: Female

Location: Mississippi

Vaccinated: 2021-01-14 **Onset:** 2021-01-14

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-15

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL3302 / 1	LA / IM

Administered by: Work Purchased by: ?

Symptoms: Anaphylactic reaction, Blood pressure increased, Dyspnoea, Heart rate increased, Lip swelling, Paraesthesia, Swollen tongue

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Peripheral neuropathy (broad), Neuroleptic malignant syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Anaphylactic/anaphylactoid shock conditions (narrow), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Hypertension (narrow), Cardiomyopathy (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Dehydration (broad)

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? Yes ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications: Metoprolol ER succinate 50mg

Current Illness:

Preexisting Conditions: hypertension **Allergies:** shellfish, fish, seafood, lisinopril

Diagnostic Lab Data: CDC Split Type:

Write-up: We (myself and 2 other pharmacists) were conducting a COVID-19 vaccine clinic. The patient is on staff at the clinic and came in for her 1st dose of the Pfizer/BioNTech COVID vaccine. 10 minutes post-vaccination, patient started experiencing SOB, tingling fingers and face, and swelling of her lips and tongue. She moved herself outside to cooler air and then sent someone back inside to ask us for help. I ran outside with an EpiPen and immediately noted her pulse of 158 on her watch and she appeared to be experiencing an anaphylactic reaction. Patient stated she did not want to use the EpiPen but wanted to try chewing Benadryl instead first. I asked the staff for a blood pressure monitor and pulse oximeter. The 1st readings, approximately 12 minutes after vaccination, were HR 158, BP 155/105, and pulse ox 97%. Patient stated the Benadryl was working and her swelling was decreasing. The patient was not having trouble breathing at the time. I continued monitoring vitals and talking with the patient and approximately 20 minutes post-vaccination, she was improving (BP down to 134/80 and HR 120) but agreed we should call 911. She decided she wanted to move inside and lie down. I escorted her with support to a bed. Her vitals then increased again to BP 152/95 and HR 133 and her lips and tongue started swelling again. The patient appeared to be more labored in breathing then but still refused the EpiPen. Roughly 5 minutes after lying down, the medics showed up and took over and I went back to the vaccination area. I learned later that the patient refused to go to the hospital and after more observation was eventually allowed to leave with a friend/coworker driving her home.

VAERS ID: 948471 (history)
Form: Version 2.0

Age: 50.0
Sex: Female
Location: Washington

 Vaccinated:
 2021-01-08

 Onset:
 2021-01-08

Days after vaccination: 0

 Submitted:
 0000-00-00

 Entered:
 2021-01-15

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / 1	LA / SYR

Administered by: Public Purchased by: ?

Symptoms: Blood test, Computerised tomogram, Heart rate increased, Hypertension,

Seizure

SMQs:, Neuroleptic malignant syndrome (broad), Systemic lupus erythematosus (broad), Arrhythmia related investigations, signs and symptoms (broad), Convulsions (narrow), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Hypertension (narrow), Generalised convulsive seizures following immunisation (narrow), Hypoglycaemia (broad), Dehydration (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: HORMONE REPLACEMENT THERAPY

Current Illness: N/A

Preexisting Conditions: NONE

Allergies: REGLAN

Diagnostic Lab Data: CT SCAN AND BLOOD TEST TO CHECK FOR STROKE

CDC Split Type:

Write-up: 5-6 HOURS AFTER VACCINATION. CONVULSIONS/SEIZURE, HIGH BLOOD

PRESSURE, INCREASED HEART RATE,

VAERS ID: 949611 (history)
Form: Version 2.0

Age: 49.0
Sex: Female
Location: California

 Vaccinated:
 2021-01-06

 Onset:
 2021-01-13

Days after vaccination: 7

Submitted: 0000-00-00 **Entered:** 2021-01-15

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL1284 / 2	RA / IM

Administered by: Private Purchased by: ?

Symptoms: Arteriogram coronary abnormal, Chest pain, Computerised tomogram thorax, Dyspnoea, Echocardiogram abnormal, Ejection fraction decreased, Electrocardiogram ST segment abnormal, Left ventricular end-diastolic pressure increased, Stress cardiomyopathy, Troponin I increased

SMQs:, Cardiac failure (narrow), Anaphylactic reaction (broad), Myocardial infarction (narrow), Embolic and thrombotic events, arterial (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Cardiomyopathy (narrow), Other ischaemic heart disease

(narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes. 1 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Ethinol Estradiol Levothyroxine

Current Illness: none

Preexisting Conditions: none Allergies: Percocet allergy: hives

Diagnostic Lab Data: See above Troponin elevated 1/14/21 Abnormal EKG 1/14/21 Abnormal ECHOcardiogram 1/14/21 Takotsubo Cardiomyopathy (also known as stress

induced cardiomyopathy) Normal coronary angiogram 1/14/21

CDC Split Type:

Write-up: At 6 days after my second COVID-19 Pfizer vaccine (first dose given 12/17/20), I had acute onset of chest pain and shortness of breath prompting a trip to the Emergency Department. A chest CT Angio to rule out pulmonary embolus was done and negative for pulmonary embolus. My EKG showed some mild ST changes and a troponin I level was elevated at 0.08 (normal 0.04). Subsequent troponin levels 90 minutes apart showed a rising troponin at 0.18 and 0.38. An echocardiogram was performed which showed regional wall motion abnormalities consistent with Takotsubo cardiomyopathy and an ejection fraction of 45%. I was then taken to cardiac catheterization lab for coronary angiograms which were normal. My LV angiogram was consistent with Takotsubo cardiomyopathy and my LVEDP was elevated. I was started on a beta blocker and sent home the following day.

VAERS ID: 949724 (history)
Form: Version 2.0

Age: 62.0
Sex: Female
Location: Wisconsin

Vaccinated: 2021-01-08 **Onset:** 2021-01-09

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-15

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK5730 / 2	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Cardiogenic shock, Chest pain, Coronary artery bypass, Critical illness,

Haemorrhage

SMQs:, Cardiac failure (narrow), Haemorrhage terms (excl laboratory terms) (narrow), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (narrow), Embolic and thrombotic events, arterial (narrow), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Cardiomyopathy (broad), Other ischaemic heart disease (narrow)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No

Hospitalized? Yes, 7 days
Extended hospital stay? No

Previous Vaccinations: Tetanus toxoid---arm swelled from shoulder down to hand. Age, date, and brand unknown

Other Medications: Allopurinol 100mg BID; Adderall XR 30mg 1 capsule po BID is how pt takes--prescribed as 60mg po daily; Adderall 20mg po daily at noon; aspirin EC 81mg po daily; clopidogrel 75mg po daily; Lisinopril 20mg po BID; metoprolol XL 25mg po BID; **Current Illness:** 12/1/20 head congestion, double ear aches, post nasal drip. SARS-CoV-2 NAAT test 12/3/20; result not detected.

Preexisting Conditions: Hypertensive Heart Disease without heart failure, 2 stents previously placed; hyperlipidemia; ADHD; gout

Allergies: morphine -GI nausea and vomiting; tetanus toxoid -arm swelled from shoulder down to hand

Diagnostic Lab Data: able to provide medical records .

CDC Split Type:

Write-up: Pt had 3 vessel CABG on 1/14/21 after presenting to ED with chest pain on 1/9/21. Pt is critically ill following OR after cardiogenic shock, bleeding. Requiring inotropes and Impella.

VAERS ID: 949941 (history)
Form: Version 2.0

Age: 55.0

Sex: Female

Location: New York

Vaccinated: 2020-12-28 **Onset:** 2021-01-10

Days after vaccination: 13

 Submitted:
 0000-00-00

 Entered:
 2021-01-16

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL0140 / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Anti-NMDA antibody negative, Asthenia, Body temperature increased, CSF cell count increased, CSF culture negative, CSF glucose normal, CSF lactate dehydrogenase

normal, CSF lymphocyte count abnormal, CSF neutrophil count increased, CSF protein increased, CSF red blood cell count positive, CSF test normal, Chills, Confusional state, Cryptococcus test, Gram stain negative, Herpes simplex test negative, Hyperhidrosis, Malaise, Mental impairment, Polymerase chain reaction, Treponema test negative, Unresponsive to stimuli

SMQs:, Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Dementia (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Conditions associated with central nervous system haemorrhages and cerebrovascular accidents (broad), Hypotonic-hyporesponsive episode (broad), Malignant lymphomas (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, ? days
Extended hospital stay? No
Previous Vaccinations:
Other Medications:
Current Illness:
Preexisting Conditions:

Allergies:

Diagnostic Lab Data: Ultimately underwent LP with following studies: - Neg gram stain - Cell count 50, 38 lymph, 8 neuts, 4 RBC - Glucose 69 (wnl) - Protein 46 - CSF Cultures -- NGTD - LDH 11 - Cryptococcal antigen negative - HSV PCR 1/2 negative - Meningitis encephalitis panel negative (E.coli, h.flu, listeria, neisseria, strep agalactiae, strep pneumo, CMV, enterovirus, HSV 1/2, HHV6, Parechovirus, VZV, crypto) - VDRL titer negative - NMDA Ab negative

CDC Split Type:

Write-up: Per husband, was in usual state of health on the AM of 1/10/20, AOx3 able to perform all I/ADLs. At around 2:30pm that day was complaining of chills and generalized malaise. Then at ~9:30pm when husband returned home from work found patient diaphoretic, confused (stating things like "not now, I want to go to lake"), and complaining of chills and weakness. Unable to provide any additional hx regarding other sx. Initially presented to ED, where mental status had deteriorated to AOx0, unable to respond to verbal commands. Initial vitals notable for T102.6F (unclear other vitals). Patient is now AOx0 most concerning for encephalopathy.

VAERS ID: 949967 (history)
Form: Version 2.0

Age: 68.0

Sex: Female

Location: California

Vaccinated: 2021-01-04

Onset: 2021-01-05

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-16

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	COVID 19 / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Asthenia, Blood pressure increased, Chest X-ray, Chest discomfort, Dyspnoea, Electrocardiogram, Headache, Hyperhidrosis, Hypoaesthesia, Hypoaesthesia oral, Influenza virus test, Paraesthesia, Polymerase chain reaction, SARS-CoV-2 test

SMQs:, Anaphylactic reaction (broad), Peripheral neuropathy (broad), Neuroleptic malignant syndrome (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Hypertension (narrow), Cardiomyopathy (broad), Hypoglycaemia (broad), COVID-19 (broad), Sexual dysfunction (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: aller-tec --allergy over the counter medication

Current Illness: none

Preexisting Conditions: none

Allergies: nitorfurantoin, Peniccilin class, septra, sulfa

Diagnostic Lab Data: Sars -2 Vovid -19 Flu AB molecular ASSA.NAA/PCR, EKG 12 or more

lead W INT and RPT, X-ray chest

CDC Split Type:

Write-up: Throbbing head ache, difficulty breathing, lips numbness, chest discomfort, upper back, lower legs, fingers tingling/numbness, high blood pressure 148/83, underarm sweating, feels weak

VAERS ID: 950111 (history)
Form: Version 2.0

Age: 59.0
Sex: Female
Location: Hawaii

 Vaccinated:
 2021-01-15

 Onset:
 2021-01-15

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-16

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	UNKNOWN / 1	UN/SYR

Administered by: Other Purchased by: ?

Symptoms: Anaphylactic shock

SMQs:, Anaphylactic reaction (narrow), Anaphylactic/anaphylactoid shock conditions

(narrow), Hypersensitivity (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations: Other Medications: none Current Illness: none Preexisting Conditions: Allergies: yes, rosefin

Diagnostic Lab Data: emergency room admission and response 1/15/2021

CDC Split Type:

Write-up: anaphalactic shock reaction, epi injection by hospital emergency staff at vaccine site, emergency room admission. We were very lucky vaccine site was Hospital was concerned that this might happen as patient had a previous anaphalactic shock by antibiotic injection few years ago

VAERS ID: 950387 (history)
Form: Version 2.0

Age: 39.0
Sex: Female
Location: Virginia

Vaccinated: 2021-01-14 **Onset:** 2021-01-15

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-16

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	-/2	LA / IM

Administered by: Private **Purchased by:** ?

Symptoms: Blood test, Dysphagia, Dyspnoea, Swollen tongue

SMQs:, Anaphylactic reaction (broad), Angioedema (narrow), Anticholinergic syndrome (broad), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl

neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Cardiomyopathy (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No.

Permanent Disability? No

Recovered? Yes Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 1 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Pamalor, bentl, motrin, wellbutrin, iron, vit. D

Current Illness: Bronchitis

Preexisting Conditions: Ptsd, mst, chronic back pain, pcos, endometriosis,

Allergies: Dilaudid, prednisone **Diagnostic Lab Data:** Blood

CDC Split Type:

Write-up: Swollen tongue and sob with decreased swallow

VAERS ID: 950640 (history)
Form: Version 2.0

Age: 34.0
Sex: Female
Location: Alabama

 Vaccinated:
 2020-12-29

 Onset:
 2020-12-30

Days after vaccination: 1

 Submitted:
 0000-00-00

 Entered:
 2021-01-16

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Anaphylactic reaction, Angioedema, Arthralgia, Blood thyroid stimulating hormone normal, Chest X-ray normal, Full blood count normal, Influenza like illness, Influenza virus test negative, Lymphadenopathy, Metabolic function test normal, Pyrexia, Rash, Rash erythematous, Rash papular, SARS-CoV-2 test negative, Streptococcus test negative SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Anaphylactic/anaphylactoid shock conditions (narrow), Oropharyngeal allergic conditions (narrow), Hypersensitivity (narrow), Arthritis (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (narrow), COVID-19 (broad)

Life Threatening? Yes

Birth Defect? No.

Died? No

Permanent Disability? No

Recovered? No

Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Ambien, metformin, spironolactone, zvrtec, adderall, birth control

Current Illness: Upper respiratory infection 2 weeks prior

Preexisting Conditions: Polycystic ovarian syndrome, fatty liver

Allergies: Stadol

Diagnostic Lab Data: CBC, cmp, tsh, chest X-ray, covid swab, strep swab, flu swab all

negative or no adverse results

CDC Split Type:

Write-up: Day 1-3 after the dose flu like symptoms Day 3-7 swelling in lymph nodes on left side of body (baseball sized) took ibuprofen and Tylenol Day 8 angioedema, anaphylaxis. Received epi subq, IVP 50mg Benadryl, Pepcid 20mg IVP, liter of NS Day 9 raised red rash all over body and face still going on Day 16- present: severe joint pain and fever, unable to obtain any relief

VAERS ID: 950759 (history)
Form: Version 2.0

Age: 63.0
Sex: Female
Location: Illinois

Vaccinated: 2021-01-06 **Onset:** 2021-01-06

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-16

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	ELO140 / 2	-/SYR

Administered by: Private Purchased by: ?

Symptoms: Anaphylactic reaction, Chest discomfort, Chest pain, Dyspnoea,

Electrocardiogram, Headache, Palpitations

SMQs:, Anaphylactic reaction (narrow), Arrhythmia related investigations, signs and symptoms (broad), Anaphylactic/anaphylactoid shock conditions (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Cardiomyopathy (broad), Hypersensitivity (narrow)

Life Threatening? Yes Birth Defect? No Died? No

Permanent Disability? No

Recovered? Yes Office Visit? Yes ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations: Flu vaccine in 2015, shortness of breath, heart racing, tightness in

chest, congestion.

Other Medications: Vitamin C and D

Current Illness: None

Preexisting Conditions: None

Allergies: Flu Vaccine, penicillin and sulfur

Diagnostic Lab Data: EKG on Wednesday, January 6, 2021, following the adverse reaction.

CDC Split Type:

Write-up: Pounding headache, heart racing to over 145 bps, chest burning and tightness and hard to breath. I was taken to the Emergency Room at Hospital immediately. Reaction occurred within 30 minutes of the injection. An EKG was administered. I was prescribed prednisone and Benadryl. I was diagnosed with Anaphylaxis.

VAERS ID: 950787 (history)
Form: Version 2.0

Age: 73.0
Sex: Male
Location: Florida

Vaccinated: 2021-01-09 **Onset:** 2021-01-14

Days after vaccination: 5

 Submitted:
 0000-00-00

 Entered:
 2021-01-16

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	012L20A / 1	LA / -

Administered by: Public Purchased by: ?

Symptoms: Acute kidney injury, Condition aggravated, Dialysis

SMQs:, Rhabdomyolysis/myopathy (broad), Acute renal failure (narrow), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (broad), Torsade de pointes, shock-associated conditions (broad), Hypovolaemic shock conditions (broad), Toxic-septic shock conditions (broad), Anaphylactic/anaphylactoid shock conditions (broad), Hypoglycaemic and neurogenic shock conditions (broad), Chronic kidney disease (narrow), Tumour lysis syndrome (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Dehydration (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes

Hospitalized? Yes, 5 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Lantus, Humalog, metoprolol, lisinopril, pioglitazone, gabapentin, nifedipine, escitalopram, aspirin, bydureon, vitamin B, vitamin D, clopedigril, metformin, atorvastatin

Current Illness: High BP, diabetes, stage 3 kidney disease

Preexisting Conditions: Diabetes, past stroke, kidney disease, circulation issues, orthostatic

hypotension, high blood pressure, depression.

Allergies:

Diagnostic Lab Data: CDC Split Type:

Write-up: Patient had slow progression of kidney disease but since vaccine had unexpected acute kidney failure. He had to have dialysis and may need biopsy of kidney to confirm if he needs lifelong dialysis. He is still being hospitalized.

VAERS ID: 950980 (history)
Form: Version 2.0

Age: 50.0
Sex: Female
Location: Florida

Vaccinated: 2020-12-22 **Onset:** 2021-01-14

Days after vaccination: 23

Submitted: 0000-00-00 **Entered:** 2021-01-17

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	011J20A / 1	LA / IM

Administered by: Work Purchased by: ?

Symptoms: Computerised tomogram head normal, HIV test negative, Hepatitis B test negative, Hepatitis C test negative, Immune thrombocytopenia, Immunoglobulin therapy, Petechiae, Platelet count decreased, Platelet transfusion, SARS-CoV-2 test negative SMQs:, Haematopoietic thrombocytopenia (narrow), Haemorrhage terms (excl laboratory terms) (narrow), Systemic lupus erythematosus (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad),

Immune-mediated/autoimmune disorders (narrow), COVID-19 (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 4 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Lopressor 50 mg PO daily

Current Illness: None

Preexisting Conditions: High blood pressure.

Allergies: NKA

Diagnostic Lab Data: Since 1/14/21, I have been tested for PCR panel, covid negative x 4. Hepatitis B and C and HIV negative. Many tests have been run. CT brain negative. I am still in

the hospital today. Unsure of discharge date yet.

CDC Split Type:

Write-up: On January 14, 2021, I noticed generalized petechiae all over my body. I went to seek medical care and was found to have platelet count of 2. I was hospitalized for idiopathic thrombocytopenic purapura. I was given platelets which increased my platelets to 4. Next day, given IVIG dose. Also receiving 4 doses of decadron. Day after IVIG, platelets to 20. I am still in the hospital getting treatment today.

VAERS ID: 951560 (history)
Form: Version 2.0

Age: 33.0
Sex: Male
Location: Florida

Vaccinated: 2020-12-19 **Onset:** 2021-01-03

Days after vaccination: 15

Submitted: 0000-00-00 **Entered:** 2021-01-17

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Activated partial thromboplastin time prolonged, Antiphospholipid antibodies positive, Beta-2 glycoprotein antibody negative, Cardiolipin antibody negative, Chest pain, Computerised tomogram thorax, Dyspnoea, Fibrin D dimer increased, Gene mutation identification test negative, Muscle spasms, Protein C, Protein S normal, Pulmonary embolism, Pulmonary infarction, Russell's viper venom time normal

SMQs:, Anaphylactic reaction (broad), Haemorrhage laboratory terms (broad), Systemic lupus erythematosus (broad), Embolic and thrombotic events, venous (narrow), Dystonia (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Cardiomyopathy (broad), Immune-mediated/autoimmune disorders (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, 6 days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: Ibuprofen, Tylenol

Current Illness: None

Preexisting Conditions: Migraine, Hyperlipidemia

Allergies: Sulfa Drugs, Chloroquine

Diagnostic Lab Data: 1/6/2021 D-Dimer- Elevated CT angiogram- Multiple bilateral segmental and subsegmental pulmonary emboli with the largest clot burden in right lower lobe with associated pulmonary infarction. Factor V mutation- negative Protein C and S antigen and activity- Normal 1/8/2020 Glycoprotein B2 antibody- negative Cardiolipin antibody-negative Lupus antibody- positive Hexagonal phase confirm - positive PTT-LA- elevated DRVVT screen- normal

CDC Split Type:

Write-up: Severe Right sided chest pain, right sided muscle spasms and difficulty breathing two weeks after vaccine was administered Diagnosis of bilateral pulmonary embolism was made on presentation to ER. No personal or family history of clots in arteries or deep veins or any risk factors in patient. Received heparin drip, pain medications, muscle relaxants inpatient. Pain progressively improved over days. Was discharged after 6 days on admission. Was discharged on oral anticoagulant (Rivaroxaban aka xarelto)

VAERS ID: 951572 (history)
Form: Version 2.0

Age: 31.0
Sex: Female
Location: California

Vaccinated: 2021-01-15 **Onset:** 2021-01-15

Days after vaccination: 0

 Submitted:
 0000-00-00

 Entered:
 2021-01-17

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	025L20A / 1	RA / IM

Administered by: Work Purchased by: ?

Symptoms: Chest discomfort, Dizziness, Electrocardiogram normal, Flushing, Heart rate increased, Nausea, Palpitations, Paraesthesia, Syncope

SMQs:, Torsade de pointes/QT prolongation (broad), Anaphylactic reaction (narrow), Acute pancreatitis (broad), Peripheral neuropathy (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Guillain-Barre syndrome (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Vestibular disorders (broad), Hypotonic-hyporesponsive episode (broad), Hypersensitivity (broad), Hypoglycaemia (broad), Dehydration (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? Yes
ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Humalog, metformin, levothyroxine

Current Illness: None

Preexisting Conditions: Type 1 diabetes

Allergies: None.

Diagnostic Lab Data: EKG 1/15/2021- normal BP 1/15/2021- 182/90

CDC Split Type:

Write-up: Developed dizziness and nausea within 90minutes of vaccine; then developed tingling, and flushing of my skin. Then rapid heart rate and chest tightness by 2.5hrs post vaccine. I went to urgent Care and they thought it was an allergic reaction (BP 182/90, HR 82) and gave me 125mg solumedrol and Benadryl intramuscularly which caused worsened dizziness and a racing heart which caused me to collapse and they gave me a epi pen and called 911. I was transferred to ER and they completed EKG which was normal and monitored vitals for a few hours and I was released. I continue to remain extremely dizzy and nauseated 2days after the vaccine.

VAERS ID: 951689 (history)
Form: Version 2.0

Age: 29.0
Sex: Female
Location: Unknown

 Vaccinated:
 2021-01-15

 Onset:
 2021-01-15

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-17

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / UNK	-/-

Administered by: Military Purchased by: ?

Symptoms: Dysgeusia, Hyperhidrosis, Pharyngeal paraesthesia, Throat tightness

SMQs:, Anaphylactic reaction (broad), Angioedema (broad), Neuroleptic malignant syndrome (broad), Taste and smell disorders (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Hypersensitivity (broad), Hypoglycaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? Yes
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? No

Previous Vaccinations:

Other Medications: no Current Illness: no

Preexisting Conditions: no

Allergies: no

Diagnostic Lab Data: N/A

CDC Split Type:

Write-up: 29yo female patient reports feeling her throat tingling and closing sensation in her throat with a metallic taste and diaphoretic approximately 3 minutes after receiving vaccine. She did not report these sensations until about 15min after injection. EMS assist was immediately called and pt was brought into one of the patient rooms. She was given Epipen injection approx. 20min after injection and EMS arrived to transport patient down to ER within 1-2 minutes after Epipen administered. Patient was monitored in ER and recovered well

VAERS ID: 951799 (history)
Form: Version 2.0

Age: 56.0
Sex: Female
Location: Missouri

 Vaccinated:
 2020-12-29

 Onset:
 2021-01-01

Days after vaccination: 3

 Submitted:
 0000-00-00

 Entered:
 2021-01-18

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / UNK	-/-

Administered by: Private **Purchased by:** ?

Symptoms: Acute myocardial infarction, Angiogram cerebral, Arteriogram carotid, Back pain, Blood gases, COVID-19 pneumonia, Catheterisation cardiac, Chest X-ray, Chest pain, Computerised tomogram thorax, Critical illness, Depressed level of consciousness, Dyspnoea, Echocardiogram, Electrocardiogram, Endotracheal intubation, Flank pain, Full blood count, Gait disturbance, Guillain-Barre syndrome, Immunoglobulin therapy, Lumbar puncture, Mechanical ventilation, Metabolic function test, Muscular weakness, Nausea, Pain, Respiratory failure, SARS-CoV-2 test positive, Stress cardiomyopathy, Troponin, Vomiting SMQs:, Rhabdomyolysis/myopathy (broad), Anaphylactic reaction (broad), Acute pancreatitis (broad), Angioedema (broad), Peripheral neuropathy (narrow), Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Myocardial infarction (narrow), Anticholinergic syndrome (broad), Retroperitoneal fibrosis (broad), Shockassociated circulatory or cardiac conditions (excl torsade de pointes) (broad), Torsade de pointes, shock-associated conditions (broad), Hypovolaemic shock conditions (broad), Toxicseptic shock conditions (broad). Anaphylactic/anaphylactoid shock conditions (broad). Hypoglycaemic and neurogenic shock conditions (broad), Embolic and thrombotic events, arterial (narrow), Parkinson-like events (broad), Acute central respiratory depression (narrow), Pulmonary hypertension (broad), Guillain-Barre syndrome (narrow), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (narrow), Demyelination (narrow), Other ischaemic heart disease (narrow), Hypotonic-hyporesponsive episode (broad), Generalised convulsive seizures following immunisation (broad), Hypersensitivity (broad), Respiratory failure (narrow), Hypoglycaemia (broad), Infective pneumonia (narrow), Hypokalaemia (broad), Opportunistic infections

(broad), Immune-mediated/autoimmune disorders (narrow), COVID-19 (narrow)

Life Threatening? Yes Birth Defect? No Died? No

Permanent Disability? No

Recovered? No Office Visit? No

ER Visit? No

ER or Doctor Visit? No

Hospitalized? Yes, ? days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: atorvastatin (LIPITOR) 10 MG tablet glipiZIDE (GLUCOTROL XL) 10 MG 24 hr tablet losartan (COZAAR) 25 MG tablet metformin (GLUCOPHAGE) 1000 mg tablet pantoprazole (PROTONIX) 40 mg tablets

Current Illness:

Preexisting Conditions: ? Diabetes mellitus ? Hyperlipidemia ? Hypertension ? Sleep apnea

Allergies: Phenergan Dm

Diagnostic Lab Data: Lumbar puncture 1/15/21 CT Angio Chest: 1/13/2021 CT Angio Head and Neck: 1/15/21 Chest X-ray: 1/15/21 Echocardiogram: 1/13/21 and 1/16/21 ECG: 1/13/21 and 1/16/21 Cardiac catheterization:1/16/21 Blood gases, CBC, Comprehensive metabolic panel, troponin

CDC Split Type:

Write-up: The patient received her first Moderna COVID-19 vaccination on 12/29/2020. However the patient was diagnosed with a positive COVID-19 test on January 4, 2021. Patient complained of nausea, vomiting, back pain, and sharp chest pain. On January 13, the patient presented to the emergency department again with shortness of breath and sharp, stabbing left-sided chest pain radiating to her back and right side. Initial work up ruled out cardiac etiologies. CTA chest demonstrated COVID-19 pneumonia. The patient complained of bilateral lower extremity weakness which had been progressing since her COVID-19 vaccination, per patient report. However, during her hospitalization the patient's bilateral lower extremity weakness began to accelerate. On the 13th, the patient was able to ambulate to and from the bathroom herself. Then on January 14 the patient required maximum assistance. Neurology was consulted and work up initiated for suspected possible Guillain-Barr? syndrome (GBS) secondary to recent COVID-19 infection. On January 15, 2021, the patient became obtunded and unable to protect airway. She was emergently intubated for acute hypercapnic respiratory failure secondary to GBS. Neurology started GBS treatment with IVIG. Patient also developed NSTEMI and Takotsubo cardiomyopathy. Patient remains critically ill requiring mechanical ventilation.

VAERS ID: 951817 (history)
Form: Version 2.0

Age: 43.0
Sex: Male
Location: Hawaii

Vaccinated: 2021-01-13 **Onset:** 2021-01-14

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-18

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	-/2	LA / SYR

Administered by: Private Purchased by: ?

Symptoms: Abdominal pain, Appendicectomy, Appendicitis perforated, Chills, Gait disturbance, Laparoscopic surgery, Pyrexia, Scan with contrast abnormal, Sleep disorder SMQs:, Acute pancreatitis (broad), Peripheral neuropathy (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Retroperitoneal fibrosis (broad), Malignancy related therapeutic and diagnostic procedures (narrow), Parkinson-like events (broad), Gastrointestinal perforation (narrow), Guillain-Barre syndrome (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 3 days
Extended hospital stay? No

Previous Vaccinations:
Other Medications: None

Current Illness: Strep throat about a week prior to vaccination

Preexisting Conditions: None Allergies: Shrimp, crab, lobster Diagnostic Lab Data: See above.

CDC Split Type:

Write-up: The day after receiving the second vaccination, I began to have mild intermittent abdominal pain2-3/10. The pain gradually increased, became more intense, and more constant. Mild fever and chills started happening, and I took Ibuprofen. By about 4 days after the vaccine, the abdominal pain was severe enough that I had some difficulty walking and I couldn?t sleep at night. Pain was 6-8/10. I went to the ER, and CT scan with IV contrast showed 18 mm appendicitis. I underwent laparoscopic surgery and it was found to be perforated. It was removed. I am currently recovering in the hospital. I received the vaccine as a health care provider at my hospital, specifically I am a practicing pediatrician physician for over 10 years.

VAERS ID: 951992 (history)
Form: Version 2.0

Age:

Sex: Female Location: Virginia

Vaccinated: 2021-01-09

Onset: 2021-01-09

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-18

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK4176 / 1	-/-

Administered by: Unknown Purchased by: ?

Symptoms: Anaphylactic reaction, Anxiety

SMQs:, Anaphylactic reaction (narrow), Anaphylactic/anaphylactoid shock conditions

(narrow), Hypersensitivity (narrow), Hypoglycaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability?

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions:

Allergies:

Diagnostic Lab Data:

CDC Split Type: USPFIZER INC2021019099

Write-up: anaphylactic reaction/anaphylaxis; This is a spontaneous report from a Pfizer Sponsored Program from a contactable pharmacist. A female patient of an unspecified age received first dose of bnt162b2 (Pfizer BioNTech COVID vaccine, lot number: EK4176), via an unspecified route of administration on 09Jan2021 at 0.3 mL, single (standard like 0.3ml by injection once to deltoid, side unknown) to prevent from getting COVID. The patient"s medical history and concomitant medications were not reported. The patient experienced anaphylactic reaction/anaphylaxis on 09Jan2021. Clinical course: The patient got the vaccine while waiting to go into the watch room, to be watched for a few minutes, and she experienced anaphylactic reaction/anaphylaxis, she went down, they gave her an Epinephrine, she didn"t respond to the first dose, a second dose was given in the arm where the vaccine was given, then she was picked up by an ambulance. Agent stated the caller has been on hold for almost an hour. Caller clarifies dose was given in the arm, it occurred on Saturday with the same lot. Saturday and it went away on Saturday, the patient was worried about it coming back, thus why she asked about Epinephrine pen, the patient was taken to the hospital, and given Epinephrine a couple more times, and it resolved eventually, the patient was not admitted, she went to the Emergency Department. It could have required hospitalization but would most likely say life threatening had she not been treated. Reporter seriousness for anaphylaxis is life threatening. The outcome of event was recovered on 09Jan2021. Relatedness of bnt162b2 to reaction anaphylaxis is related for primary source.; Sender's Comments: A possible causal association between administration of BNT162B2 and the onset anaphylactic reaction/anaphylaxis cannot be excluded, considering the plausible temporal relationship and the known adverse event profile of the suspect product. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review

and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

VAERS ID: 952235 (history)
Form: Version 2.0

Age: 65.0
Sex: Female
Location: Mississippi

Vaccinated: 2020-12-28 **Onset:** 2020-12-28

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-18

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	037K20A / 1	LA / SYR

Administered by: Private **Purchased by:** ?

Symptoms: Condition aggravated, Diabetic ketoacidosis, Electrocardiogram, Laboratory test, Nausea, Supraventricular tachycardia, Vomiting

SMQs:, Acute pancreatitis (broad), Hyperglycaemia/new onset diabetes mellitus (narrow), Supraventricular tachyarrhythmias (narrow), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Immune-mediated/autoimmune disorders (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 4 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: amaryl. Lasix. metformin. Mirapex. Toprol-xl. victoza. tresiba.

amiodarone. eliquis. dilacor. crestor.

Current Illness:

Preexisting Conditions: type 2 diabetes. SVT

Allergies:

Diagnostic Lab Data: lab drawn. ekg

CDC Split Type:

Write-up: nausea and vomiting possible cause of diabetic ketoacidosis and svt

VAERS ID: 952478 (history)
Form: Version 2.0

Age: 33.0

Sex: Female

Location: New Hampshire

Vaccinated: 2021-01-15 **Onset:** 2021-01-15

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-18

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL3249 / UNK	RA / -

Administered by: Other Purchased by: ?

Symptoms: Anxiety, Dizziness, Feeling abnormal, Paraesthesia, Paraesthesia oral,

Pharyngeal paraesthesia, Sensation of foreign body, Urticaria

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Peripheral neuropathy (broad), Anticholinergic syndrome (broad), Dementia (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Vestibular disorders (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes

EN OF DOCIOE VISITE

Hospitalized? No

Previous Vaccinations:

Other Medications: DIETARY SUPPLEMENT ORAL LACTOBACILLUS ACIDOPHILUS (PROBIOTIC ORAL) cetirizine (ZYRTEC) 10 mg tablet ranitidine (ZANTAC) 150 mg tablet epiNEPHrine (EPIPEN) 0.3 mg/0.3 mL injection

Current Illness: Dairy product intolerance Mast cell disorder Granuloma annulare Goiter **Preexisting Conditions:** Dairy product intolerance Mast cell disorder Granuloma annulare Goiter

Allergies: Bactrim [Sulfamethoxazole-trimethoprim]Anaphylaxis, Hives
CiprofloxacinAnaphylaxis MorphineAnaphylaxis Reglan [Metoclopramide Hcl]Hives Sulfa
(Sulfonamide Antibiotics)Hives Benadryl [Diphenhydramine Hcl]Rash DoxycyclineNausea And
Vomiting Lactose Nasonex [Mometasone]Other (See Comments) Tape 1"x5yd [Adhesive
Tape]Rash Toradol [Ketorolac Tromethamine]Hives

Diagnostic Lab Data:

CDC Split Type:

Write-up: Pt is 33 yo female with h/o multiple drug allergies, including allergy to benadryl. She has received first dose of COVID vaccine made by Phfizer at 3:45. She reports about 10 minutes after the vaccination she started feeling tingling in her lips, throat and prickly sensation on her chest and feeling "off". Felt dizzy, developed small hives on her chest. She was attended to immediately at the vaccine site and our team was called to white code. Pt was sitting on the floor, alert, breathing comfortably. Her BP was 151/84, HR 90, O2 Sats 100%. Her lungs were clear the whole time, no wheezing, no difficulty swallowing or talking. Patient received 125 mg of IV solumedrol and 20 mg of pepcid in vaccination room, she felt

the same, still breathing comfotably, speaking full sentences, hives faiding away. She was transported to Urgent Care clinic on wheelchair. Pt kept her EpiPen by her site the whole time but refused to used it, states she is afraid to use it and wants to hold off or get it in ER if necessary. About 16:30 patient reported her tingling, prickly sensation In her chest is getting worse, developed sensation of lump in her throat, able to swallow and breath without problems, lungs exam clear. Again recommended to give Epipen but patient again refused as she feels very anxious about getting new medicine. She was able to speak full sentences and breathing well, O2 Sats 100% the whole time, she repetitively refused EpiPen. EMS called and patient transported to ER, ER notified. Pt left in stable condition.

VAERS ID: 952483 (history)
Form: Version 2.0

Age: 59.0 Sex: Female

Location: South Carolina

Vaccinated: 2021-01-11 **Onset:** 2021-01-13

Days after vaccination: 2

Submitted: 0000-00-00 **Entered:** 2021-01-18

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK9231 / 1	RA / IM

Administered by: Private **Purchased by:** ?

Symptoms: Acute myocardial infarction, Catheterisation cardiac abnormal, Chest X-ray, Chest pain, Coronary arterial stent insertion, Coronary artery occlusion, Diastolic dysfunction, Echocardiogram abnormal, Ejection fraction decreased, Electrocardiogram abnormal, Myocardial infarction, Nausea, Pain in extremity, Vomiting

SMQs:, Cardiac failure (narrow), Acute pancreatitis (broad), Myocardial infarction (narrow), Arrhythmia related investigations, signs and symptoms (broad), Embolic and thrombotic events, arterial (narrow), Pulmonary hypertension (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (narrow), Other ischaemic heart disease (narrow), Tendinopathies and ligament disorders (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 3 days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: Synthroid 100mcg/day lisinopril 10mg/day pravachol hydroxychloroquin

200mg twice a week Zinc 5mg/day Vit D 6000iu/day VitC

Current Illness: HTN Hypothyroid hyperlipidemia

Preexisting Conditions: see above Breast Cancer 1993

Allergies: cipro

Diagnostic Lab Data: 01/14/2021 EKG (STEMI), CXR, admission to hospital (3 day total), emergency heart catheterization and stent placement, (complete blockage of right coronary artery), echocardiogram (01/14/2021..."Systolic function was at the lower limits of normal. EF 50% - 55%. Hypokinesis of the inferior myocardium. Grade 1 diastolic dysfunction")

CDC Split Type:

Write-up: On 01/13/2021 at about 11pm I began having pain in both arms and across my chest. Also nausea and vomiting. At midnight I went to the Emergency room and was diagnosed with a heart attack, underwent emergency catheterization and stent placement. I had complete occlusion of the right coronary artery

VAERS ID: 952677 (history)
Form: Version 2.0

Age: 60.0
Sex: Male
Location: New York

Vaccinated: 2021-01-07 **Onset:** 2021-01-11

Days after vaccination: 4

Submitted: 0000-00-00 **Entered:** 2021-01-18

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	011J20A / 1	RA / IM

Administered by: Private Purchased by: ?

Symptoms: Condition aggravated, Deep vein thrombosis, Gait disturbance, Pain in extremity, Ultrasound scan

SMQs:, Peripheral neuropathy (broad), Anticholinergic syndrome (broad), Embolic and thrombotic events, venous (narrow), Parkinson-like events (broad), Thrombophlebitis (broad), Guillain-Barre syndrome (broad), Tendinopathies and ligament disorders (broad), Hypoglycaemia (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? Yes

ER Visit? No.

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications: Valsartan 160mg daily Alfuzosin 10mg daily Aspirin 81mg daily

Current Illness: None

Preexisting Conditions: High Blood Pressure BPH DVT on June 6, 2016

Allergies: None

Diagnostic Lab Data: Sonogram on 1/14/2021

CDC Split Type:

Write-up: DVT in right leg 4 days after injection, severe pain in thigh/calf, difficulty walking Placed on Xarelto 15mg 2X daily for 21 days and then 20mg daily for 9 days. Next Doctor visit is 1/26/2021 at 9:00am Next scheduled Covid 19 vaccine is scheduled for 2/5/2021 at 7:15am

VAERS ID: <u>952707</u> (history) Version 2.0 Form:

38.0 Age: Sex: Male

Location: **New Hampshire**

Vaccinated: 2021-01-14 **Onset:** 2021-01-15

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-18

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / 1	- / IM

Administered by: Private Purchased by: ?

Symptoms: Anaphylactic reaction, Dyspnoea, Swollen tongue, Urticaria

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Anaphylactic/anaphylactoid shock conditions (narrow), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes Birth Defect? No Died? No Permanent Disability? No Recovered? Yes Office Visit? No ER Visit? No ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: colchicine

Current Illness: None

Preexisting Conditions: Gout

Allergies: NKDA Diagnostic Lab Data: CDC Split Type:

Write-up: Anaphylaxis (urticaria, tongue swelling, subjective difficulty breathing) starting approx. 24hrs first moderna dose. No prior episodes of anaphylaxis/allergic rxn. Treated with Benadryl 100mg PO (prior to arrival, pt administered), famotidine 20mg IV, Epinepherine 0.3mg IM. Monitored in ED, complete resolution of symptoms, discharged home.

VAERS ID: 952782 (history)

Form: Version 2.0

Age: 29.0
Sex: Female
Location: Illinois

Vaccinated: 2021-01-09 **Onset:** 2021-01-12

Days after vaccination: 3

Submitted: 0000-00-00 **Entered:** 2021-01-18

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / UNK	-/-

Administered by: Private Purchased by: ?

Symptoms: Cardiac ventriculogram left normal, Catheterisation cardiac normal, Chest pain,

Troponin increased

SMQs:, Myocardial infarction (narrow), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Cardiomyopathy (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No

ER Visit? No

ER or Doctor Visit? No Hospitalized? Yes, 1 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: MVI, Desvenlafaxine, Desogestrel-Ethinyl Estradiol

Current Illness:

Preexisting Conditions: n/a

Allergies: n/a

Diagnostic Lab Data: Troponin 1.770 @ 0722 Tropoinin 3.24 @ 0922 Patient taken to cath lab on 1/12 s/p left heart cath with no angiographic evidence of obstructive CAD or dissection. Normal ventricle on LV gram. Patient to have o/p MRI done to rule out myocarditis ****cannot confirm which brand COVID vaccine she received****

CDC Split Type:

Write-up: Patient presented to ED with complaint of chest pain, radiating down left arm, not relieved with Tums. Symptoms started at 0530 1/12/2020. Patient presented to ED b/c of strong family history of CAD, with father having MI in his 50s.

VAERS ID: 952803 (history)
Form: Version 2.0

Age: 47.0
Sex: Female
Location: Florida

Vaccinated: 2021-01-15

Onset: 2021-01-15

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-18

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL3248 / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Abdominal pain, Asthenia, Dizziness, Electrocardiogram normal, Feeling cold, Headache, Heart rate increased, Lip pruritus, Lip swelling, Pharyngeal swelling, Swelling, Swelling, Tremor, Vision blurred

SMQs:, Anaphylactic reaction (narrow), Acute pancreatitis (broad), Angioedema (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Retroperitoneal fibrosis (broad), Parkinson-like events (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Noninfectious encephalopathy/delirium (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Haemodynamic oedema, effusions and fluid overload (narrow), Glaucoma (broad), Lens disorders (broad), Retinal disorders (broad), Vestibular disorders (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad), Dehydration (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? No

Previous Vaccinations: Other Medications: None Current Illness: None

Preexisting Conditions: None

Allergies: None

Diagnostic Lab Data: EKG, blood pressure, pulse, pulse ox all performed by firemen

rescue staff at around 630pm on the evening of the day I received the vaccine

CDC Split Type:

Write-up: I was vaccinated at 3:30pm . At 5:27pm while driving home i felt a cold sensation in the back of my neck and back of my throat which began spreading to the back of my head . My heart felt as if I was startled by something. I looked at my smart watch and my heart rate was 145. I began trembling and having abdominal cramping . The back of my head felt like I had swelling or collection of fluid. I opened my windows and began taking slow deep breaths to bring down my heart rate . It took quite a while to get it below 100. I felt as if I was going to pass out. After deep breathing for what felt like atleasr 15 to 20 minutes , my pulse came down and I closed my windows . As soon as my body warmed back up in the car , the symptoms returned and my heart rate went back up to 130s , 140s . I had to keep my windows down and deep breathe the entire way home which took an hour . My body was trembling. When I got home I felt as if I was too week to get out of the car . I still felt that startled feeling in my heart and was afraid of what could happen next . My lips and face were

swollen. My lips were also slightly itchy. I called 911 for help . By the time they arrived my vital signs had stabilized but I still had swelling in my face and lips . My EKG , vital signs and oxygen levels checked out normal so I did not go to the ER. That night I took benadryl and Tylenol. Day 2 post vaccine the collection of fluid or swelling in the back of my head had now spread to the top . That night I had the feeling that my throat was swelling do I took benadryl and Tylenol and my face and lips were still slightly swollen . Day 3 post vaccine I woke up with slightly blurry vision. The swelling in my head now feels like it has encompassed my entire head and have a slight headache. I went to the urgent care requesting an MRI of the head and an epi pen . I was given Medrol dose pack , an RX for epi pen for emergencies and advised to continue benadryl and Tylenol. Day 4 post vaccine, slight headache continues. Slightly blurry vision

VAERS ID: 953333 (history)
Form: Version 2.0

Age: 81.0
Sex: Male
Location: Unknown

 Vaccinated:
 2021-01-12

 Onset:
 2021-01-12

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-18

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / UNK	-/-

Administered by: Unknown Purchased by: ?

Symptoms: Anal incontinence, Blood culture, Chest X-ray normal, Culture stool, Culture urine, Diarrhoea, Sepsis, Urinary incontinence, Urine analysis normal, Vomiting, White blood cell count increased

SMQs:, Acute pancreatitis (broad), Neuroleptic malignant syndrome (broad), Pseudomembranous colitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Noninfectious diarrhoea (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Sepsis (narrow), Opportunistic infections (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, 3 days
Extended hospital stay? No
Previous Vaccinations:
Other Medications:

Preexisting Conditions:

Allergies:

Current Illness:

Diagnostic Lab Data: 1/16/20- wbc 29k cxr, urine unremarkable

CDC Split Type:

Write-up: patient began with vomiting and diarrhea the day after administration, leading to bowel and urine incontinence. patient was hospitalized on 01/16/20 with sepsis. no origin discovered yet. still waiting on blood/urine/stool cultures.

VAERS ID: 953397 (history)
Form: Version 2.0

Age:

 Sex:
 Unknown

 Location:
 Unknown

 Vaccinated:
 0000-00-00

 Onset:
 0000-00-00

 Submitted:
 0000-00-00

 Entered:
 2021-01-18

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	025J20A / 1	LA / SC

Administered by: Unknown Purchased by: ?

Symptoms: <u>Blister, Headache, Herpes zoster, Immune thrombocytopenia, Platelet count decreased</u>

SMQs:, Severe cutaneous adverse reactions (broad), Haematopoietic thrombocytopenia (narrow), Haemorrhage terms (excl laboratory terms) (narrow), Systemic lupus erythematosus (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Opportunistic infections (broad), Immune-mediated/autoimmune disorders (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? Yes. 4 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions:

Allergies:

Diagnostic Lab Data: CBC: platelet 70 in ER 01/16/2021 Platelet 29 01/17/2021 After steroid

treatment going up to 45 01/18/2021

CDC Split Type:

Write-up: 1day after vaccine, developed severe headache & later blister in head officially Shingle. Then decreased platelet count fatally to 29(ITP).now hospitalized getting treatment.

VAERS ID: 953402 (history)
Form: Version 2.0

Age: 45.0 Sex: Female

Location: North Dakota

Vaccinated: 2021-01-15 **Onset:** 2021-01-15

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-18

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / 1	- / IM

Administered by: Public Purchased by: ?

Symptoms: Anxiety, Immediate post-injection reaction, Throat tightness

SMQs:, Anaphylactic reaction (broad), Angioedema (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Hypersensitivity (narrow), Hypoglycaemia (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:
Other Medications: Unknown
Current Illness: Unknown

Preexisting Conditions: Unknown

Allergies: Imitrex

Diagnostic Lab Data: Epi given

CDC Split Type:

Write-up: Was feeling anxious right after vaccine given. Laid in cot for a short time, then stated her throat felt like it was closing.

VAERS ID: 953404 (history)
Form: Version 2.0

Age: 70.0
Sex: Male
Location: Florida

 Vaccinated:
 2021-01-09

 Onset:
 2021-01-11

Days after vaccination: 2

Submitted: 0000-00-00 **Entered:** 2021-01-18

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	089K20DA / 1	RA / IM

Administered by: Private Purchased by: ? Symptoms: Platelet count decreased, Rash

SMQs:, Anaphylactic reaction (broad), Haematopoietic thrombocytopenia (narrow), Systemic lupus erythematosus (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? Yes ER Visit? No

ER or Doctor Visit? No Hospitalized? Yes, 1 days Extended hospital stay? No

Previous Vaccinations:

Other Medications: Lipitor Synthroid Vit C D zinc

Current Illness: None Preexisting Conditions: ITP

Allergies: Penicillin

Diagnostic Lab Data: Blood wool Platelets dropped to 123

CDC Split Type:

Write-up: Severe rash. Platelets drop to almost needing transfusion

VAERS ID: 953630 (history)
Form: Version 2.0

Age: 49.0 Sex: Unknown

Location:

Vaccinated: 2021-01-17 **Onset:** 2021-01-17

California

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-18

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	025J20-2A / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Allergy to vaccine, Cheilitis, Dysphonia, Laboratory test, Obstructive airways

disorder, Rash, SARS-CoV-2 test positive, Tremor

SMQs:, Anaphylactic reaction (broad), Angioedema (broad), Asthma/bronchospasm (broad), Neuroleptic malignant syndrome (broad), Parkinson-like events (broad), Noninfectious

encephalopathy/delirium (broad), Eosinophilic pneumonia (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad), Infective pneumonia (broad), Dehydration (broad), Opportunistic infections (broad), COVID-19 (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations: Had the same type of rash/reactions to Chloroquine, which shares

the Polyethylene glycol component with the Covid vaccione

Other Medications: VITAMIN D, C, AND ZINC

Current Illness: I had Covid 19 at the time the vaccine was administered, I tested positive

that same night.

Preexisting Conditions: Non

Allergies: I"M ALLERGIC TO DG6 OR MOST LIKELY IODINE, AND TO CHLOROQUINE WHICH HAS Polyethylene_glycol, A COMPONENT OF MODERNA COVID VACCIONE. I DID NOT KNOW ABOUT THIS COMPONENT. I WAS ASKED IF I HAD ADVERSE REACTIONS TO COMPONENTS IN THE MODERNA VACCIONE BUT I WAS ASKED IF I

HAD ADVERSE REACTIONS TO CHOLOROQUINE. **Diagnostic Lab Data:** I have them, to large to add here.

CDC Split Type:

Write-up: 1) Skin rash over 80% of my body including, face and lips; started to change my voice sound and started to compromise my airways. 2) Uncontrollable shakes, but not sure if this was related to Covid-19 itself. Was given steroids via injection into my blood stream, within minutes the shakes stopped and within 2 hours the rash was gone.

VAERS ID: <u>953888</u> (history)

Form: Version 2.0

Age: 34.0
Sex: Male
Location: Texas

Vaccinated: 2020-12-22 **Onset:** 2021-01-09

Days after vaccination: 18

 Submitted:
 0000-00-00

 Entered:
 2021-01-18

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL0140 / 1	LA / IM

Administered by: Private **Purchased by:** ?

Symptoms: Cardiac telemetry abnormal, Chest discomfort, Dizziness, Dyspnoea,

Echocardiogram, Electrocardiogram abnormal, Orthostatic hypotension, Palpitations, Scan

myocardial perfusion normal, Ventricular extrasystoles, Vision blurred

SMQs:, Anaphylactic reaction (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Ventricular tachyarrhythmias (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Glaucoma (broad), Cardiomyopathy (broad), Lens disorders (broad), Retinal disorders (broad), Vestibular disorders (broad), Hypoglycaemia (broad), Dehydration (broad), Hypokalaemia (broad)

Life Threatening? Yes

Birth Defect? No

Died? No.

Permanent Disability? No

Recovered? No

Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? Yes, 1 days

Extended hospital stay? No

Previous Vaccinations: A day following COViD vaccine on 12/23/2020 had arm soreness,

chills and generalized body aches.

Other Medications: Current Illness:

Preexisting Conditions: Prediabetes

Allergies:

Diagnostic Lab Data: Urgent care visit with EKG showing PVCs Hospitalized on 1/13/2021 complaining of palpitations, SOB and chest tightness when 24 hours telemetry was obtained and confirmed PVCs. Nuclear stress test did not show any CAD. Transthoracic echo didn?t show structural abnormality. Orthostatic vitals was strongly positive. Was discharged on 1/14/2021 and started on Diltiazem, Asprin, and Statin. Till today, I still have the symptoms despite have been taking all my medications. I have never diagnosed with any cardiac disease in the past.

CDC Split Type:

Write-up: PVCs with compensatory pauses, postural orthostatic hypotension associated with chest tightness, shortness of breath, dizziness and blurry vision

VAERS ID: 953997 (history)
Form: Version 2.0

Age: 23.0
Sex: Female
Location: Georgia

 Vaccinated:
 2021-01-18

 Onset:
 2021-01-18

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-18

Vaccination / Manufacturer Lot / Dose Site / Route COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA 013L20A / 1 LA / IM

Administered by: Pharmacy Purchased by: ?

Symptoms: Flushing, Hypoaesthesia oral, Immediate post-injection reaction, Malaise,

Pharyngeal swelling, Swollen tongue

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes **Birth Defect?** No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:
Other Medications: NONE
Current Illness: NONE

Preexisting Conditions: NONE

Allergies: NONE
Diagnostic Lab Data:
CDC Split Type:

Write-up: WITHIN 30 SECONDS OF RECEIVING VACCINE PATIENT STATED THAT SHE DID NOT FEEL WELL. HER FACE BECAME FLUSHED. HER LIPS BECAME NUMB AND HER TONGUE AND THROAT STARTED SWELLING. AN EPIPEN WAS ADMINISTERED AND 911 CALLED. AFTER THE EPIPEN SYMPTOMS BEGAN TO RESOLVE. EMS CHECKED HER OUT AND SHE REFUSED TRANSPORT.

VAERS ID: 954154 (history)
Form: Version 2.0

Age: 45.0
Sex: Female
Location: Texas

Vaccinated: 2021-01-17 **Onset:** 2021-01-17

Days after vaccination: 0

 Submitted:
 0000-00-00

 Entered:
 2021-01-18

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	041L20A / 2	RA / IM

Administered by: Private Purchased by: ?

Symptoms: Body temperature increased, Flushing, Hypersensitivity, Injection site pain, Injection site swelling, Pain, Pharyngeal swelling, Sleep disorder, Swelling face

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Neuroleptic malignant syndrome (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Extravasation events (injections, infusions and implants) (broad), Haemodynamic oedema, effusions and fluid overload (narrow), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Birth Defect? No

Died? No.

Permanent Disability? No

Recovered? Yes Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Nature Thyroid, HCTZ, Vitamin D, Multivitamin, Vitamin C, Quercetin,

Turmeric, CO Q10
Current Illness: None

Preexisting Conditions: Hypothyroid, hypertension

Allergies: None

Diagnostic Lab Data: None

CDC Split Type:

Write-up: 8 hours after vaccine severe injection site pain/swelling, severe body aches, 101.0 temp. 16 hours after vaccine woke up from sleeping with flushed skin, facial swelling, and throat swelling. I immediately took 100mg of Benadryl and went to hospital emergency room. Approximately 30-40 minutes later symptoms started to lessen. Once at the ER, at the same time symptoms began to resolve, I was given PO Solumedrol and Pepcid. I was monitored and then discharged with RX for prednisone, and EPIPEN (to use if needed). No other issues with allergic reaction. Mild injection site soreness, mild body aches, 99.3 temp persist at 36 hours post injection.

VAERS ID: 954265 (history)
Form: Version 2.0

Age: 27.0

Sex: Female

Location: Delaware

Vaccinated: 2021-01-13 **Onset:** 2021-01-15

Days after vaccination: 2

Submitted: 0000-00-00 **Entered:** 2021-01-18

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL1284 / 2	LA / IM

Administered by: Work Purchased by: ?

Symptoms: Anxiety, Fatigue, Hypersensitivity, Influenza like illness, Pain in extremity, Paraesthesia, Pruritus, Urticaria

SMQs:, Anaphylactic reaction (broad), Angioedema (narrow), Peripheral neuropathy (broad), Guillain-Barre syndrome (broad), Hypersensitivity (narrow), Tendinopathies and ligament disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad)

Life Threatening? Yes **Birth Defect?** No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Adderall 15 mg xr

Current Illness: ADD, gastric sleeve surgery, chronic sinusitis

Preexisting Conditions: Chronic sinusitis, ADD, history of diabetes but no longer diabetic (as

of 2019)

Allergies: None

Diagnostic Lab Data: None, just vital signs at clinic. I did take a blood pressure at home and

it was stable and my pulse was high normal for me. (80s)

CDC Split Type:

Write-up: Received shot Wednesday night, developed arm soreness and mild flu like symptoms on left side of my body and facial paresthesias on the left side of my face. Twelve hours later, after waking up those same symptoms were only on the right side of my body. Friday morning, mostly normal physically just with some overall fatigue. Friday afternoon I started to get hives on my chest and overnight into Saturday they were on my lower back, sides, and legs. I took 50 mg of Benadryl every 6-12 hours until Monday mid-day when Benadryl was not helping reduce the hives and so I had full body hives. I did try an drugstore cortisone cream which did not help. Sought treatment at an urgent care as I was feeling anxious and could not control the itching. I and was diagnosed with likely allergic reaction to the covid-19 vaccine.

VAERS ID: 954442 (history)
Form: Version 2.0

Age: 47.0
Sex: Female
Location: Kentucky

Vaccinated: 2020-12-28 **Onset:** 2020-12-30

Days after vaccination: 2

Submitted: 0000-00-00 **Entered:** 2021-01-19

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Angiogram pulmonary abnormal, Chest discomfort, Dyspnoea, Fibrin D dimer increased, Muscle tightness, Pulmonary embolism, SARS-CoV-2 test negative, Troponin increased

SMQs:, Anaphylactic reaction (broad), Haemorrhage laboratory terms (broad), Myocardial infarction (narrow), Embolic and thrombotic events, venous (narrow), Dystonia (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), COVID-19 (broad)

Birth Defect? No

Died? No.

Permanent Disability? No

Recovered? No Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Trintellix, Protonix, Singulair, Zyxal, Pulmicort, Trazodone, Melatonin

Current Illness: None

Preexisting Conditions: Protein C deficiency (no previous h/o clots), chronic cough,

hyperactive airway disease, GERD, depression/anxiety

Allergies: PCN - rash

Diagnostic Lab Data: 12/30/2020 - Elevated Ddimer \$g2000, troponins x 2 normal limits, COVID negative. CT angiogram of chest found right lower lobe pulmonary embolism.

CDC Split Type:

Write-up: Developed chest tightness around right side of chest into back and SOB 50.5 hours after vaccination. Went to local ER and found to have a right lower lobe pulmonary embolism. Treated with Xarelto and sent home with outpatient follow up.

VAERS ID: 954720 (history)
Form: Version 2.0

Age: 41.0
Sex: Male
Location: Maryland

Vaccinated: 2021-01-16 **Onset:** 2021-01-16

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-19

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL3248 / 1	LA / IM

Administered by: Public **Purchased by:** ?

Symptoms: Aphasia, Dizziness, Dysphagia, Laboratory test normal, Muscle tightness,

Nausea

SMQs:, Acute pancreatitis (broad), Anticholinergic syndrome (broad), Dementia (broad), Dystonia (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Conditions associated with central nervous system haemorrhages and cerebrovascular accidents (broad), Vestibular disorders (broad)

Life Threatening? Yes Birth Defect? No Died? No Permanent Disability? No

Recovered? Yes Office Visit? Yes ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Testosterone, Anastrozole, Crestor, Lisinopril, Aspirin, Multivitamin,

Vitamin C, Vitamin D, Zetia Current Illness: None

Preexisting Conditions: Sleep apnea, CAD, pituitary microadenoma

Allergies: None known, seasonal allergies only

Diagnostic Lab Data: Hospital drew basic labs, nothing abnormal was reported to me

CDC Split Type:

Write-up: 1/16/21, Covid vaccine injection at 12:09 PM Minute 1: dizzy and light headed (like drinking a beer on an empty stomach) Minute 10: Nausea Minutes 23-25: Neck tightness (like doing unsupported crunches and holding my head up) Minute 27: Inability to swallow and inability to speak EMS on site administered EpiPen auto-injection to left thigh, immediate improvement in symptoms Transport to hospital via ambulance Hospital monitored me for several hours and discharged same day

VAERS ID: 954723 (history)
Form: Version 2.0

Age: 56.0
Sex: Female
Location: New York

Vaccinated: 2021-01-15 **Onset:** 2021-01-15

Days after vaccination: 0

 Submitted:
 0000-00-00

 Entered:
 2021-01-19

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	-/2	LA / IM

Administered by: Work Purchased by: ?

Symptoms: Dyspnoea, Headache, Hypoaesthesia oral, Paraesthesia oral, Pruritus, Urticaria **SMQs:**, Anaphylactic reaction (narrow), Angioedema (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Cardiomyopathy (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? Yes

ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications: multi viamin Current Illness: pancreatitis

Preexisting Conditions: gerds, hernia, asthma

Allergies: pineapple, bee sting

Diagnostic Lab Data: CDC Split Type:

Write-up: itching, hives, short of breath, numbness and tingling to lips with hives to bottom.

headache.

VAERS ID: 954804 (history)
Form: Version 2.0

Age: 48.0 Sex: Female

Location: Massachusetts

Vaccinated: 2021-01-08 **Onset:** 2021-01-10

Days after vaccination: 2

 Submitted:
 0000-00-00

 Entered:
 2021-01-19

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / 1	LA / IM

Administered by: Work Purchased by: ?

Symptoms: Blood test, Chest X-ray, Chills, Computerised tomogram, Dyspnoea, Pain, Pain in extremity, Peripheral swelling, Pulmonary embolism, Pyrexia, Skin warm, Thrombosis, Ultrasound scan

SMQs:, Cardiac failure (broad), Anaphylactic reaction (broad), Angioedema (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), Embolic and thrombotic events, venous (narrow), Thrombophlebitis (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Extravasation events (injections, infusions and implants) (broad), Haemodynamic oedema, effusions and fluid overload (narrow), Cardiomyopathy (broad), Tendinopathies and ligament disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 4 days
Extended hospital stay? No
Previous Vaccinations:

Other Medications: Mvi and vitamin C

Current Illness: None

Preexisting Conditions: None Allergies: Acetaminophen

Diagnostic Lab Data: Blood work, chest x-ray, leg ultrasound and CT scan

CDC Split Type:

Write-up: Started with severe chills, body aches and feverish. The. Slight leg pain which worsened with time, swelling on the right leg calf, warm to touch and difficulty breathing. Got hospitalized on 1/16 21 with multiple clots in my right leg and clot in the lung. Still in the hospital now.

VAERS ID: 955096 (history) Form: Version 2.0

50.0 Age: Sex: **Female** Location: Kentucky

Vaccinated: 2021-01-01 2021-01-16 Onset:

Days after vaccination: 15

Submitted: 0000-00-00 2021-01-19 **Entered:**

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / UNK	-/-

Administered by: Other **Purchased by: ?**

Symptoms: Acute kidney injury, Liver injury, Transplant evaluation

SMQs:, Rhabdomyolysis/myopathy (broad), Acute renal failure (narrow), Hepatic failure, fibrosis and cirrhosis and other liver damage-related conditions (narrow), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (broad). Torsade de pointes, shockassociated conditions (broad), Hypovolaemic shock conditions (broad), Toxic-septic shock conditions (broad), Anaphylactic/anaphylactoid shock conditions (broad), Hypoglycaemic and neurogenic shock conditions (broad), Accidents and injuries (narrow), Tumour lysis syndrome (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Dehydration (broad)

Life Threatening? Yes Birth Defect? No. Died? No Permanent Disability? No Recovered? No Office Visit? No ER Visit? No. ER or Doctor Visit? No Hospitalized? Yes, 2 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Bactrim Acetaminophen

Current Illness: None

Preexisting Conditions: None

Alleraies: None **Diagnostic Lab Data: CDC Split Type:**

Write-up: Acute liver injury requiring transplant evaluation and acute kidney injury

VAERS ID: <u>955374</u> (history) Version 2.0 Form:

37.0 Age: Sex: **Female** Location: California

Vaccinated: 2021-01-14 2021-01-14 Onset:

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-19

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	PZL1283 / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Anxiety, Chest discomfort, Discomfort, Dysphagia, Erythema, Fatigue, Glossodynia, Hypertrophy of tongue papillae, Immediate post-injection reaction, Pruritus, Swelling, Swollen tongue, Tachycardia, Urticaria

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Haemodynamic oedema, effusions and fluid overload (narrow), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad), Dehydration (broad)

Life Threatening? Yes Birth Defect? No Died? No Permanent Disability? No Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations: red hot swollen with the flu shot that has preservatives Other Medications: IBU, plaguenil stopped approximately 3 weeks prior to vaccine.

Current Illness:

Preexisting Conditions: Lupus, asthma, allergies, migraines

Allergies: shellfish or anything shellfish derived any fish- anaphylaxis, Imitrex- stroke like reaction, mustard - rash and tongue raw, PCN, Erythromycin, amoxicillin - rash and hives, codeine - airway narrowed, Benadryl - secondary rash, sulfa - anaphylaxis. Diagnostic Lab Data: no tests or labs. Was seen in the ED on 1/16/21 **CDC Split Type:**

Write-up: Felt tachycardia immediately, thought she was anxious. After 35-45 minutes she felt like she was having a hard time swallowing which progressed to tongue swelling, all taste buds popped up and sore, hives on face & neck, reddened face. Itchy neck and face. Took double dose of Atarax and went to bed. Felt extremely fatigued unsure if double dose of Atarax. Woke with swelling all over body. Woke up feeling heaviness as if she had "sumo wrestler" on her body. 24 hours post vaccine heaviness started to lift but felt as if she had a vise on her lungs. Continuing to take Atarax every 6 hours per MD order.

VAERS ID: 955478 (history) Form: Version 2.0

81.0 Age: Sex: **Female**

Location: North Carolina

Vaccinated: 2021-01-15 2021-01-15 Onset:

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-19

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	025J20A / 1	LA / IM

Administered by: Senior Living **Purchased by: ?**

Symptoms: Anaphylactic reaction

SMQs:, Anaphylactic reaction (narrow), Anaphylactic/anaphylactoid shock conditions

(narrow), Hypersensitivity (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No.

Permanent Disability? No

Recovered? Yes Office Visit? No. ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions: Allergies: No known allergies

Diagnostic Lab Data: **CDC Split Type:**

Write-up: Systemic: Anaphylaxis-Severe; symptoms lasted 1 day

VAERS ID: 955491 (history)

Form: Version 2.0

Age: 48.0 Sex: Female

Location: North Carolina

Vaccinated: 2021-01-15 **Onset:** 2021-01-15

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-19

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	012L20A / 1	AR / SC

Administered by: Senior Living Purchased by: ?

Symptoms: Anaphylactic reaction, Seizure

SMQs:, Anaphylactic reaction (narrow), Systemic lupus erythematosus (broad), Anaphylactic/anaphylactoid shock conditions (narrow), Convulsions (narrow), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Generalised convulsive seizures following immunisation (narrow), Hypersensitivity (narrow), Hypoglycaemia (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions:
Allergies: unknown
Diagnostic Lab Data:
CDC Split Type:

Write-up: Systemic: Anaphylaxis-Severe, Systemic: Seizure-Severe

VAERS ID: 955565 (history)
Form: Version 2.0

Age: 19.0
Sex: Female
Location: Ohio

Vaccinated: 2021-01-07 **Onset:** 2021-01-14

Days after vaccination: 7

Submitted: 0000-00-00 **Entered:** 2021-01-19

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	011L20A / 1	LA / IM

Administered by: Other Purchased by: ?

Symptoms: Abdominal distension, Activated protein C resistance test positive, Coagulation test, Computerised tomogram abdomen, Constipation, Deep vein thrombosis, Electrocardiogram, Erythema, Faecaloma, Flank pain, Laboratory test, May-Thurner syndrome, Oedema peripheral, Pain in extremity, Prothrombin level increased, Thrombectomy, Urinary retention, Vascular test, Venogram, Venous stent insertion SMQs:, Cardiac failure (broad), Anaphylactic reaction (broad), Acute pancreatitis (broad), Angioedema (broad), Anticholinergic syndrome (broad), Retroperitoneal fibrosis (broad), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), Embolic and thrombotic events, venous (narrow), Thrombophlebitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Haemodynamic oedema, effusions and fluid overload (narrow), Hypersensitivity (broad), Tendinopathies and ligament disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 3 days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: Benztropine Mesylate 1 mg. by mouth twice daily clozapine 50 mg. by mouth daily at 0700 and 1600, 100 mg. daily by mouth at 8 p.m. (200 mg. total daily) Junel 1-20, one tablet by mouth once daily Ativan 0.5 mg. by mouth three times daily

Current Illness: Patient was actively being treated for Bipolar disorder with most recent episode depression, Anxiety disorder, ADHD, Oppositional Defiant disorder, Autism Spectrum Disorder, Fetal Alcohol Syndrome, Intermittent Explosive Disorder, a history of Pseudoseizures, and insomnia. She has Alopecia Areata, and allergic rhinitis, and constipation. She has a history of left eye strabismus and uses glasses. She has not been acutely ill prior to vaccination.

Preexisting Conditions: See above, history also of right radial neck fracture in 2019 with ORIF repair. Living at Center for behavioral management and stabilization

Allergies: Ideopathic reaction to clonidine and benadryl - Awake for days after use Risperdal causes Aggression No true allergies

Diagnostic Lab Data: Vascular studies venogram with radiology review and interpretation CT of Abd. and Pelvis Left Hip and Pelvis EKG Labs - including coagulation studies Stint insertion into Left Iliac vein

CDC Split Type:

Write-up: One week after the shot (1-14-2021) Patient (19 y.o.) reported side pain and appeared constipated, Laxatives given along with Tylenol, on further assessment Patient was noted to have left leg redness and abdominal fullness. Dr. was updated and we had orders for close monitoring, the next day when she got up, her leg appeared better, and she had passed a small BM, but by lunch she had developed significant pain and edema in her left leg, and the color of her leg was reddened again. She was sent to the emergency room with her symptoms. She was admitted back to our facility yesterday, her diagnoses included Acute

provoked left external illiac, femoral, popliteal, and peroneal DVT. Elevated Factor II levels, Elevated APC resistant, May-Thurner Syndrome, history of developmental disabilities, fecal impaction and urinary retention - suspected related to her fecal impaction. Vascular surgery was consulted, and pt. was started on a heparin drip, and mechanical thrombectomy was needed for both legs due to multiple clots. She was started on Eliquis and Plavix, and thigh high compression stockings were ordered, ace wraps being used until these are supplied. Her Fecal impaction was addressed also and the urinary retention resolved.

VAERS ID: 955945 (history)
Form: Version 2.0

Age: 53.0 Sex: Female

Location: Massachusetts

Vaccinated: 2021-01-14 **Onset:** 2021-01-15

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-19

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	012L20A / 1	LA / IM

Administered by: Public Purchased by: ?

Symptoms: Atrial fibrillation, Chest X-ray abnormal, Chills, Condition aggravated,

<u>Electrocardiogram abnormal, Feeling abnormal, Feeling cold, Heart rate increased, Influenza virus test negative, Laboratory test, Pneumonia, Pyrexia, SARS-CoV-2 test negative, Speech disorder</u>

SMQs:, Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Supraventricular tachyarrhythmias (narrow), Dementia (broad), Psychosis and psychotic disorders (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Infective pneumonia (narrow), Dehydration (broad), COVID-19 (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, 3 days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: No medications

Current Illness: None

Preexisting Conditions: obesity, afib, covid 19 in March 2020

Allergies: No known allergies

Diagnostic Lab Data: ekg 1/15/21 afib 160 heart rate chest xray, evidence of pneumonianew or related to prior Covid 19 illness in March of 2020? covid 19 and flu test, negative

multiple lab tests CDC Split Type:

Write-up: a couple hours after the vaccine, I experienced a bit of rapid heart rate, which resolved after a few minutes. The following day around 3 pm I began to have chills and felt like I had the raid heart rate again. By 5 pm I was beginning to feel really bad, I was freezing, chills and my heart rate was now extremely fast, I was having trouble speaking complete sentences, my husband drove me to the emergency department. I had a very high heart rate and high fever, I was admitted and in the hospital until Sunday afternoon. The diagnosis was pneumonia, I don't really believe this, as I felt fine and had no symptoms prior to the onset of the fever.

VAERS ID: 955966 (history)
Form: Version 2.0

Age: 31.0
Sex: Female
Location: Ohio

 Vaccinated:
 2021-01-05

 Onset:
 2021-01-05

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-19

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL1283 / 1	LA / IM

Administered by: Military **Purchased by:** ?

Symptoms: Anaphylactic reaction, Blood pressure increased, Laboratory test, Lip swelling, Paraesthesia, Paraesthesia oral, Peripheral swelling, Pruritus, Tachycardia, Urticaria SMQs:, Cardiac failure (broad), Anaphylactic reaction (narrow), Angioedema (narrow), Peripheral neuropathy (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Anaphylactic/anaphylactoid shock conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Extravasation events (injections, infusions and implants) (broad), Haemodynamic oedema, effusions and fluid overload (narrow), Hypertension (narrow), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Dehydration (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? No
Previous Vaccinations:

Other Medications: Tri-sprintec (oral birth control), Epi-pen (prn anaphylaxis)

Current Illness: None

Preexisting Conditions: Exercise induced Anaphylaxis Iron deficiency Anemia PTSD

Allergies: Anaphylaxis to exercise

Diagnostic Lab Data: Unknown results to labs in ED

CDC Split Type:

Write-up: Anaphylaxis less than two hours after vaccination. I had no symptoms immediately after vaccine however did develop symptoms within one minute of completing a run. Developed b/I hand swelling and tingling, diffuse hives and itching, tachycardia, elevated blood pressure, lips tingling and swelling which required emergency room visit and EpiPen, IV fluids, Benadryl and IV steroids. This is similar to previous reactions I have had to running previously. Symptoms resolved within one hour after treatment in ED.

VAERS ID: 955968 (history)
Form: Version 2.0

Age: 61.0
Sex: Female
Location: Texas

Vaccinated: 2021-01-14 **Onset:** 2021-01-15

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-19

Vaccina	ation / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (C	OVID19 (MODERNA)) / MODERNA	025L20A / 1	RA / SYR

Administered by: Other Purchased by: ?

Symptoms: Carbon dioxide decreased, Condition aggravated, Dehydration, Diabetic ketoacidosis, Dyspnoea, Electrolyte imbalance, Headache, Intensive care, Nausea, Pain, Vomiting

SMQs:, Anaphylactic reaction (broad), Acute pancreatitis (broad), Hyperglycaemia/new onset diabetes mellitus (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Dehydration (narrow), Immune-mediated/autoimmune disorders (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 4 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Probiotic Culturelle; Centrum Silver vitamins; Vitamin D3 x 2; Farxiga 10; Melatonin 5mg as needed; aspirin 81mg; Atorvastatin 20 mg; Omerprazole 40mg; Tresiba 7

units daily; Ozempic 50 units weekly; Fiasp 5 units as needed with meals

Current Illness: None

Preexisting Conditions: Diabetes 1.5

Allergies: None

Diagnostic Lab Data: 1/16/2021 ... Co2 blood tests (bicarbonate) was less than 1.0

CDC Split Type:

Write-up: Severe headaches, vomiting, dehydration, shortness of breath ... led to trip to Emergency Room at Hospital on 1/16/21 at 10:45 am; diagnosis for treatment was Diabetic Ketoacidosis (DKA); patient was admitted to ICU to address critical fluid and electrolyte imbalances, headaches, body aches, dehydration, nausea, shortness of breath. DKA is medical emergency.

VAERS ID: 956504 (history)
Form: Version 2.0

Age: 27.0
Sex: Female
Location: Florida

Vaccinated: 2021-01-16 **Onset:** 2021-01-16

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-19

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	039K20A / 1	-/-

Administered by: Private Purchased by: ?

Symptoms: Cardiac function test, Cyanosis, Differential white blood cell count, Dizziness, Dyspnoea, Full blood count, Metabolic function test, Tachycardia

SMQs:, Anaphylactic reaction (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Vestibular disorders (broad), Hypotonic-hyporesponsive episode (broad), Dehydration (broad)

Life Threatening? Yes Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes
Hospitalized? Yes, 1 days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: Ativan, Paxil, Birth control pills

Current Illness:

Preexisting Conditions: anxiety

Allergies: Moderna covid vaccine (new allergy); Shellfish-derived

Diagnostic Lab Data: 1/16/2021: Cardiac profile, basic metabolic panel, CBC w/ differential

CDC Split Type:

Write-up: 27-year-old female with past medical history of anxiety, allergic to shellfish, presented for COVID-19 vaccination, developed shortness of breath after COVID-19 Moderna injection, felt lightheadedness and noted with cyanosis as per nursing, received epinephrine injection and transferred to ED. In ED she received solumedrol, benadryl and pepcid. Vitals in the ER Revealed tachycardia HR 95-105, Sat 96% on room air not in distress. Patient was admitted for further observation

VAERS ID: 956527 (history)
Form: Version 2.0

Age: 37.0
Sex: Female
Location: Missouri

Vaccinated: 2021-01-15 **Onset:** 2021-01-15

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-19

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	012L20A / 1	RA / IM

Administered by: Private Purchased by: ?

Symptoms: <u>Blood pressure increased, Chest discomfort, Dizziness, Dyspnoea, Electrocardiogram normal, Feeling jittery, Headache, Hypersensitivity, Laboratory test, Myalgia, Oropharyngeal discomfort, Sensation of foreign body, Tremor</u>

SMQs:, Rhabdomyolysis/myopathy (broad), Anaphylactic reaction (broad), Angioedema (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Parkinson-like events (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Noninfectious encephalopathy/delirium (broad), Hypertension (narrow), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Vestibular disorders (broad), Hypersensitivity (narrow), Tendinopathies and ligament disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes

Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Cholecalciferol, hydroxychloroquine, propranolol, norethindrone/ethinyl

est/fe. folic acid.

Current Illness: None per patient **Preexisting Conditions:** HTN, RA **Allergies:** Ciprofloxacin, Tramadol

Diagnostic Lab Data: Patient states lab work and EKG performed at ER on Monday 1/18/21

returned "normal"

CDC Split Type:

Write-up: Patient called this nurse stating she had an allergic reaction to COVID vaccination given on Friday 1/15/21. States she felt fine for the 15 minutes post immunization, was on her way home and started feeling dizzy, short of breath, chest heavy, throat felt full "like a ball in it". She came back to clinic which was closed but sat in the parking lot for a while. While in parking lot trying to figure out what to do, her symptoms lessened. She got home safely but started to feel jittery/shaky and her BP was very high (couldn't remember exact number). She then went to urgent care where they told her she was having an allergic reaction and given a pill of something and steroid for 6 days. Went home from urgent care and BP still high but got better at bedtime. Saturday she had a "really bad headache and just layed around all day. I was not able to function at all." Sunday she still had a headache and added muscle aches. Monday she started feeling "a lot better" until 8 PM when she was walking around doing her nightly routine and started to feel a wave of dizziness, throat felt funny so she sat down and took her BP with result of 207/131. Says this reaction felt worse than Friday's reaction so she went to ER where she was again told she was having an allergic reaction and the steroid given to her at Urgent Care was not helping and to stop taking them. Given Benadryl in the waiting room, had labs and EKG which came back "normal", and given a different med Vistaril to take with any future symptoms. Was also told to NOT take the second dose of COVID vaccination. Says she has not had to take the Vistaril yet and has not had any sign of reaction today so far. Said she did report the initial headache on the V-safe app.

VAERS ID: 956543 (history)
Form: Version 2.0

Age: 55.0 Sex: Female

Location: Pennsylvania

Vaccinated: 2021-01-16 **Onset:** 2021-01-16

Days after vaccination: 0

 Submitted:
 0000-00-00

 Entered:
 2021-01-19

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / 1	- / IM

Administered by: Private **Purchased by:** ?

Symptoms: Angiogram cerebral, Arteriogram carotid, C-reactive protein, Chest X-ray, Chest pain, Dizziness, Full blood count, Hyperhidrosis, Hypertension, Hypoaesthesia, Laboratory test, Myocardial necrosis marker, Palpitations, Peripheral coldness

SMQs:, Peripheral neuropathy (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Guillain-Barre syndrome (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Hypertension (narrow), Cardiomyopathy (broad), Vestibular disorders (broad), Hypoglycaemia (broad), Sexual dysfunction (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Pristig Prolia Tylenol

Current Illness: none

Preexisting Conditions: IBS Depression Osteoporosis Spinal stenosis DJD

Hypercholesteremia Celiac disease Allergies: Sulfa Drugs, Adhesive

Diagnostic Lab Data: EKEx2 CBC, CHEM 12, CRP, Cardiac enzymes, Chest xray, CTA of

head ,neck

CDC Split Type:

Write-up: Sweating, severe dizziness, Chest pain Heart palpitations, Cold/numb arms hands,

Hypertension

VAERS ID: 956578 (history)
Form: Version 2.0

Age: 74.0

Sex: Female

Location: Louisiana

Vaccinated: 2021-01-10 **Onset:** 2021-01-11

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-19

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL0142 / 1	LA / SYR

Administered by: Private **Purchased by:** ?

Symptoms: Blood pressure decreased, Chills, Intensive care, Pyrexia, Sepsis **SMQs:**, Anaphylactic reaction (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Dehydration (broad), Sepsis (narrow), Opportunistic infections (broad)

Life Threatening? Yes

Birth Defect? No

Died? No.

Permanent Disability? No

Recovered? No

Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? Yes, 3 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Lomotil, Pantoprazole, Trametinib, Alprazolam, hydrocortisone cream,

doxycycline, immodium, clindamycin, multivitamin,

Current Illness: Diarrhea

Preexisting Conditions: Stage 4 Colon Cancer **Allergies:** Sulfa, Oxaliplatin, adhesive, irinotecan

Diagnostic Lab Data: You have my permission to access my medical records...l cannot

access all the tests and lab results performed on Jan 11 - 14, 2021

CDC Split Type:

Write-up: At approximately 4pm on Jan 11, 2021, I began to have hard chills and fever that reached 104.9. I was admitted to ICU at the Hospital. My blood pressure dropped to dangerous levels. I was diagnosed with sepsis and the doctors determined it was caused by the vaccine.

VAERS ID: 956597 (history)
Form: Version 2.0

Age: 90.0
Sex: Female
Location: Alabama

 Vaccinated:
 2021-01-18

 Onset:
 2021-01-19

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-19

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	042L20A / 1	RA / IM

Administered by: Public **Purchased by:** ?

Symptoms: Nausea, Pulmonary oedema, Pyrexia, Vomiting

SMQs:, Cardiac failure (narrow), Acute pancreatitis (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Haemodynamic oedema, effusions and fluid overload (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

En VISILE NO

ER or Doctor Visit? Yes Hospitalized? Yes, ? days Extended hospital stay? No

Previous Vaccinations:

Other Medications: Not known

Current Illness: none

Preexisting Conditions: none

Allergies: NKDA

Diagnostic Lab Data: done at Hospital -

CDC Split Type:

Write-up: Pulmonary Edema, fever, nausea, vomiting

VAERS ID: 956642 (history)
Form: Version 2.0

Age: 44.0
Sex: Female
Location: Colorado

Vaccinated: 2021-01-09 **Onset:** 2021-01-14

Days after vaccination: 5

Submitted: 0000-00-00 **Entered:** 2021-01-19

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK 9231 /	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Deep vein thrombosis, Ultrasound scan abnormal

SMQs:, Embolic and thrombotic events, venous (narrow), Malignancy related therapeutic and diagnostic procedures (narrow), Thrombophlebitis (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? Yes

ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications: birth contol (over 10 years same one) trazadone, wellbutrin celexa

Current Illness: none

Preexisting Conditions: none

Allergies: penicillins

Diagnostic Lab Data: ultrasound 1.14.2021

CDC Split Type:

Write-up: Visited Provider appx 500 pm 1.14.2021 DVT - left calf - 2 clots via ultrasound on

Eliquis now

VAERS ID: 956709 (history)
Form: Version 2.0

Age: 40.0
Sex: Female
Location: Texas

Vaccinated: 2021-01-08 **Onset:** 2021-01-15

Days after vaccination: 7

Submitted: 0000-00-00 **Entered:** 2021-01-19

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL 1283 / 1	LA / IM

Administered by: Military Purchased by: ?

Symptoms: Guillain-Barre syndrome, Intensive care, Plasmapheresis

SMQs:, Peripheral neuropathy (narrow), Guillain-Barre syndrome (narrow), Demyelination

(narrow), Immune-mediated/autoimmune disorders (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? Yes, 4 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions:

Allergies:

Diagnostic Lab Data:

CDC Split Type:

Write-up: Patient developed symptoms of Guillain-Barre syndrome on January 15, 2021 and was admitted the Hospital. She was diagnosed and eventually required ICU level care and has been treated with plasmapheresis. She is currently still in the ICU but is stable.

VAERS ID: 956870 (history)
Form: Version 2.0

Age: 47.0
Sex: Female
Location: California

Vaccinated: 2021-01-02 **Onset:** 2021-01-02

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-19

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EJ1686 / 1	LA / IM

Administered by: Senior Living Purchased by: ?

Symptoms: <u>Asthenia, Chills, Dizziness, Dyspnoea, Headache, Nausea, Pyrexia, SARS-CoV-2 test negative, Tachycardia</u>

SMQs:, Anaphylactic reaction (broad), Acute pancreatitis (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Vestibular disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Dehydration (broad), COVID-19 (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? Yes, 1 days

Extended hospital stay? No

Previous Vaccinations: Other Medications: N/A Current Illness: N/A

Preexisting Conditions: Migraines, ankle sprain, Sphincter of Oddi dysfunction, Irritable

Bowel Syndrome

Allergies: Atropine Sulfate, Sumatriptan Succinate

Diagnostic Lab Data: Covid Test Negative

CDC Split Type:

Write-up: Tachycardia, Shortness of breath, headache, dizzyness, weakness, chills, nausea,

fever

VAERS ID: 957091 (history)
Form: Version 2.0

Age: 72.0 Sex: Male

Location: North Carolina

Vaccinated: 2021-01-14 **Onset:** 2021-01-15

Days after vaccination: 1

 Submitted:
 0000-00-00

 Entered:
 2021-01-19

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / 1	LA / IM

Administered by: Military **Purchased by:** ?

Symptoms: Angiogram, Computerised tomogram, Magnetic resonance imaging, Unevaluable

event SMQs: Life Threatening? Yes

Birth Defect? No.

Died? No

Permanent Disability? No

Recovered? Yes

Office Visit? No

ER Visit? No

ER or Doctor Visit? No

Hospitalized? Yes, 2 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Lantis, Novolog, ferrous sulfate, metformin, juardance, eloquis,tamulosin, vitamin D3, Metropolol, lisinopril, atorvastatin,omeprazole, finesteride, potassium, centrum

50+

Current Illness: Removal of sebaceous cyst,

Preexisting Conditions: High blood pressure Diabetes Schizophrenia p Triple bypass Gerd

Allergies: Serentil

Diagnostic Lab Data: MRI MRA CT Scan

CDC Split Type:

Write-up: COVID-19 Vaccine

VAERS ID: 957282 (history)
Form: Version 2.0

Age: 62.0
Sex: Male
Location: Texas

 Vaccinated:
 2020-12-28

 Onset:
 2021-01-11

Days after vaccination: 14

Submitted: 0000-00-00 **Entered:** 2021-01-19

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / UNK	-/-

Administered by: School Purchased by: ?

Symptoms: Appendicitis

SMQs:

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? No

Hospitalized? Yes, 1 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Phenytoin olmesartan, sinvastarin

Current Illness: None

Preexisting Conditions: Hypertension controlled Temporal lobe epilepsy no seizures

Allergies: None
Diagnostic Lab Data:
CDC Split Type:

Write-up: Appendicitis

VAERS ID: 957555 (history) **Form:** Version 2.0

Age: 38.0
Sex: Male
Location: New York

 Vaccinated:
 1982-10-02

 Onset:
 2021-01-01

Days after vaccination: 13971

Submitted: 0000-00-00 **Entered:** 2021-01-20

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK5730 / 1	RA / IM

Administered by: Private Purchased by: ?

Symptoms: Angiogram pulmonary abnormal, Fibrin D dimer increased, Pain in extremity, Pulmonary embolism, Thrombosis, Ultrasound scan abnormal

SMQs:, Haemorrhage laboratory terms (broad), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), Embolic and thrombotic events, venous (narrow), Malignancy related therapeutic and diagnostic procedures (narrow),

Thrombophlebitis (broad), Pulmonary hypertension (broad), Tendinopathies and ligament disorders (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? Yes

ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications: Vitamin D, Zinc, Descovy

Current Illness: N/A

Preexisting Conditions: N/A

Allergies: PCN

Diagnostic Lab Data: On 1/26/21, I will receive laboratory blood work which was done on

1/5/2021.

CDC Split Type:

Write-up: I am a registered nurse at hospital. On 12/25, seven days after receiving the shot I started to get right lower leg pain and I kept complaining about it till New Years Day. I had no symptoms of a DVT. I triaged on 1/1/21 and the doctors ordered labs/imaging and the results were as followed: D-Dimer biomarker (+), Ultrasound of the Rt lower leg (-), CTA showed a PE (segmental right upper lobe pulmonary artery consistent with pulmonary embolus). I was discharged on Xarelto and advised to follow up with a hematologist. On 1/5/2021, I went to hematology and they did a whole bunch of labs. I was sent to get a ultrasound of the leg because the pain persist and they found a clot hidden by my soleus. The plan is to continue on the Xarelto for 6 months. Come back in 3 weeks to scan my leg again and get my lab results. On 1/12/2021, I received the 2nd shot of the Pfizer vaccination.

VAERS ID: <u>958235</u> (history) **Form:** Version 2.0

Age: 57.0
Sex: Female
Location: Mississippi

Vaccinated: 2021-01-13 **Onset:** 2021-01-17

Days after vaccination: 4

 Submitted:
 0000-00-00

 Entered:
 2021-01-20

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	025L20A / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Acute kidney injury, Chest X-ray, Computerised tomogram, Diabetic ketoacidosis, Intensive care, Metabolic function test, Nausea, Renal function test, Respiratory distress, Toxic encephalopathy, Unresponsive to stimuli, Vomiting

SMQs:, Rhabdomyolysis/myopathy (broad), Acute renal failure (narrow), Anaphylactic reaction (broad), Acute pancreatitis (broad), Hyperglycaemia/new onset diabetes mellitus (narrow), Neuroleptic malignant syndrome (broad), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (broad), Torsade de pointes, shock-associated conditions (broad), Hypovolaemic shock conditions (broad), Toxic-septic shock conditions (broad), Anaphylactic/anaphylactoid shock conditions (broad), Hypoglycaemic and neurogenic shock conditions (broad), Acute central respiratory depression (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (narrow), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Hypotonic-hyporesponsive episode (broad), Hypersensitivity (broad), Tumour lysis syndrome (broad), Respiratory failure (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad), Dehydration (broad), Immune-mediated/autoimmune disorders (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No

ER or Doctor Visit? Yes
Hospitalized? Yes, ? days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: Jardiance Metformin Novolog scale Ozempic

Current Illness: diabetes

Preexisting Conditions: Diabetes **Allergies:** Toradal and protonix

Diagnostic Lab Data: Reanl panel BMP CXR CT

CDC Split Type:

Write-up: Pt found unresponsive at home, respiratory distress. Had reported nausea and vointing for two days prior to admit which started 1/15. Acute metabolic encephalopathy and acute renal failure Currently at time of this report still in critical care

VAERS ID: 958509 (history)
Form: Version 2.0

Age: 46.0
Sex: Female
Location: California

Vaccinated: 2021-01-19 **Onset:** 2021-01-19

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-20

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	025J20-2A / 1	LA / IM

Administered by: Other Purchased by: ?

Symptoms: <u>Asthenia</u>, <u>Blood test</u>, <u>Cardiovascular evaluation</u>, <u>Chest X-ray</u>, <u>Dizziness</u>,

Syncope, Tremor

SMQs:, Torsade de pointes/QT prolongation (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Parkinson-like events (broad), Guillain-Barre syndrome (broad), Noninfectious encephalopathy/delirium (broad), Cardiomyopathy (broad), Vestibular disorders (broad), Hypotonic-hyporesponsive episode (broad), Hypoglycaemia (broad)

Life Threatening? Yes **Birth Defect?** No

Died? No.

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:
Other Medications: None
Current Illness: None

Preexisting Conditions: None

Allergies: PCN

Diagnostic Lab Data: I was taken by ambulance to hospital and had a cardia work up. I got aspirin, nitro, fluids, blood work and chest X-rays. Now I?m on Benedryl and steroids. **CDC Split Type:**

Write-up: Fainting, dizziness and weakness, trembling, BP 168/129. HR 145

VAERS ID: 958755 (history)
Form: Version 2.0

Age: 40.0
Sex: Female
Location: California

Vaccinated: 2021-01-12 **Onset:** 2021-01-18

Days after vaccination: 6

Submitted: 0000-00-00 **Entered:** 2021-01-20

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK9231 4/21 / 1	- / IM

Administered by: Unknown Purchased by: ?

Symptoms: Exposure during pregnancy, Foetal death, Premature delivery, Premature separation of placenta, Stillbirth, Ultrasound antenatal screen normal, Vaginal haemorrhage SMQs:, Haemorrhage terms (excl laboratory terms) (narrow), Pregnancy, labour and delivery complications and risk factors (excl abortions and stillbirth) (narrow), Termination of pregnancy and risk of abortion (narrow), Normal pregnancy conditions and outcomes (narrow)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, 1 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: prenatal vitamins

Current Illness: none

Preexisting Conditions: none

Allergies: none
Diagnostic Lab Data:

CDC Split Type:

Write-up: Pt was 18 weeks pregnant at the time of the vaccine. Second pregnancy. Pt is a physician. Pregnancy was entirely normal up to that time. On 1/18/2021, she began to have heavy vaginal bleeding probably due to a placental abruption and subsequently delivered at 18 weeks. Baby was stillborn. Ultrasound done 1/15/2021 normal. Lethal event for the fetus.

VAERS ID: 958885 (history)
Form: Version 2.0

Age: 48.0
Sex: Female
Location: Texas

Vaccinated: 2021-01-03 **Onset:** 2021-01-16

Days after vaccination: 13

Submitted: 0000-00-00 **Entered:** 2021-01-20

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	025L20A / 1	AR / IM

Administered by: Private Purchased by: ?

Symptoms: Blood smear test abnormal, <u>Haematocrit decreased</u>, <u>Haemoglobin decreased</u>, <u>Immunoglobulin therapy</u>, <u>Platelet count decreased</u>, <u>Platelet transfusion</u>, <u>Vaginal haemorrhage</u>, <u>White blood cell count normal</u>

SMQs:, Haematopoietic erythropenia (broad), Haematopoietic thrombocytopenia (narrow), Haemorrhage terms (excl laboratory terms) (narrow), Haemorrhage laboratory terms (broad), Systemic lupus erythematosus (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? No Hospitalized? Yes, ? days

Extended hospital stay? No

Previous Vaccinations:
Other Medications: Losartin
Current Illness: None

Preexisting Conditions: Hypertension Obesity

Alleraies: None

Diagnostic Lab Data: 1/20/21 0533 CBC: WBC- 6.9, H/H 11.7/34.0, Platelet count 2

(following transfusion of 1 unit platelets at 2300 1/20/21)

CDC Split Type:

Write-up: The patient was seen in my office on 1/19/21 with complaint of heavy vaginal bleeding. A CBC was obtained which revealed an H/H of 12.2/36.1 and a platelet count of 1 (not 1K, but 1 platelet!) and this was confirmed on smear review. She was immediately sent to the Hospital ED and repeat CBC confirmed the critically low platelet count. She is currently hospitalized and she has received platelet transfusions but her platelet count is still critically low. She is also receiving steroids and immunoglobulin and is under the care of MD (Heme/Onc)

VAERS ID: 958913 (history)
Form: Version 2.0

Age: 61.0 Sex: Male

Location: Minnesota

Vaccinated: 2021-01-14 **Onset:** 2021-01-15

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-20

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	012L20A / 1	LA / IM

Administered by: Senior Living Purchased by: ?

Symptoms: Alanine aminotransferase normal, Aspartate aminotransferase normal, Asthenia, Bilirubin conjugated, Blood albumin normal, Blood bilirubin normal, Blood calcium normal, Blood chloride normal, Blood creatinine normal, Blood glucose increased, Blood potassium normal, Blood sodium normal, Blood urea normal, Body temperature increased, Carbon dioxide normal, Gait inability, Haemoglobin normal, Heart rate increased, Lethargy, Mean cell volume normal, Platelet count normal, Protein total normal, Speech disorder, White blood cell count normal

SMQs:, Hyperglycaemia/new onset diabetes mellitus (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Dementia (broad), Dystonia (broad), Psychosis and psychotic disorders (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad), Dehydration (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No

ER or Doctor Visit? No Hospitalized? Yes, 4 days Extended hospital stay? No

Previous Vaccinations:

Other Medications: Vitamin B1 1000MG PO DAILY, Vitamin D3 2000 UI PO Daily, Levothyroxine 50mcg PO Daily, Trazodone 50MG Po HS daily, Tamsulosin 0.4MG PO DAILY, Ramipril cap 2.5mg daily, Quetiapine 150mg Po twice a day, Melatonin 5mg Po at HS. Olanzapine 10m

Current Illness: UTI, was taking Cipro

Preexisting Conditions: Neoplasm of unspecified behavior of brain, unspecified dementia

with behavioral disturbance. HTN, Hypothyroidism, Insomnia

Allergies: NKA

Diagnostic Lab Data: Labs done 1/15/21 WCB 9.6 HGB 16.2 MCV 86 PLT 230 SODIUM 137 POTASSIUM 4.2 CHLORIDE 101 CO2TOTAL 26 BUN 16 CREATININE 1.09 GLUCOSE 124 CALCIUM 9.8 ALBUMIN 4.4 BILITOTAL 0.8 BILLIDIRECT 0.3 ALT 15 AST 16 PROTEIN 7.8

CDC Split Type:

Write-up: Resident became lethargic, general weakness outside baseline, unable to walk, bumbled speech. Elevated HR and Temp of 105.2F

VAERS ID: 959017 (history)
Form: Version 2.0

Age: 41.0
Sex: Female
Location: Vermont

 Vaccinated:
 2021-01-08

 Onset:
 2021-01-15

Days after vaccination: 7

Submitted: 0000-00-00 **Entered:** 2021-01-20

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK9231 / 2	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Chest X-ray abnormal, Chest pain, Immune thrombocytopenia, Immunoglobulin therapy, Platelet count decreased, Pulmonary hilar enlargement, Purpura, Rash SMQs:, Anaphylactic reaction (broad), Haematopoietic thrombocytopenia (narrow), Haemorrhage terms (excl laboratory terms) (narrow), Systemic lupus erythematosus (broad), Contribute at the contribute of the cont

Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Cardiomyopathy (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Infective pneumonia (broad), Immune-mediated/autoimmune disorders (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? Yes

Recovered? Yes

Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? Yes. 2 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: melatonin 3mg daily, magnesium 500mg daily, gabapentin 300mg BID

Current Illness: none known.

Preexisting Conditions: lower extremity neuropathy

Allergies: meperidine = hives/dvspnea

Diagnostic Lab Data: Upon arrival to ED on 1/15 patient had CXR and blood work ordered. CXR showed hilar prominence and thickening paratracheal strip - recommended to get chest CT. Labwork revealed extremely low level of platelets, 11,000. Discussed with hematology who concurred it was probably ITP. Advised to admit patient, start prednisone 1 mg/kg/day and IVIG 1 g/kg/day x 2 days. On 1/16 platelets increased to 42,000 and on 1/17 they were 104,000. Patient responded well to treatment and was discharged on 1/17. At discharge plan

for a slow taper of prednisosone over 4-6 weeks, weekly CBC"s and PCP prophylaxis with Bactrim. She was advised to f/u with PCP in 1 week and should consider getting lung lesion biopsy when platelet count allows.

CDC Split Type:

Write-up: Patient got her 2nd dose of Pfizer covid vaccine on 1/8. On 1/11 she had intermittent chest pain that lasted a few days and started to notice small purpura rash on left breast. She didn't think much of it but noticed the same type of rash on her pant line and then right thigh. On 1/15 she called Occupational Health who advised her to go straight to the ED.

VAERS ID: 959400 (history)
Form: Version 2.0

Age: 38.0
Sex: Female
Location: lowa

Vaccinated: 2021-01-06 **Onset:** 2021-01-06

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-20

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	011J20A / 1	RA / IM

Administered by: Public Purchased by: ?

Symptoms: Blood test, Cerebral disorder, Chills, Computerised tomogram head abnormal, Eye pain, Headache, Herpes zoster, Magnetic resonance imaging, Pain, Pyrexia, Rash

SMQs:, Anaphylactic reaction (broad), Neuroleptic malignant syndrome (broad),

Anticholinergic syndrome (broad), Glaucoma (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Opportunistic infections (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? Yes ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 6 days

Extended hospital stay? No

Previous Vaccinations: Other Medications: None Current Illness: None

Preexisting Conditions: Migraines

Alleraies: None

Diagnostic Lab Data: CT Scan 01/08/2021 Blood tests in ER on 01/08/2021 MRI 01/08/2021

CDC Split Type:

Write-up: 12 hours after vaccination began experiencing fever, chills, body aches, slight head ache - lasted around 12 hours Had slight pain above eye prior to getting vaccination Saw PCP on 01/08/2021 due to eye pain - had CT scan for possible aneurysm, found 2 spots on brain,

VAERS ID: 959401 (history)
Form: Version 2.0

Age: 36.0 Sex: Male

Location: Oklahoma

 Vaccinated:
 2020-12-30

 Onset:
 2021-01-01

Days after vaccination: 2

Submitted: 0000-00-00 **Entered:** 2021-01-20

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK-5730 / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Catheter placement, Chest X-ray, Computerised tomogram thorax abnormal, Cough, Dyspnoea, Echocardiogram normal, Electrocardiogram normal, Intensive care, Loss of consciousness, Pulmonary embolism, SARS-CoV-2 test negative, Ultrasound Doppler SMQs:, Torsade de pointes/QT prolongation (broad), Anaphylactic reaction (broad), Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Embolic and thrombotic events, venous (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Cardiomyopathy (broad), Hypotonic-hyporesponsive episode (broad), Generalised convulsive seizures following immunisation (broad), Hypoglycaemia (broad), COVID-19 (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, 3 days
Extended hospital stay? No

Previous Vaccinations:
Other Medications: Multivitamin

other weateations. Maitivi

Current Illness: None

Preexisting Conditions: None

Allergies: None

Diagnostic Lab Data: EKG and Echo Covid tests negative on 1/13/2021 and repeat 1/14/2021 CT Chest - positive for multiple pulmonary embolus CXR US Doppler lower/upper

limbs

CDC Split Type:

Write-up: I was having episodes of dyspnea and non productive cough starting from 1/1/2021. On 1/13/2021 I experienced severe dyspnea and had loss of consciousness for 5 seconds and was found down. I was rushed to the hospital and diagnosed with multiple pulmonary embolus (about 9) which was treated with direct TPA via catheterization. I then recovered in the ICU and transitioned to oral anticoagulation and discharged home on 1/15/2021.

VAERS ID: <u>959417</u> (history) Version 2.0 Form:

Age:

Sex: Unknown Location: Unknown Vaccinated: 0000-00-00 0000-00-00 Onset: **Submitted:** 0000-00-00 **Entered:** 2021-01-20

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL0140 / 1	LA / IM

Administered by: Unknown Purchased by: ?

Symptoms: Anaphylactic reaction, Chest discomfort, Dizziness, Dyspnoea, Vomiting,

Wheezing

SMQs:, Anaphylactic reaction (narrow), Acute pancreatitis (broad), Angioedema (broad), Asthma/bronchospasm (broad), Anticholinergic syndrome (broad), Anaphylactic/anaphylactoid shock conditions (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Vestibular disorders (broad), Hypersensitivity (narrow)

Life Threatening? Yes Birth Defect? No Died? No **Permanent Disability?** No Recovered? No Office Visit? No ER Visit? No ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions:

Allergies:

Diagnostic Lab Data:

CDC Split Type:

Write-up: Anaphylaxis Allergic reaction COVID-19 vaccine: dizziness, vomiting and shortness of breath. Received vaccine and about 5/10 minutes later developed symptoms of chest tightness shortness of breath wheezing. Arrived to ED at 1156 and discharged at 1507. Given

VAERS ID: 959549 (history)
Form: Version 2.0

Age: 58.0
Sex: Female
Location: Missouri

Vaccinated: 2021-01-02 **Onset:** 2021-01-13

Days after vaccination: 11

Submitted: 0000-00-00 **Entered:** 2021-01-20

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL0142 / UNK	LA / IM

Administered by: Private **Purchased by:** ?

Symptoms: Acute myocardial infarction, Deep vein thrombosis, Dyspnoea,

Electrocardiogram, Erythema, Intensive care, Laboratory test, Pulmonary embolism,

Tenderness, X-ray

SMQs:, Anaphylactic reaction (narrow), Myocardial infarction (narrow), Embolic and thrombotic events, arterial (narrow), Embolic and thrombotic events, venous (narrow), Thrombophlebitis (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Hypersensitivity (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No.

Permanent Disability? No

Recovered? No

Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? Yes, 5 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Eliques; Cholecaleiferol; Ascorbic Acid; Calcium-Carbonate-Vitamin D; Coenzyme Q10; Ferrous Sulfate; Lisinopril; Magnesium Oxide; OxyCodone-Acetaminophen;

Pantoprazole EC; Simvastatin; Vilazodone

Current Illness: Hip surgery 10/20

Preexisting Conditions: HTN; GERD; Back problems with left lower extremity numbness

Allergies: None

Diagnostic Lab Data: EKG Lab tests X-ray

CDC Split Type:

Write-up: 1/4/21- Patient stated she had tenderness on the back of her left lower leg with redness then 1/8/21 started to have shortness of breath and made a doctor"s appointment for 1/13/21. Seen by provider on 1/13/21 and was sent to ED and admitted to the hospital [ICU] with NSTEMI, acute deep, occlusive venous thrombosis left femoral vein and saddle embolus

of pulmonary artery. Transferred to another acute care hospital for removal of thrombosis. Patient started on Eliqus and no intervention for removal of the thrombosis.

VAERS ID: 959746 (history)
Form: Version 2.0

Age: 43.0
Sex: Female
Location: Idaho

Vaccinated: 2020-12-30 **Onset:** 2020-12-30

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-20

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / 1	RA / SYR

Administered by: Private Purchased by: ?

Symptoms: Anaphylactic reaction, Asthenia, Blood pressure increased, Dyspnoea, Impaired driving ability, Pruritus, Swelling face, Urticaria, Visual impairment

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Anaphylactic/anaphylactoid shock conditions (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Glaucoma (broad), Hypertension (narrow), Optic nerve disorders (broad), Cardiomyopathy (broad), Lens disorders (broad), Retinal disorders (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes

Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Zoloft; Migravent; Namenda; Full Strength aspirin; Prilosec - off brand;

Bustar; Zyrtec - took it that morning only before shot as dr directed

Current Illness: no

Preexisting Conditions: Celiac disease; systemic lupus FLE; raynauld"s; Shogren"s;

Kallmans syndrome; exercise induced asthma

Allergies: Nuts; dairy; adhesives; Celiac disease - no gluten

Diagnostic Lab Data: Hooked up to BP monitor; may have done telemetry - and monitor kept

buzzing off because my blood pressure kept spiking.

CDC Split Type: vsafe

Write-up: Started itching within (left arm) 15 minutes. They said I was fine and to go back to work. About an hour later, I started breaking out in hives and whole body itching. I went back

in and they gave me to full strength Benadryl and it was not helping and my BP was 190/140 (stroke level) and they tried to bring that down. About 10:15 my face was starting to swell and I was short of breath and 10:30 they took me to ER - and gave me Cortisol shot. And IV fluids. And I was in ER for two hours. They wrote me a prescription for six days for 2 prednisone for every day for one week. The PA saw me at the ER and he prescribed. I went home but couldn"t drive home because I couldn"t see straight so got a ride home. They tested my O2 levels before they left me. Oxygen was 96. My blood pressure was down to 140/95 - so it was down but still elevated. I still had facial swelling for 3 days. But after three or four days it resolved the face swelling. Had a weakness from the shot and still itching but nothing like it was that day still after the four days. Dr. told me I couldn"t get second dose. It was an anaphalactic reaction. Dr - prescribed me an EpiPen in case I have another bad reaction to anything.

VAERS ID: 960512 (history)
Form: Version 2.0

Age: 46.0
Sex: Female
Location: California

Vaccinated: 2021-01-01 **Onset:** 2021-01-14

Days after vaccination: 13

 Submitted:
 0000-00-00

 Entered:
 2021-01-20

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	011J20A / 1	LA / SYR

Administered by: School Purchased by: ?

Symptoms: Agitation, Blood test, Diarrhoea, Dizziness, Dyspnoea, Electrocardiogram, Injection site reaction, Myalgia, Panic attack, Paraesthesia, Pneumonia, Pulmonary function test. X-ray

SMQs:, Rhabdomyolysis/myopathy (broad), Anaphylactic reaction (broad), Peripheral neuropathy (broad), Anticholinergic syndrome (broad), Dementia (broad), Pseudomembranous colitis (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Hostility/aggression (broad), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Vestibular disorders (broad), Noninfectious diarrhoea (narrow), Tendinopathies and ligament disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad), Infective pneumonia (narrow)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? Yes
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? No
Previous Vaccinations:

Other Medications:

Current Illness: High blood pressure Migraines obesity asthma social distancing disorder **Preexisting Conditions:** Asthma arthritis in my spine high blood pressure prediabetic

Allergies: Milk

Diagnostic Lab Data: EKG done bloodwork pulled up for heart attack breathing test x-rays

antibiotics colada pen ibuprofen 600

CDC Split Type:

Write-up: Shortness of breath panic attacks dizzy diarrhea pneumonia. Tingling in fingers and toes. Agitated muscle pain burning in the muscle of where the shot was located in my left side brace and chest

VAERS ID: 960409 (history)
Form: Version 2.0

Age:

Sex: Female
Location: Unknown
Vaccinated: 2021-01-09
Onset: 0000-00-00
Submitted: 0000-00-00
Entered: 2021-01-21

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / UNK	-/-

Administered by: Unknown Purchased by: ?

Symptoms: Dysphagia, Dyspnoea, Feeling hot, Flushing, Intensive care, Oropharyngeal discomfort, Paraesthesia oral, Pharyngeal swelling, Throat irritation, Throat tightness, Tongue discomfort, Urticaria, Wheezing

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Asthma/bronchospasm (broad), Anticholinergic syndrome (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, ? days
Extended hospital stay? No
Previous Vaccinations:
Other Medications:

Current Illness:

Preexisting Conditions: Medical History/Concurrent Conditions: Allergic reaction to

excipient; Egg allergy

Allergies:

Diagnostic Lab Data: Test Name: blood pressure; Result Unstructured Data: Test Result:normal; Test Name: saturation; Result Unstructured Data: Test Result: normal

CDC Split Type: USPFIZER INC2021028283

Write-up: flushing/ facial flushing; Hives; felt warm; short of breath/ audibly gasping for air; wheeze; throat tightening; throat got so swollen and itchy; throat got so swollen and itchy; could not swallow: This is a spontaneous report from a Pfizer-sponsored program Corporate (Pfizer) Social Media Platforms. A non-contactable consumer reported that a 40-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number and expiry date were not reported), via an unspecified route of administration on an unspecified date at a single dose for COVID-19 immunisation. Medical history included food severe allergic reaction to influenza vaccine with eggs preservative. Concomitant medications were not reported. The patient previously took influenza vaccine and experienced severe allergic reaction to the eggs preservative. The patient received BNT162B2 vaccine and informed of prior history of severe allergic reaction to influenza vaccine with eggs preservative. She has previously received flu vaccine without egg without problem. Due to her prior history of severe allergic reaction/ anaphylaxis to another vaccine, in this case flu vaccine with eggs, it was noted to proceed with caution. She was told that the vaccination could be differed until more information became available but opted to proceed with receiving the vaccine and be observed for 30 minutes. The patient developed throat tightening approximately 20 minutes after vaccination. She received EpiPen within one minute of symptoms and was sent to the emergency room immediately in a wheel chair by Nursing staff. She was evaluated in the emergency department and was hemodynamically stable. She was given IV Benadryl and was stable throughout observation. The patient then reported that 40 minutes after injection, her throat and tongue started to feel weird and tight. The pharmacy at her work hospital gave her 25 mg Benadryl and 650mg Tylenol. At about 1 hour 45 minute after injection, her throat got so swollen and itchy to the point that she could not swallow. She went to the nearest emergency room hospital and they administered decadron and Pepcid orally, and Toradol intramuscularly. On an unspecified date, the patient also reported that 5 minutes after the vaccine administration, she developed flushing, hives, felt warm and eventually short of breath. She started to wheeze and was wheeled into the emergency room with complaint of "cannot breathe, while holding throat and thrashing with facial flushness noted." She took two Benadryl and had several epinephrine shots. She was discharged from the emergency room but later that day, she started to feel short of breath again. In the emergency department, she was audibly gasping for air, however had no wheezing, had a normal saturation and normal blood pressure. She had taken another dose of her EpiPen intramuscularly and diphenhydramine 50mg by mouth prior to coming. She was then admitted to the hospital for further observation. While on the floor, she started to feel short of breath again (about 9am on 18Dec2020), which required an "RRT." The patient received another dose of diphenhydramine IV, methylprednisolone 125mg IV and several doses of IM epinephrine and also required oxygen. She was than transferred to an ICU for further care. Outcome of the events was unknown. No follow-up attempts are possible, information about batch number cannot be obtained.

VAERS ID: 960435 (history)
Form: Version 2.0

Age: 39.0

Sex: Female Location: Texas

Vaccinated: 2020-12-18 Onset: 2020-12-30

Days after vaccination: 12

Submitted: 0000-00-00 **Entered:** 2021-01-21

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EJ1685 / 1	- / OT

Administered by: Private **Purchased by: ?**

Symptoms: Amnesia, Brain injury, Brain operation, Cerebral haemorrhage, Confusional state

SMQs:, Haemorrhage terms (excl laboratory terms) (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Haemorrhagic central nervous system vascular conditions (narrow), Dementia (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Conditions associated with central nervous system haemorrhages and cerebrovascular accidents (broad), Hypoglycaemia (broad)

Life Threatening? Yes Birth Defect? No Died? No **Permanent Disability?** Yes Recovered? No Office Visit? No ER Visit? No ER or Doctor Visit? Yes Hospitalized? Yes, 16 days Extended hospital stay? No **Previous Vaccinations:**

Other Medications:

Current Illness:

Preexisting Conditions:

Allergies:

Diagnostic Lab Data:

CDC Split Type: USPFIZER INC2021034990

Write-up: Internal brain bleeding 10 days after 1st dose covid vaccine; Brain damage; confused; suffering memory loss; This is a spontaneous report from a contactable Physician (patient). This 39-year-old female patient received the 1st dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) intramuscular on 18Dec2020 14:30 at single dose (lot number: EJ1685) for covid-19 immunisation. Medical history and concomitant medications were unknown. The patient experienced internal brain bleeding and brain damage on 30Dec2020 07:30 after 1st dose covid vaccine. Brain surgery received on 29Dec2020. Events were still recovering. Patient was confused and suffering memory loss on 30Dec2020 07:30. Events resulted in Doctor or other healthcare professional office/clinic visit, Emergency room/department or urgent care, Hospitalization, Prolongation of existing hospitalization (vaccine received during existing hospitalization), Life threatening illness (immediate risk of death from the event), disability or permanent damage. Days for hospitalization was 16. The patient received treatment for events as brain surgery due to internal brain bleeding. The

patient was not pregnant. The patient had no COVID prior vaccination, no COVID tested post vaccination. Outcome of the events was recovering.; Sender"s Comments: The reported internal brain bleeding and brain damage with confused and memory loss more likely represented intercurrent disease, and less likely causally related to 1st dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE). The case will be reassessed should additional information become available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

VAERS ID: 960436 (history)
Form: Version 2.0

Age:

Sex: Male

Location: New Mexico

 Vaccinated:
 2021-01-06

 Onset:
 2021-01-06

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-21

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	-/2	LA / -

Administered by: Private Purchased by: ?

Symptoms: Haemolytic anaemia

SMQs:, Haemolytic disorders (narrow), Systemic lupus erythematosus (broad), Immune-

mediated/autoimmune disorders (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? Yes

Recovered? No Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions:

Allergies:

Diagnostic Lab Data:

CDC Split Type: USPFIZER INC2021035017

Write-up: The patient had Hemolytic Anemia with symptoms starting within the first 24 hours of vaccine administration.; The first dose received on 18Dec2020 and the second dose received on 06Jan2021; The first dose received on 18Dec2020 and the second dose received

on 06Jan2021; This is a spontaneous report from a contactable consumer. This consumer reported for a 37-year-old male patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) at single dose for COVID-19 immunization on 06Jan2021. Relevant history and concomitant drugs were unknown. The patient previously received the first dose of BNT162B2 on 18Dec2020 for COVID-19 immunization. The patient did not receive other vaccine in four weeks of vaccination. No known allergies. The patient had Hemolytic Anemia with symptoms starting within the first 24 hours of vaccine administration on 06Jan2021. The patient had emergency room visit and physician office visit. No treatment was received (as reported). Outcome of event was unknown. The event was assessed as serious with serious criteria: Life-threatening, disability. Information about Batch/Lot number has been requested.

VAERS ID: 960438 (history)
Form: Version 2.0

Age:

Sex: Male Location: Ohio

Vaccinated: 2021-01-14
Onset: 2021-01-01
Submitted: 0000-00-00
Entered: 2021-01-21

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / 1	- / OT

Administered by: Unknown Purchased by: ?

Symptoms: <u>Abdominal discomfort, Cardiac arrest, Malaise, Nausea, SARS-CoV-2 test</u> negative, Substance use

SMQs:, Torsade de pointes/QT prolongation (broad), Anaphylactic reaction (broad), Acute pancreatitis (broad), Arrhythmia related investigations, signs and symptoms (broad), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (narrow), Drug abuse and dependence (broad), Gastrointestinal perforation, ulcer, haemorrhage, obstruction non-specific findings/procedures (broad), Acute central respiratory depression (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Depression (excl suicide and self injury) (broad), Respiratory failure (broad), COVID-19 (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? Yes
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? No
Previous Vaccinations:
Other Medications:
Current Illness:
Preexisting Conditions:

Allergies:

Diagnostic Lab Data: Test Date: 20210116; Test Name: Nasal Swab; Test Result: Negative;

Comments: COVID test name post vaccination=Roche Cobas

CDC Split Type: USPFIZER INC2021035699

Write-up: Patient suffered cardiac arrest, though most likely result of illicit substance use; patient had been feeling unwell with nausea and GI discomfort after receiving the vaccine 36 hours prior to: patient had been feeling unwell with nausea and GI discomfort after receiving the vaccine 36 hours prior to; patient had been feeling unwell with nausea and GI discomfort after receiving the vaccine 36 hours prior to; Patient suffered cardiac arrest, though most likely result of illicit substance use: This is a spontaneous report from a contactable physician. A 33years-old male patient received bnt162b2 (BNT162B2, lot unknown), intramuscular on 14Jan2021 at SINGLE DOSE for covid-19 immunisation. The patient medical history was not reported. The patient's concomitant medications were not reported. The patient suffered cardiac arrest 17Jan2021 11:15, though most likely result of illicit substance use since Jan2021, though patient had been feeling unwell with nausea and GI discomfort on 15Jan2021 23:15 after receiving the vaccine 36 hours prior to his arrest. The events were serious due to Life threatening illness (immediate risk of death from the event) and Disability or permanent damage. The patient had no COVID prior vaccination. COVID test type post vaccination=Nasal Swab on16Jan2021, test result was Negative. COVID test name post vaccination=Roche Cobas. The event outcome was not recovered. No treatment was received to events. No follow-up attempts are possible; information on lot/batch number cannot be obtained.; Sender"s Comments: Based on temporal association, the causal relationship between bnt162b2 and the events cardiac arrest, substance abuse, abdominal discomfort, malaise and nausea cannot be excluded. The information available in this report is limited and does not allow a medically meaningful assessment. This case will be reassessed once additional information becomes available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees, and Investigators, as appropriate.

VAERS ID: 960439 (history)
Form: Version 2.0

Age: 30.0
Sex: Female
Location: Michigan

Vaccinated: 2021-01-15 **Onset:** 2021-01-15

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-21

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / 1	LA / -

Administered by: Work Purchased by: ?

Symptoms: Acute cardiac event, Asthenia, Chest pain, Dizziness, Hypoaesthesia, Paralysis,

Pyrexia

SMQs:, Peripheral neuropathy (broad), Neuroleptic malignant syndrome (broad), Myocardial

infarction (narrow), Anticholinergic syndrome (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Cardiomyopathy (broad), Conditions associated with central nervous system haemorrhages and cerebrovascular accidents (broad), Other ischaemic heart disease (narrow), Vestibular disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Sexual dysfunction (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions: Medical History/Concurrent Conditions: COVID-19; Latex allergy;

Tachycardia; Ventricular contractions premature

Allergies:

Diagnostic Lab Data:

CDC Split Type: USPFIZER INC2021036028

Write-up: Cardiac event; Paralysis; Fever; Numbness; Chest Pains; Dizziness; Weakness; This is a spontaneous report from a contactable consumer (patient). A 30-years-old female patient started to receive first dose bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration in Left arm on 15Jan2021 14:15 at SINGLE DOSE for covid-19 immunisation. The patient was not pregnant. Medical history included tachycardia, Pre-ventricular contractions, allergies to Latex, covid-19 (reported as covid prior vaccination: Yes). Concomitant medication included metoprolol and multivitamin. No other vaccine received in four weeks. On 15Jan2021 14:30, the patient experienced chest pains, dizziness, weakness. On 15Jan2021 18:20, the patient experienced cardiac event, paralysis, fever, numbness, chest pains. The events resulted in: [Doctor or other healthcare professional office/clinic visit, Emergency room/department or urgent care, Life threatening illness (immediate risk of death from the event)]. Treatment received for the events. No covid tested post vaccination. The outcome of the events was recovering. Information on batch/lot number was requested.

VAERS ID: 960557 (history)
Form: Version 2.0

Age: 20.0 Sex: Female

Location: South Dakota

 Vaccinated:
 2021-01-20

 Onset:
 2021-01-21

Days after vaccination: 1

 Submitted:
 0000-00-00

 Entered:
 2021-01-21

Vaccination / ManufacturerLot / DoseSite / RouteCOVID19: COVID19 (COVID19 (MODERNA)) / MODERNA030L20A / 2RA / IM

Administered by: Private Purchased by: ?

Symptoms: Blood culture, Dizziness, Electrocardiogram, Full blood count, Headache, Hypertensive emergency, Metabolic function test, Pyrexia, SARS-CoV-2 test negative, Syncope, Urine analysis

SMQs:, Torsade de pointes/QT prolongation (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Hypertension (narrow), Cardiomyopathy (broad), Vestibular disorders (broad), Hypotonic-hyporesponsive episode (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad), COVID-19 (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? Yes

Recovered? No Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Metoprolol, sertraline, omeprazole, nortriptyline. Been taking these

medications for 4-6 years, no problems.

Current Illness: None

Preexisting Conditions: Abdominal migraines, migraine headaches-active

POTS-resolved/grew out of Depression

Allergies: Metoclopramide?tardive dyskinesia

Diagnostic Lab Data: Given 2 L fluid bolus, IV steroids, IV cardiac medications to stabilize condition, antipyretics and anti inflammatory. Electrocardiography done. Urine analysis done.

Covid test done?negative results. Labs drawn: CBC, CMP, blood cultures.

CDC Split Type:

Write-up: Extreme headache, fever of 102-103 degrees farenheight, dizziness, syncopal episode at work, transferred to ER, heart rate 160s-180s, hypertensive emergency blood pressures 160s/90s. Today 1/20/2021 approx 1700.

VAERS ID: 960580 (history)
Form: Version 2.0

Age: 71.0
Sex: Male
Location: Nevada

 Vaccinated:
 2021-01-20

 Onset:
 2021-01-20

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-21

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / UNK	-/-

Administered by: Unknown Purchased by: ? Symptoms: Cardiac arrest, Ventricular tachycardia

SMQs:, Torsade de pointes/QT prolongation (narrow), Anaphylactic reaction (broad), Arrhythmia related investigations, signs and symptoms (broad), Ventricular tachyarrhythmias (narrow), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (narrow), Torsade de pointes, shock-associated conditions (narrow), Acute central respiratory depression (broad), Cardiomyopathy (broad), Respiratory failure (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations: Other Medications: Current Illness:

Preexisting Conditions: DM, CHF, CAD

Allergies:

Diagnostic Lab Data: CDC Split Type:

Write-up: Ventricular tachycardia resulting in cardiac arrest

VAERS ID: <u>960600</u> (history) **Form:** Version 2.0

Age: 57.0
Sex: Male
Location: Utah

 Vaccinated:
 2021-01-20

 Onset:
 2021-01-20

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-21

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	030L20A / 2	LA / IM

Administered by: Public Purchased by: ?

Symptoms: Blood pressure increased, Dry mouth, Dry throat, Obstructive airways disorder

SMQs:, Angioedema (broad), Asthma/bronchospasm (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Hypertension (narrow), Eosinophilic pneumonia (broad), Dehydration (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations: Toradol, Euflexa

Other Medications: Metoprolol Tartrate 25mg, Losartan Potassium 25 mg

Current Illness: None

Preexisting Conditions: High Blood Pressure, Hypokalemic Periodic Paralysis

Allergies: Toradol, Euflexa Diagnostic Lab Data: None

CDC Split Type:

Write-up: The patient received the second dose of the Moderna vaccine at the Health Department. The patient experienced a rapid onset of a dry mouth and throat, followed by a restricted airway and elevated blood pressure. The patient was given 2 x 25 mg pf Benadryl, however, due to rapid restriction of the airway .05 of epinephrine was administered by injection. The symptoms subsided slightly. A second injection of .05 mg was administered. The patient was observed and released with instructions to contact his primary care physician.

VAERS ID: 960714 (history)
Form: Version 2.0

Age: 50.0
Sex: Female
Location: New York

Vaccinated: 2021-01-20 **Onset:** 2021-01-20

Days after vaccination: 0

 Submitted:
 0000-00-00

 Entered:
 2021-01-21

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / UNK	AR / -

Administered by: Private Purchased by: ?

Symptoms: Angiogram, Cerebrovascular accident, Computerised tomogram head normal, Headache, Hemianopia, Magnetic resonance imaging, Muscular weakness

SMQs:, Rhabdomyolysis/myopathy (broad), Peripheral neuropathy (broad), Ischaemic central nervous system vascular conditions (narrow), Haemorrhagic central nervous system vascular conditions (narrow), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), Guillain-Barre syndrome (broad), Noninfectious encephalopathy/delirium (broad), Optic nerve disorders (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, ? days Extended hospital stay? No

Previous Vaccinations:
Other Medications: synthroid

Current Illness: none

Preexisting Conditions: per neuro consult note hypothyroid on synthroid chronic left eye lid ptosis dural venous thrombosis 2010 cardiac arrest 2000 varices/ GI bleed hep B cirrhosis

Allergies: NKDA

Diagnostic Lab Data: as above

CDC Split Type:

Write-up: Pt received vaccine and developed HA with left hemianopsia, left upper ext and left lower ext weakness. Stroke Code activated at clinic where she works CT head neg TPA administered, transferred to ED for CTA and stroke care CTA neg MRI pending but clinically improved

VAERS ID: 960874 (history)
Form: Version 2.0

Age: 24.0
Sex: Male
Location: Ohio

Vaccinated: 2021-01-20 **Onset:** 2021-01-20

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-21

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	026L20A / 2	LA / IM

Administered by: Public Purchased by: ?

Symptoms: <u>Dyspnoea</u>, <u>Electrocardiogram</u>, <u>Loss of consciousness</u>, <u>Nausea</u>, <u>Pyrexia</u>, Retching, Vomiting

SMQs:, Torsade de pointes/QT prolongation (broad), Anaphylactic reaction (broad), Acute pancreatitis (broad), Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Hypotonic-hyporesponsive episode (broad), Generalised convulsive seizures following immunisation (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:
Other Medications: Unknown

Current Illness: Covid-19 3.5 weeks prior

Preexisting Conditions: none **Allergies:** no known allergies

Diagnostic Lab Data: EKG, unsure of other testing

CDC Split Type: 21123- VFC number

Write-up: Patient became nauseated at 11pm 1/20/21 and fever of 101, passed out in bathroom dry heaving and woke up at 4am, Heartrate 182, short of breath, continuous vomiting, called EMS, was given zofran on route to ER, upon arrival to ER heartrate reduced to 130"s, patient reports being given toradol and IV Fluids, and was released. Patient reports fever range of 101-103.

VAERS ID: 961055 (history)
Form: Version 2.0

Age: 47.0
Sex: Male
Location: Texas

Vaccinated: 2021-01-20 **Onset:** 2021-01-20

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-21

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	032L20A / 2	RA / IM

Administered by: Private Purchased by: ?

Symptoms: <u>Blood pressure increased</u>, <u>Dizziness</u>, <u>Heart rate increased</u>, <u>Pallor</u> **SMQs:**, Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Hypertension (narrow), Vestibular disorders (broad), Hypotonic-hyporesponsive episode (broad), Dehydration (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:
Other Medications: None
Current Illness: None

Preexisting Conditions: none Allergies: Anaphylaxis to peaches

Diagnostic Lab Data: None

CDC Split Type:

Write-up: Pt started having dizziness, increased HR, extremities became pale, BP increased to 170/94, HR 144 30 mins after injection. Pt tolerated first vaccine s difficulty, sxs continued and BP and HR fluctuated off and on for 1hr. Pt was given an EPI pen, Solumedrol 125mg, Zyrtec (refused benadryl), and Pepcid 20mg during the episode. HR and BP continued to increase - EMS was called and pt was take to the ED and released ~10pm at night to home.

VAERS ID: 961499 (history)
Form: Version 2.0

Age: 36.0
Sex: Male
Location: Ohio

Vaccinated: 2021-01-05 **Onset:** 2021-01-20

Days after vaccination: 15

Submitted: 0000-00-00 **Entered:** 2021-01-21

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / 1	- / IM

Administered by: Military Purchased by: ?

Symptoms: Platelet count decreased, Thrombocytopenia

SMQs:, Haematopoietic thrombocytopenia (narrow), Systemic lupus erythematosus (broad),

Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 1 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Lamotrigine Levetiracetam Ibuprofen PRN last dose 1 week ago

Current Illness: None

Preexisting Conditions: Epilepsy

Allergies: No

Diagnostic Lab Data: CBC 1/21/2021 Severe thrombocytopenia platelet count of 1.

CDC Split Type:

Write-up: Severe thrombocytopenia platelet count of 1.

VAERS ID: 961501 (history)
Form: Version 2.0

Age: 43.0 Sex: Male

Location: Minnesota

Vaccinated: 2021-01-20 **Onset:** 2021-01-20

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-21

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	-/2	RA / IM

Administered by: Private Purchased by: ?

Symptoms: Cough, Dysphagia, Injection site pain, Sensation of foreign body

SMQs:, Anaphylactic reaction (broad), Anticholinergic syndrome (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Extravasation events (injections, infusions and implants) (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes

Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Lisinopril, Omeprazole, Ibuprofen

Current Illness:

Preexisting Conditions:
Allergies: Amoxicillin
Diagnostic Lab Data:
CDC Split Type:

Write-up: After the required wait period of 15 minutes I started to drive back home which is 77 miles from the hospital that administered the vaccination. Around 15 minutes down the road I started feeling like something was caught in my throat and was coughing a little. At that time I decided to turn around and go back to the hospital. I took an oral Benadryl 25mg and decided to wait in my car and see if it was something else. After 30-45 minutes I took a drink of water and realized I was having trouble swallowing. I then preceded into the ER and was admitted immediately. In the ER, they started an IV, administered Benadryl, methylprednisolone and a bag of saline. The physician discussed with me and we agreed to hold the Epinephrine to see how I reacted to the previous medications. I was then monitored for a couple hours then released with a prescription of Prednisone 60mg for 5 days and an EpiPen. One day out, no new symptoms besides injection site pain.

VAERS ID: <u>961503</u> (history)

Form: Version 2.0

Age: 34.0
Sex: Female
Location: Maryland

Vaccinated: 2021-01-12 **Onset:** 2021-01-14

Days after vaccination: 2

Submitted: 0000-00-00 **Entered:** 2021-01-21

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL3246 / 2	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Abdominal lymphadenopathy, Abdominal pain lower, Abdominal pain upper, Appendicectomy, Appendicitis perforated, Computerised tomogram abdomen, Computerised tomogram abdomen abnormal, Pyrexia, Scan with contrast abnormal, Vomiting, White blood cell count increased

SMQs:, Acute pancreatitis (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Retroperitoneal fibrosis (broad), Malignancy related therapeutic and diagnostic procedures (narrow), Gastrointestinal perforation (narrow), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 3 days

Extended hospital stay? No Previous Vaccinations:

Other Medications: None Current Illness: None

Preexisting Conditions: None

Allergies: None

Diagnostic Lab Data: CT abdomen/pelvis with contrast 1/17/21 - acute appendicitis with appendix measuring 1.8 cm in diameter with signs of perforation, free fluid, fat stranding, and lymphadenopathy CBC on 1/17/21 - WBC 11.91

CDC Split Type:

Write-up: I am a resident physician/ employee at the Hospital. I developed acute perforated appendicitis 56 hours after receiving the 2nd dose of Pfizer COVID vaccine. I received the vaccine on 1/12/21 and developed symptoms of epigastric pain and vomiting on 1/14/21. On 1/15/21, I developed fever and right lower quadrant pain that was sustained. I presented to the Hospital Emergency Department on 1/17/21 and was diagnosed with acute perforated appendicitis by CT with contrast. I underwent emergency appendectomy at The Hospital on 1/17/21 and was hospitalized from 1/17/21-1/19/21.

VAERS ID: 961533 (history)
Form: Version 2.0

Age: 46.0
Sex: Female
Location: Arkansas

 Vaccinated:
 2021-01-12

 Onset:
 2021-01-12

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-21

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / UNK	-/-

Administered by: Unknown Purchased by: ?

Symptoms: Anaphylactoid reaction, Chest discomfort, Urticaria

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Anaphylactic/anaphylactoid shock conditions (narrow), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:
Other Medications: None
Current Illness: None

Preexisting Conditions: None

Allergies: NKDA

Diagnostic Lab Data: None

CDC Split Type:

Write-up: Patient developed one singular area of urticaria approximately one hour after the vaccination and then developed an anaphylactoid reaction 3 days later including widespread urticaria and chest tightness. She took OTC antihistamines and recovered 6 days after the vaccine.

VAERS ID: 961599 (history)
Form: Version 2.0

Age: 40.0
Sex: Female
Location: Arkansas

 Vaccinated:
 2021-01-05

 Onset:
 2021-01-15

Days after vaccination: 10

Submitted: 0000-00-00 **Entered:** 2021-01-21

Vaccination / ManufacturerLot / DoseSite / RouteCOVID19: COVID19 (COVID19 (MODERNA)) / MODERNA027L20A / UNKLA / -

Administered by: Pharmacy Purchased by: ?

Symptoms: Asthma, Chest pain, Condition aggravated, Dyspnoea, Fatigue, Injection site swelling, Pain, SARS-CoV-2 test negative, Swelling, Wheezing

SMQs:, Anaphylactic reaction (narrow), Angioedema (broad), Asthma/bronchospasm (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Extravasation events (injections, infusions and implants) (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Haemodynamic oedema, effusions and fluid overload (narrow), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Hypersensitivity (broad), COVID-19 (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? Yes
ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications: Vitamin D Busbar klonipin

Current Illness:

Preexisting Conditions: bipolar 1, allergy induced asthma, general anxiety disorder, PTSD

Allergies: sulpha drug, septra drug, robitussin, mucinex, augmentin

Diagnostic Lab Data: Covid tested which was negative on 01/15 and send off came back on

01/18.

CDC Split Type:

Write-up: started having asthma attacks (chest pain and Shortness of breath with wheezing) on friday 01/15/2021 Didnt get any better over weekend. was taking inhaler every 3-4 hours. Monday was tested for covid which was negative. body aches and fatigue began over weekend. asthma progressively got worse. On 01/20 had to visit dr office, my neck was swollen on both sides, injection site had a raised large area that extended from my shoulder to my elbow. Up until yesterday, you could not even tell where I had the shot. Now there is still a raised area and you can tell exactly where i recieved it.

VAERS ID: 962294 (history)
Form: Version 2.0

Age: 35.0
Sex: Female
Location: Alabama

Vaccinated: 2021-01-04

Onset: 2021-01-10

Days after vaccination: 6

Submitted: 0000-00-00 **Entered:** 2021-01-21

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / 1	RA / OT

Administered by: Other Purchased by: ?
Symptoms: Liver injury, SARS-CoV-2 test negative

SMQs:, Hepatic failure, fibrosis and cirrhosis and other liver damage-related conditions (narrow), Accidents and injuries (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), COVID-19 (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No

Recovered? No

Office Visit? Yes ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 1 days Extended hospital stay? No

Previous Vaccinations:

Other Medications: ; PRENATAL VITAMINS [ASCORBIC

ACID;BETACAROTENE;CALCIUM

SULFATE; COLECALCIFEROL; CYANOCOBALAMIN; FERROUS; ZYRTEC [CETIRIZINE

HYDROCHLORIDE]
Current Illness:

Preexisting Conditions: Medical History/Concurrent Conditions: Hypertension

Allergies:

Diagnostic Lab Data: Test Date: 20210117; Test Name: COVID-19 test (Nasal Swab); Test

Result: Negative

CDC Split Type: USPFIZER INC2021038272

Write-up: Acute liver injury; This is a spontaneous report from a contactable physician. A 35year-old female non-pregnant patient received the first dose of BNT162B2 (Pfizer-Biontech Covid-19 Vaccine) intramuscularly, in the right arm, at single dose, on 04Jan2021 at 11:00 AM, for COVID-19 immunisation. The patient had not received any other vaccines within 4 weeks prior to the BNT162B2 vaccine. Relevant medical history included hypertension and drug hypersensitivity to amoxicillin; clavulanic acid (AUGMENTIN). Concomitant medications included labetalol; ascorbic acid, betacarotene, calcium sulfate, colecalciferol, cyanocobalamin, ferrous fumarate, folic acid, nicotinamide, pyridoxine hydrochloride, retinol acetate, riboflavin, thiamine mononitrate, tocopheryl acetate, zinc oxide (PRENATAL VITAMINS) and cetirizine hydrochloride (ZYRTEC). On 10Jan2021, at 12:00 AM, the patient experienced acute liver injury and hospitalization was required (duration of hospitalization: 1 day). Treatment was received (supportive care for acute liver injury). Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has been tested for COVID-19 (Nasal Swab) on 17Jan2021. Covid test result: negative. The adverse event was assessed as serious (Hospitalization, Life threatening illness). Clinical outcome of the adverse event was unknown at time of this report. Information on Lot/Batch number has been requested.; Sender's Comments: The information currently provided is too limited to make a

meaningful medical assessment hence, the events are conservatively assessed as related to the suspect drug BNT162B2 until further information becomes available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RAs, Ethics Committees, and Investigators, as appropriate.

VAERS ID: 962722 (history) Version 2.0 Form:

61.0 Age: Sex: Male Location: Kansas

Vaccinated: 2021-01-18 Onset: 2021-01-19

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-21

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL3249 / 2	LA / IM

Administered by: Senior Living **Purchased by: ?**

Symptoms: Hemiparesis, Hypoxia, Seizure

SMQs:, Asthma/bronchospasm (broad), Systemic lupus erythematosus (broad), Convulsions (narrow), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Eosinophilic pneumonia (broad), Conditions associated with central nervous system haemorrhages and cerebrovascular accidents (narrow), Generalised convulsive seizures following immunisation (narrow), Respiratory failure (broad), Hypoglycaemia (broad), Infective pneumonia (broad)

Life Threatening? Yes Birth Defect? No Died? No **Permanent Disability?** No Recovered? No Office Visit? No ER Visit? No ER or Doctor Visit? No

Hospitalized? Yes. 3 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Lisinopril Duloxetine Pepcid synthroid atorvastatin donepezil aspirin

theram

Current Illness: COVID-19 (December 5th 2020)

Preexisting Conditions: Multiple Sclerosis Dementia Neuropathy MajorDepressive Disorder

Allergies: NKA

Diagnostic Lab Data:

CDC Split Type:

Write-up: Hypoxia, left sided weakness, seizures, transferred to Emergency Room.

VAERS ID: 962980 (history)
Form: Version 2.0

Age: 63.0
Sex: Male
Location: Maryland

Vaccinated: 2021-01-07 **Onset:** 2021-01-18

Days after vaccination: 11

Submitted: 0000-00-00 **Entered:** 2021-01-21

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	012L20A / 1	LA / SYR

Administered by: Public Purchased by: ?

Symptoms: Full blood count, <u>Haemoglobin normal</u>, <u>Immune thrombocytopenia</u>, <u>Platelet count</u> decreased, White blood cell count normal

SMQs:, Haematopoietic thrombocytopenia (narrow), Haemorrhage terms (excl laboratory terms) (narrow), Systemic lupus erythematosus (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Immune-mediated/autoimmune disorders (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? Yes
Hospitalized? Yes, 4 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: rosuvatatin 10mg po daily lisinopril 10mg po daily metformin 750 mg po

bid centrum MVI asa 81mg po daily

Current Illness: none

Preexisting Conditions: dm htn hyperlipidemia

Allergies: penicillin sulfa

Diagnostic Lab Data: 1/18/21 cbc shows normal wbc, normal hb, plts 1k 1/19/21-plts 1k

1/20/21-plts 2k 1/21/21-plts 4k

CDC Split Type:

Write-up: admitted to shady grove hospital for ITP(immune mediated thrombocytopenia) plts were 1 on admission have not responded to typical ITP therapies, platelets still 4 today after 4 days in hospital workup shows ITP no other risk factors or history of itp or autoimmunity

VAERS ID: 963090 (history)

Form: Version 2.0

Age: 33.0
Sex: Female
Location: Virginia

Vaccinated: 2021-01-21 **Onset:** 2021-01-21

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-21

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / 1	- / IM

Administered by: Public Purchased by: ?

Symptoms: Intensive care, Laryngoscopy normal, Lip swelling, Paraesthesia oral, Swollen

tongue, Throat tightness

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, ? days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: fluoxetine 20 mg daily sertraline 25 mg daily

Current Illness: none

Preexisting Conditions: anxiety, depression Allergies: amoxicillin (hives) tamiflu (hives)

Diagnostic Lab Data: CDC Split Type:

Write-up: Patient experienced lip and tongue swelling within 30 minutes of receiving vaccine. Given 25 mg diphenhydramine with no improvement, began having tightening of throat and worsened tongue swelling. Received 3 total doses of IM epinephrine before admission to hospital. Received another dose of IM epinephrine in the ED in addition to methylprednisolone 125 mg, famotidine, and diphenhydramine. Symptoms resolved, no airway edema observed on laryngoscopy. Admitted to medical ICU for observation overnight. Around 12:00 PM the following day, patient again experienced what she described as tongue swelling and lip tingling. Given another dose of IM epinephrine, dexamethasone 10 mg, famotidine, and diphenhydramine. Symptoms resolved.

VAERS ID: 963136 (history)
Form: Version 2.0

Age: 75.0
Sex: Female
Location: Kansas

Vaccinated: 2021-01-19 **Onset:** 2021-01-20

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-21

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / 1	- / IM

Administered by: Private Purchased by: ?

Symptoms: Blood creatinine normal, Blood lactate dehydrogenase increased, Blood sodium decreased, Brain natriuretic peptide normal, Dyspnoea, Eosinophil count decreased, Fibrin D dimer increased, Haemoglobin decreased, Haemoptysis, Hypoxia, Liver function test normal, Lung opacity, Myalgia, Procalcitonin normal, Pyrexia, SARS-CoV-2 test positive, Troponin normal, White blood cell count normal

SMQs:, Rhabdomyolysis/myopathy (broad), Anaphylactic reaction (broad), Asthma/bronchospasm (broad), Haematopoietic erythropenia (broad), Haematopoietic leukopenia (narrow), Haemorrhage terms (excl laboratory terms) (narrow), Haemorrhage laboratory terms (broad), Interstitial lung disease (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Hyponatraemia/SIADH (narrow), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Chronic kidney disease (broad), Respiratory failure (broad), Tendinopathies and ligament disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Infective pneumonia (broad), Opportunistic infections (broad), COVID-19 (narrow)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No

Hospitalized? Yes, 2 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: ASA 81mg, lipitor, teassalon pearls, cardizem, lisinopri-HCTZ, toprol XL, omega 3 fish oil, KCL

Current Illness: COVID diagnosis on 12/24. She was treated as outpatient and had no prior radiographic imaging. She developed shortness of breath at the time of infection that persisted after recovery.

Preexisting Conditions: HTN, HLD, and bronchitis/asthma

Allergies: none

Diagnostic Lab Data: D dimer 809,wbc 8.9; Na 128, Cr 0.6 LDH 1,253, procalcitonin 0.20

COVID test positive; LFTs normal. eosinophils in peripheral blood 0.00; Hgb 10.3

CDC Split Type:

Write-up: Patient had COVID diagnosed and treated as outpatient on 12/24. She developed SOB with the infection and this persisted afterwards and did not resolve. She received first dose of Moderna vaccine and next day had fevers, myalgias, shortness of breath and

hypoxia. She is now admitted to our facility with bilateral diffuse ground glass opacities and is severly hypoxic on high flow nasal cannula. She also has hemoptysis. procalcitonin is negative; BNP is normal; troponin normal.

VAERS ID: 963137 (history)
Form: Version 2.0

Age: 67.0
Sex: Female
Location: Tennessee

Vaccinated: 2020-12-29 **Onset:** 2020-12-31

Days after vaccination: 2

Submitted: 0000-00-00 **Entered:** 2021-01-21

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL0140 / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Cerebrovascular accident

SMQs:, Ischaemic central nervous system vascular conditions (narrow), Haemorrhagic central nervous system vascular conditions (narrow), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions:

Allergies:

Diagnostic Lab Data:

CDC Split Type:

Write-up: Patient received vaccine and 2 days later suffered a CVA

VAERS ID: 963140 (history)
Form: Version 2.0

Age: 20.0 Sex: Male

Location: Alabama

 Vaccinated:
 2021-01-18

 Onset:
 2021-01-18

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-21

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	041L20A / 1	RA/SYR

Administered by: School Purchased by: ?

Symptoms: Anaphylactic reaction, Anaphylactic shock, Dyspnoea, Throat tightness **SMQs:**, Anaphylactic reaction (narrow), Angioedema (broad), Anaphylactic/anaphylactoid shock conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Hypersensitivity (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes
Hospitalized? Yes, 1 days
Extended beginsted stay?

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Aderall, Omneprazoll

Current Illness:

Preexisting Conditions: Asthma **Allergies:** Z-pack, Outdoor Allergies

Diagnostic Lab Data: 01/18/2021 determined at hospital that I had an anaphylactic reaction

to the vaccine CDC Split Type:

Write-up: Anaphylactic shock, my throat started to close and couldn?t breathe

VAERS ID: 963267 (history)
Form: Version 2.0

Age: 44.0
Sex: Female
Location: Colorado

Vaccinated: 2021-01-20 **Onset:** 2021-01-20

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-21

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	041L20A / 1	AR / IM

Administered by: Pharmacy Purchased by: ?

Symptoms: <u>Anaphylactic reaction, Angioedema, Endotracheal intubation, Intensive care, Mechanical ventilation</u>

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Anaphylactic/anaphylactoid shock conditions (narrow), Oropharyngeal allergic conditions (narrow), Acute central respiratory depression (broad), Hypersensitivity (narrow), Respiratory failure (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? No

ER Visit? No

ER or Doctor Visit? No

Hospitalized? Yes, 2 days

Extended hospital stay? No

Previous Vaccinations:
Other Medications: NONE
Current Illness: NONE

Preexisting Conditions: Mild intermittent asthma. Diet controlled diabetes.

Allergies: NONE
Diagnostic Lab Data:
CDC Split Type:

Write-up: Anaphylaxis, angioedema. Unresponsive to epinepherine, steroids. Patient required intubation, mechanical ventilation, and ICU admission. Patient started on high dose steroids, BID IV famotidine, nebulizer therapy, with improvement in symptoms. Pt still in ICU at time of this submission.

VAERS ID: 963274 (history)
Form: Version 2.0

Age: 44.0
Sex: Female
Location: Colorado

Vaccinated: 2021-01-21 **Onset:** 2021-01-21

Days after vaccination: 0

 Submitted:
 0000-00-00

 Entered:
 2021-01-21

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	041L20A / 1	AR / IM

Administered by: Pharmacy Purchased by: ?

Symptoms: <u>Anaphylactic reaction</u>, <u>Endotracheal intubation</u>, <u>Intensive care</u>, <u>Mechanical</u> ventilation

SMQs:, Anaphylactic reaction (narrow), Angioedema (broad), Anaphylactic/anaphylactoid shock conditions (narrow), Acute central respiratory depression (broad), Hypersensitivity (narrow), Respiratory failure (broad)

Life Threatening? Yes

Birth Defect? No.

Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 2 days

Extended hospital stay? No

Previous Vaccinations:
Other Medications: NONE
Current Illness: NONE

Preexisting Conditions: Mild intermittent asthma. Diet controlled diabetes.

Allergies: NONE
Diagnostic Lab Data:
CDC Split Type:

Write-up: Anaphylactic reaction, initially unresponsive to IM epinepherine, IV famotidine, IV steroids. Symptoms worsened, requiring intubation, mechanical ventilation, ICU admission

VAERS ID: 963313 (history)
Form: Version 2.0

Age: 62.0 Sex: Female

Location: Massachusetts

Vaccinated: 2021-01-12 **Onset:** 2021-01-13

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-21

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	026L20A / 1	RA / IM

Administered by: Private Purchased by: ?

Symptoms: <u>Blood test abnormal, Chest X-ray normal, Chills, Echocardiogram normal, Fatique, Headache, Nausea, Pain, Pyrexia</u>

SMQs:, Acute pancreatitis (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No

Hospitalized? Yes, 3 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Lyrics, tacrolimus, xaralto, albuteral, magnesium, albuteral, VitD, folic

acid, amlodipine, nexium Current Illness: N/a

Preexisting Conditions: Chronic cough, celiac disease, autoimmune hepatitis

Allergies: PCN, Sulfa meds, phenergan, imuran

Diagnostic Lab Data: I was hospitalized for 3 days, elevated blood work, had ultrasound of

my heart (negative findings), negative chest X-ray, Seen by multiple doctors.

CDC Split Type:

Write-up: Fevers as high as 105.1F, severe chills, headaches, body aches, nausea, severe

fatigue

VAERS ID: 963383 (history)
Form: Version 2.0

Age: 30.0
Sex: Female
Location: Utah

Vaccinated: 2020-12-24 **Onset:** 2020-12-25

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-21

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	037K20A / 1	LA / IM

Administered by: Other Purchased by: ?

Symptoms: Impaired work ability, Mouth swelling, Pyrexia, Swelling face, Urticaria **SMQs:**, Anaphylactic reaction (narrow), Angioedema (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Oropharyngeal allergic conditions (narrow), Haemodynamic oedema, effusions and fluid overload (narrow), Hypersensitivity (narrow). Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:
Other Medications: unknown

Current Illness: None

Preexisting Conditions: None

Allergies: sulfa

Diagnostic Lab Data: none yet

CDC Split Type:

Write-up: Fever of 100.3 x 3 days, systemic hives daily and continues as of today 1/21/21. Used an Epipen over the weekend due to face and mouth swelling. Been to Dr several times since 12/24/20. Prednisone and antihistamines given with minimal relief. Patient has missed several days of work due to systemic swelling and hives covering her entire body.

VAERS ID: 963587 (history)
Form: Version 2.0

Age: 40.0
Sex: Male
Location: Alaska

Vaccinated: 2021-01-12 **Onset:** 2021-01-13

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-21

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EJ1685 / 1	RA / SYR
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	-/2	RA / SYR

Administered by: Private Purchased by: ?

Symptoms: <u>Acute myocardial infarction, Chest pain, Dyspnoea, Electrocardiogram, Troponin increased</u>

SMQs:, Anaphylactic reaction (broad), Myocardial infarction (narrow), Embolic and thrombotic events, arterial (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Cardiomyopathy (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? Yes

Recovered? Yes

Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? Yes, 3 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Tums, Pepcid AC

Current Illness: None

Preexisting Conditions: None

Allergies: None

Diagnostic Lab Data: EkG tests 1/15/2021-1/18/2021 Increased troponin levels at 5.9 on

1/15/2021 Blood pressure on 1/15/2021

CDC Split Type:

Write-up: Chest pains, trouble breathing. Diagnosis: Non ST segment elevation myocardial infarction

VAERS ID: 964994 (history)
Form: Version 2.0

Age: 71.0
Sex: Male
Location: Florida

Vaccinated: 2021-01-03 **Onset:** 2021-01-04

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-22

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	011L20A / 1	RA / IM

Administered by: Other Purchased by: ?
Symptoms: Amnesia, Dyspnoea, Pain in extremity

SMQs:, Anaphylactic reaction (broad), Dementia (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Noninfectious encephalopathy/delirium (broad), Cardiomyopathy (broad), Tendinopathies and ligament disorders (broad)

Life Threatening? Yes **Birth Defect?** No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes
Hospitalized? Yes, 4 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: tamsulosin, omeprazole, prednisone, quercitin, red yeast rice,

antioxidant,

Current Illness: Covid 10-21-2020 **Preexisting Conditions:** stage 4 copd

Allergies: alleve

Diagnostic Lab Data: Please contact hospital

CDC Split Type:

Write-up: 1-03-2021dose at 9:30 arm pain 6:00 pm went to bed 11:00 woke up around 5:00 with significant breathing problems. Did not improve with albuterol. called 911 and was taken to the hospital ER. Loss of memory for 4-5 hours. don't know what happened

VAERS ID: 965186 (history)
Form: Version 2.0

Age: 43.0

Sex: Female Location: Iowa

Vaccinated: 2021-01-13 Onset: 2021-01-13

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-22

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	037K20A / 1	RA / IM

Purchased by: ? **Administered by:** Private

Symptoms: Arthralgia, Ear pain, Electrocardiogram, Fatigue, Feeling hot, Headache, Hypoaesthesia, Injection site pain, Laboratory test, Mobility decreased, Nausea, Neck pain, Pain, Pain in extremity, Paraesthesia, Rash, SARS-CoV-2 test negative, Tongue discomfort, Tongue disorder, Vomiting

SMQs:, Anaphylactic reaction (broad), Acute pancreatitis (broad), Peripheral neuropathy (broad), Parkinson-like events (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Extravasation events (injections, infusions and implants) (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Hypersensitivity (narrow), Arthritis (broad), Tendinopathies and ligament disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), COVID-19 (broad), Sexual dysfunction (broad)

Life Threatening? Yes Birth Defect? No Died? No

Permanent Disability? No

Recovered? No Office Visit? Yes ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Propanolol 80mg every night, Topriamate every night, cyclobenzoprine

10mg at night, Gummy Probiotic, One a day vitamin.

Current Illness: None

Preexisting Conditions: Migraines Allergies: No known allergies

Diagnostic Lab Data: Labs were drawn, EKG, (COVID 19 screen that was negative

1/19/21.)

CDC Split Type:

Write-up: at 15 mins post injection started to get extremely hot from Right side to left. Then like half of my body was cut head to toe in half and the left side of my body went numb and tingly. I could barely move my extremeties. Tounge began to burn like a 9volt battery was being held on it. I was taken to the ER and was told I had a rash on my chest neck and chin. I was treated with Epi IM, Benedryl, famotdine, then had epi again because my tounge felt fat and like a 9volt battery again. Epi went IV second does and had extreme pain with that. Had IV tylenol. Along with IV fluids. For the next 5 days I have had pain in my right harm, shoulder, neck into my head to the tip of my nose. The first 4 days were so bad that I could barely move and would get nauseated and throw up if I moved just right, each day the pains in my right arm, shoulder, neck and head did get better by about 25 percent each day. You could feel it getting better with each day I woke up. I was also having ear pain that seemed to be

worse on 1/19/21. A PA checked my ears and said they were clear. Today, 1/22/21 is the first day I have been able to turn my head without being so sore and feeling nauseated. I was also very fatigued until today, 1/22/21. My hips and lower body are sore today and upper body seems to be less sore by 75%. I still am numb at times in my feet and fingers but can turn my head a lot better today.

VAERS ID: 965209 (history)
Form: Version 2.0

Age: 62.0
Sex: Male
Location: Unknown

Vaccinated: 2021-01-11 **Onset:** 2021-01-14

Days after vaccination: 3

Submitted: 0000-00-00 **Entered:** 2021-01-22

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / UNK	-/-

Administered by: Private Purchased by: ?

Symptoms: Acute myocardial infarction, Coronary arterial stent insertion, Coronary artery occlusion, Coronary artery stenosis, Echocardiogram abnormal, Ejection fraction decreased, Percutaneous coronary intervention, Ventricular hypokinesia, Wall motion score index abnormal

SMQs:, Cardiac failure (narrow), Myocardial infarction (narrow), Embolic and thrombotic events, arterial (narrow), Cardiomyopathy (narrow), Other ischaemic heart disease (narrow)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? Yes
Recovered? Yes
Office Visit? No
ER Visit? No

ER or Doctor Visit? No Hospitalized? Yes, 3 days Extended hospital stay? No

Previous Vaccinations:

Other Medications: Candesartan 4mg daily

Current Illness: None noted

Preexisting Conditions: Hypertension, prediabetes

Allergies: None

Diagnostic Lab Data: PCI on 1/14. Acute subtotal occlusion of proximal LAD and severe diffuse disease extending to distal LAD. Two DES to LAD (99% occluded) but RCA 50% and OMI1 60-65% also stenosed. Echo cardiogram 1/15. Pt noted to have severe wall motion abnormalities (severe hypokinesis of anterolateral and anteroseptal wall; akinesis of mid to distal anterior wall extending to the apex and distal inferior wall) on echo. EF 30-35%. Received life vest on discharge.

CDC Split Type:

Write-up: Pt admitted with a STEMI three days after vaccination with pzifer COVID-19 vaccine. Short time (<2hr) between symptoms onset and medical care. PCI on 1/14. Acute subtotal occlusion of proximal LAD and severe diffuse disease extending to distal LAD. Two DES to LAD (99% occluded) but RCA 50% and OMI1 60-65% also stenosed. Echo cardiogram 1/15. Pt noted to have severe wall motion abnormalities (severe hypokinesis of anterolateral and anteroseptal wall; akinesis of mid to distal anterior wall extending to the apex and distal inferior wall) on echo. EF 30-35%. Received life vest on discharge.

VAERS ID: 965226 (history)
Form: Version 2.0

Age: 56.0

Sex: Female

Location: Arkansas

Vaccinated: 2021-01-08 **Onset:** 2021-01-16

Days after vaccination: 8

Submitted: 0000-00-00 **Entered:** 2021-01-22

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL0142 / 2	RA / IM

Administered by: Private Purchased by: ?

Symptoms: Atrial fibrillation, Electrocardiogram, Laboratory test, Palpitations

SMQs:, Arrhythmia related investigations, signs and symptoms (broad), Supraventricular tachvarrhythmias (narrow), Cardiomyopathy (broad)

Life Threatening? Yes

Birth Defect? No

Died? No.

Permanent Disability? No

Recovered? Yes Office Visit? No

ER Visit? No

ER or Doctor Visit? No Hospitalized? Yes. 2 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Levothyroxine 125mg QD, HTCZ 50 mg QD, Vit D3 5000IU daily, Hair

and nail supplement **Current Illness:** No

Preexisting Conditions: No

Alleraies: no

Diagnostic Lab Data: EKG"s, lab, heparin drip and Cardizem bolus x 2 and drip 1/16/21

CDC Split Type:

Write-up: I developed a sudden onset of heart palpitations and went to the ER to find I was in

VAERS ID: 965634 (history)
Form: Version 2.0

Age: 87.0
Sex: Female
Location: Wyoming

 Vaccinated:
 2020-12-28

 Onset:
 2020-12-30

Days after vaccination: 2

Submitted: 0000-00-00 **Entered:** 2021-01-22

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	#EK5730 / 1	RA / IM

Administered by: Senior Living Purchased by: ?

Symptoms: Angiogram pulmonary abnormal, Asthenia, Blood lactic acid increased, Cyanosis, Disorientation, Dyspnoea, Fall, Hyperhidrosis, Pulmonary embolism, Troponin increased, Wheezing

SMQs:, Anaphylactic reaction (broad), Angioedema (broad), Asthma/bronchospasm (broad), Lactic acidosis (narrow), Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Myocardial infarction (narrow), Anticholinergic syndrome (broad), Dementia (broad), Embolic and thrombotic events, venous (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Accidents and injuries (narrow), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Hypotonic-hyporesponsive episode (broad), Hypersensitivity (broad), Hypoglycaemia (broad), Dehydration (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? Yes
ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 7 days Extended hospital stay? No

Previous Vaccinations:

Other Medications: Hctz 25mg Po Daily Vitamin D3 1000IU PO Daily Potassium Chloride ER 20 meq PO daily Metoprolol Succinate ER 25 mg PO daily Acetaminophen 650 mg PO Q6 hrs PRN pain Aspirin 81 mg PO Daily Symbicort 80-4.5mcg/act 1 puff BID Rosuvastatin Calciu

Current Illness: NA

Preexisting Conditions: HTN, COPD, Hyperlipidemia, dementia

Allergies: NKA

Diagnostic Lab Data: Nurse provided the following update: Resident diagnosed with bilateral pulmonary emboli via angio CT. Resident admitted with elevated lactic acid levels and a rising troponin level (0.36 @ 0215; 0.45 @ 0800). Resident given IV fluids in the ER and was

currently on 4 L/min O2. Nurse indicating that daughter was being kept informed.

CDC Split Type:

Write-up: 1840 NSG staff notified that resident had fallen and was unable to get up. Upon arrival to resident, resident was lying on her right side outside of her room. Resident was severely diaphoretic and unable to state what had occurred. Resident had a blue tinge to her lips, wheezing bilaterally, equal strength bilaterally and very weak. BP 143/74, HR 66, 02 80%, temperature unable to read temporally due to diaphoresis. respirations equal and labored at 22 breaths per minute. EMS called. RN and CNA staff stayed with resident while waiting for arrival of EMS. During this time, son called resident"s phone and he was updated of the situation. Upon EMS arrival at 1700, resident was regaining orientation and was no longer diaphoretic. EMS bs was 143. 02 placed on resident by EMS with 12 lead to be done on transport. EMS left with resident at approximately 1907. SJH ED called and given report to RN. DON notified.

VAERS ID: 965715 (history)
Form: Version 2.0

Age: 57.0

Sex: Female

Location: Florida

Vaccinated: 2021-01-08 **Onset:** 2021-01-08

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-22

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	039K20A / 1	LA / IM

Administered by: Private **Purchased by:** ?

Symptoms: Asthenia, Blood test, Catheterisation cardiac, Chest pain, Echocardiogram, Electrocardiogram, Magnetic resonance imaging, Myocarditis, Viral cardiomyopathy SMQs:, Guillain-Barre syndrome (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Cardiomyopathy (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Immune-mediated/autoimmune disorders (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No

Recovered? No

Office Visit? Yes ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 3 days

Extended hospital stay? No

Previous Vaccinations: Other Medications: None Current Illness: None

Preexisting Conditions: Breast Cancer 2010

Allergies: None

Diagnostic Lab Data: Blood work, EKG, Echocardiogram, MRI, cardiac catheterization

CDC Split Type:

Write-up: viral cardiomyopathy, myopericarditis, weakness, chest pains

VAERS ID: 965753 (history)
Form: Version 2.0

Age: 23.0
Sex: Female
Location: Unknown

Vaccinated: 2021-01-15 **Onset:** 2021-01-15

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-22

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / UNK	-/-

Administered by: Private Purchased by: ?

Symptoms: Angioedema, Intensive care

SMQs:, Anaphylactic reaction (broad), Angioedema (narrow), Oropharyngeal allergic conditions (narrow), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? No Hospitalized? Yes, 2 days

Extended hospital stay? No

Previous Vaccinations: Other Medications: none Current Illness: none

Preexisting Conditions: none

Allergies: none

Diagnostic Lab Data: CDC Split Type:

Write-up: Acute Angioedema. Treated with multiple rounds of epinephrine, solumedrol, diphenhydramine, famotidine. Admitted to the ICU for continued monitoring and treatment. ICU time 42 hours.

VAERS ID: 966079 (history)

Form: Version 2.0

25.0 Age: Sex: **Female** Location: Missouri

Vaccinated: 2021-01-22 **Onset:** 2021-01-22

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-22

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL9262 / 1	LA / IM

Administered by: Public Purchased by: ?

Symptoms: Feeling abnormal, Pulse absent, Resuscitation

SMQs:, Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (narrow),

Dementia (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? Yes ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations: Other Medications: None **Current Illness: None**

Preexisting Conditions: None

Allergies: None **Diagnostic Lab Data: CDC Split Type:**

Write-up: PT stated she felt funny. Began assessment. PT lost pulse, began CPR. PT

regained pulse, was transferred via EMS to hospital

VAERS ID: 966224 (history) Form: Version 2.0

Age:

Sex: **Female** Location: Nebraska

Vaccinated: 1983-11-30 Onset: 2021-01-16

Days after vaccination: 13562

Submitted: 0000-00-00 **Entered:** 2021-01-22

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK4176 / 1	RA / IM

Administered by: Private Purchased by: ?

Symptoms: Anaphylactic shock, Dizziness, Palpitations, Urticaria

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad),

(broad), Arrnythmia related investigations, signs and symptoms (broad),

Anaphylactic/anaphylactoid shock conditions (narrow), Cardiomyopathy (broad), Vestibular disorders (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes

Office Visit? No

ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications: albuterol Fexofenadine fluticasone-salmeterol Levetriacetam monelukast

pantoprazole zonisamide

Current Illness:

Preexisting Conditions: Allergies: motrin, penicillin Diagnostic Lab Data:

CDC Split Type:

Write-up: Received Vaccine on 1/8/2021. Reported on 1/19/2021 that on 1/16/2021 developed hives, heart racing, dizziness. Called 911. had an anaphylactic shock. had o2 and steroid treatment. She feels better now and would like to return to work.

VAERS ID: 966360 (history)
Form: Version 2.0

Age: 30.0
Sex: Female
Location: Maryland

 Vaccinated:
 2021-01-21

 Onset:
 2021-01-22

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-22

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / UNK	-/-

Administered by: Private Purchased by: ?

Symptoms: <u>Dyspnoea</u>, <u>Hypotension</u>, <u>Pruritus</u>, <u>Stridor</u>, <u>Throat tightness</u>

SMQs:, Anaphylactic reaction (narrow), Angioedema (broad), Neuroleptic malignant syndrome (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Hypersensitivity (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Dehydration (broad), Hypokalaemia (broad)

Life Threatening? Yes

Birth Defect? No

Died? No.

Permanent Disability? No

Recovered? Yes

Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? Yes, ? days

Extended hospital stay? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions: asthma

Allergies: augmentin cephalexin triclosan adhesive tape tramadol

Diagnostic Lab Data: CDC Split Type:

Write-up: 1 hour after receipt of booster vaccine, developed pruritis and difficulty breathing, throat tightness; Stridor evident in the ED, hypotension requiring epinephrine injections and eventual infusion.

VAERS ID: 966449 (history)
Form: Version 2.0

Age: 54.0
Sex: Female
Location: New York

 Vaccinated:
 2021-01-22

 Onset:
 2021-01-22

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-22

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / UNK	-/-

Administered by: Private Purchased by: ?

Symptoms: Endotracheal intubation, Hypoxia, Respiratory failure

SMQs:, Anaphylactic reaction (broad), Angioedema (broad), Asthma/bronchospasm (broad), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (broad), Torsade de pointes, shock-associated conditions (broad), Hypovolaemic shock conditions (broad), Toxic-septic shock conditions (broad), Anaphylactic/anaphylactoid shock conditions (broad), Hypoglycaemic and neurogenic shock conditions (broad), Acute central respiratory depression (narrow), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Eosinophilic pneumonia (broad), Hypersensitivity (broad), Respiratory failure (narrow),

Infective pneumonia (broad), Hypokalaemia (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations: Other Medications: **Current Illness:** Asthma **Preexisting Conditions:**

Allergies: Latex

Diagnostic Lab Data: CDC Split Type:

Write-up: hypoxia to 30%, only improved to 82% on Nonrebreather at 100%, intubated for hypoxic respiratory failure

VAERS ID: 966779 (history) Version 2.0 Form:

27.0 Age: Sex: **Female** Location: Connecticut

Vaccinated: 2021-01-21 Onset: 2021-01-21

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-22

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL8982 / 1	LA / IM

Purchased by: ? Administered by: Private

Symptoms: Anaphylactic reaction, Cough, Dyspnoea, Erythema, Lip swelling, Tongue pruritus. Urticaria

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Anaphylactic/anaphylactoid shock conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes Birth Defect? No Died? No. Permanent Disability? No Recovered? Yes

Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Singulair Synthroid

Current Illness: Anaphylaxis 12/22/2020, 12/23/2020, 12/24/2020- new onset nut allergy

Preexisting Conditions: Hypothyroidism Asthma

Allergies: Tree nuts-anapylaxis Anise seed- anaphylaxis Erythromycin-swelling

Diagnostic Lab Data: CDC Split Type:

Write-up: Approx 3 -5 minutes after vaccine -redness and hives on both arms, chest, and face. Approximately 10 minutes after vaccine- cough, shortness of breath, tongue itchy, lips swelling. Epi pen in L thigh, 50 mg benedryl IM in R deltoid. Brought to emergency room, 1 liter normal saline, pepcid, solu-medrol, 25mg benadryl IV. D/c to home around noon. 1/22/2020- secondary anaphylactic reaction at 945am. Epi pen to r thigh, 50mg PO benadryl, 20mg prednisone. Drove to hospital ER received 1 liter of normal saline, pepcid, 25mg benadryl IV, 40mg prednisone. D/C at 3pm on prednisone taper.

VAERS ID: 966991 (history)
Form: Version 2.0

Age: 81.0
Sex: Male
Location: California

Vaccinated: 2020-12-22 **Onset:** 2020-12-29

Days after vaccination: 7

Submitted: 0000-00-00 **Entered:** 2021-01-22

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	011J20A / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Atrial fibrillation, Blood test, Cardiac ablation, Cardioversion, Electrocardiogram

SMQs:, Supraventricular tachyarrhythmias (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No.

Permanent Disability? No

Recovered? No Office Visit? Yes ER Visit? No

ER or Doctor Visit? No Hospitalized? Yes, 6 days Extended hospital stay? No

Previous Vaccinations:

Other Medications: Atorvastatin, vitamin D, multivitamins,

Current Illness: None

Preexisting Conditions: Osteoarthritis

Allergies: None

Diagnostic Lab Data: EKG, cardioversion times two, multiple blood tests, diuretic drugs and

antiarrhythmic drugs and then ablation

CDC Split Type:

Write-up: One week after first Covid vaccine I was diagnosed with atrial fibrillation. Needed

treatment. Four hours after second Covid vaccine atrial fibrillation recurred

VAERS ID: 967274 (history)
Form: Version 2.0

Age: 27.0
Sex: Female
Location: New York

Vaccinated: 2021-01-01 **Onset:** 2021-01-06

Days after vaccination: 5

Submitted: 0000-00-00 **Entered:** 2021-01-23

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / UNK	-/-
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / UNK	-/-

Administered by: Private Purchased by: ?

Symptoms: Exposure during pregnancy, Foetal death, Malaise, SARS-CoV-2 test

SMQs:, Pregnancy, labour and delivery complications and risk factors (excl abortions and stillbirth) (narrow), Termination of pregnancy and risk of abortion (narrow), COVID-19 (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? Yes

Recovered? No

Office Visit? No

ER Visit? No

ER or Doctor Visit? No

Hospitalized? Yes. 2 days

Extended hospital stay? No

Previous Vaccinations:
Other Medications: None

Current Illness: No

Preexisting Conditions: No

Allergies: No

Diagnostic Lab Data: Covid19

CDC Split Type:

Write-up: I was pregnant and my baby died two days after I took it and I got really sick

VAERS ID: 967327 (history)
Form: Version 2.0

Age: 81.0
Sex: Male
Location: Colorado

 Vaccinated:
 2021-01-22

 Onset:
 2021-01-23

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-23

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL9261 / 1	- / IM

Administered by: Other Purchased by: ?

Symptoms: Base excess, Blood bicarbonate increased, Blood culture, Blood glucose normal, Blood lactic acid, Blood pH decreased, Blood sodium increased, Blood urine present, Carbon dioxide normal, Chest X-ray abnormal, Computerised tomogram thorax, Continuous positive airway pressure, Endotracheal intubation, Erythema, Fibrin D dimer, Glomerular filtration rate decreased, Lung infiltration, Lymphocyte count, Monocyte count decreased, Monocyte count increased, Neutrophil percentage decreased, PCO2 increased, PO2 increased, Pulmonary oedema, Red blood cell count decreased, Red cell distribution width increased, Tachypnoea, Urine analysis abnormal, White blood cell count increased

SMQs:, Rhabdomyolysis/myopathy (broad), Acute renal failure (broad), Cardiac failure (narrow), Anaphylactic reaction (narrow), Agranulocytosis (broad), Angioedema (broad), Asthma/bronchospasm (broad), Haematopoietic erythropenia (narrow), Haematopoietic leukopenia (narrow), Lactic acidosis (broad), Haemorrhage terms (excl laboratory terms) (narrow), Haemorrhage laboratory terms (narrow), Interstitial lung disease (narrow), Neuroleptic malignant syndrome (broad), Acute central respiratory depression (broad), Haemodynamic oedema, effusions and fluid overload (narrow), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Chronic kidney disease (broad), Hypersensitivity (broad), Tumour lysis syndrome (broad), Respiratory failure (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Infective pneumonia (broad), Dehydration (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, ? days
Extended hospital stay? No
Previous Vaccinations:

Other Medications: Prednisone 10mg daily; Finasteride 5mg daily; Omeprazole 40mg daily; Simvastatin 40mg g hs; Advair Diskus 250mg/50 bid; Spiriva 18mcg inhalation daily.

Current Illness: Unknown

Preexisting Conditions: Anemia, BPH, GERD, Chronic Pulmonary Hypertension, COPD, CVA, DMT2, Dyslipidemia, Hyperlipidemia, Lower Respiratory Infection, Pneumonia, Rheumatic Fever, Shingles and Urinary Frequency.

Allergies: Cefdinir and Tamsulosin

Diagnostic Lab Data: CBC abnormals: WBC 20.5 RBC 4.29 RDW-CV 15.6% RDW-SD 55.8 Neutrophils 16.6% Monocytes 1.6 Reactive Lymphocytes Moderate DDimer 2.05 CMP Abnormals: GLU 142 EGFR 54 NA 146 ABG PH 7.33 PCO2 53 PO2 249 TCO2 29 HCO3 29 Base Excess 0.6 O2 Sat 99.2% Chest XR: Interstitial infiltrates or edema to bilateral upper lungs UA abnormals: Tr blood and Mucus present Lactic Acid 2.1 2 Blood Cultures drawn CTA of Chest still pending results

CDC Split Type:

Write-up: EMS brought patient to ED stating patient was bright red and tachypneic with oxygen saturation of 81-82% on RA. Failed on CPAP. Given Benadryl 50mg IVP, Solumedrol 125mg IVP, 0.3mg of IM Epi and a duoneb with no relief. Was RSI''d and intubated and transported to the ED.

VAERS ID: 967477 (history)
Form: Version 2.0

Age: 42.0
Sex: Female
Location: Tennessee

 Vaccinated:
 2021-01-20

 Onset:
 2021-01-20

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-23

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	-/2	RA / IM

Administered by: Private Purchased by: ?

Symptoms: Abdominal pain, Arthralgia, Chest pain, Chills, Decreased appetite, Dyspnoea, Electrocardiogram normal, Fatigue, Headache, Hyperhidrosis, Laboratory test, Myalgia, Somnolence, Syncope, Vomiting

SMQs:, Torsade de pointes/QT prolongation (broad), Rhabdomyolysis/myopathy (broad), Anaphylactic reaction (broad), Acute pancreatitis (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Retroperitoneal fibrosis (broad), Dementia (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Hypotonic-hyporesponsive episode (broad), Arthritis (broad), Tendinopathies and ligament disorders (broad), Hypoglycaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? Yes
ER Visit? No
ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications: Sertraline Nexium Vitamin D Melatonin

Current Illness: None

Preexisting Conditions: Depression Anxiety Migraines GERD

Allergies: Cinnamon Promethazine

Diagnostic Lab Data: EKG NSR labs drawn 1.22.21

CDC Split Type:

Write-up: Day 1. Fatigue. Sleepiness. Loss of appetite Day 2. Muscle aches. Headache. Chills. Loss of appetite. Episode of severe abdominal pain, chest pain, right shoulder pain, shortness of breath, syncope, diaphoresis, vomiting Day 3. Fatigue. Headache. Chest pain.

VAERS ID: 967521 (history)
Form: Version 2.0

Age: 39.0 Sex: Female

Location: Massachusetts

Vaccinated: 2021-01-11 **Onset:** 2021-01-21

Days after vaccination: 10

Submitted: 0000-00-00 **Entered:** 2021-01-23

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	025J20A / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Abdominal pain, Appendicectomy, Appendicitis, Computerised tomogram abdomen, Computerised tomogram pelvis, Full blood count, Liver function test, Metabolic function test, Urine analysis

SMQs:, Acute pancreatitis (broad), Retroperitoneal fibrosis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No

ER Visit? No.

ER or Doctor Visit? Yes
Hospitalized? Yes, 1 days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: Low estrin Vitamin E B-complex

Current Illness: None

Preexisting Conditions: None

Allergies: None

Diagnostic Lab Data: 1/21 CBC, LFTs, metabolic panel, urinalysis, abdominal CT and pelvic

CT

CDC Split Type:

Write-up: Sever abdominal pain that started 1/21 at 9pm. Persisted overnight. Went to ER at 930am on 1/22. Diagnosed with appendicitis. Appendectomy surgery performed around 7pm on 1/22/21.

VAERS ID: 967589 (history)
Form: Version 2.0

Age: 54.0

Sex: Female

Location: New York

Vaccinated: 2021-01-22 **Onset:** 2021-01-23

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-23

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / 1	UN / IM

Administered by: Private Purchased by: ?

Symptoms: Dyspnoea, Endotracheal intubation, Hypoxia

SMQs:, Anaphylactic reaction (broad), Angioedema (broad), Asthma/bronchospasm (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Respiratory failure (broad),

Infective pneumonia (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? No Hospitalized? Yes, 2 days Extended hospital stay? No

Previous Vaccinations: Other Medications: none Current Illness: none

Preexisting Conditions: asthma, sleep apnea

Allergies: none
Diagnostic Lab Data:
CDC Split Type:

Write-up: patient immediately got short of breath and hypoxic requiring intubation

VAERS ID: 967802 (history)
Form: Version 2.0

Age: 58.0 Sex: Male

Location: Massachusetts

Vaccinated: 2021-01-21
Onset: 2021-01-21

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-23

Vaccination / Manufacturer Lot / Dose Site / Route COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA | 012L20A / 2 LA / IM

Administered by: Private Purchased by: ?

Symptoms: Acute myocardial infarction, Chest pain

SMQs:, Myocardial infarction (narrow), Embolic and thrombotic events, arterial (narrow), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Cardiomyopathy

(broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, ? days Extended hospital stay? No

Previous Vaccinations:

Other Medications: Aspirin 81mg daily, ginseng, garlic, grapeseed

Current Illness: Raynaud's, hypertension, hyperlipidemia

Preexisting Conditions: Raynaud"s, hypertension, hyperlipidemia

Allergies: No allergies
Diagnostic Lab Data:
CDC Split Type:

Write-up: Chest pain, leading to STEMI

VAERS ID: 967969 (history)
Form: Version 2.0

Age: 85.0
Sex: Male
Location: Michigan

 Vaccinated:
 2021-01-13

 Onset:
 2021-01-21

Days after vaccination: 8

 Submitted:
 0000-00-00

 Entered:
 2021-01-23

Vaccination / Manufacturer Lot / Dose Site / Route

COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA - / UNK LA / IM

Administered by: Private Purchased by: ?

Symptoms: Cerebral haemorrhage, Computerised tomogram head, Hemiplegia

SMQs:, Haemorrhage terms (excl laboratory terms) (narrow), Haemorrhagic central nervous system vascular conditions (narrow), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), Conditions associated with central nervous system haemorrhages and cerebrovascular accidents (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 5 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications:

Synhroid, Trajenta, Glucophage, Glucotrpl, Preservision, Plavix, Aspirin, Ferrous Sulpfate, Bcomplex, Pravastatin, Actose, Lisinopril, Lansoprazol,

Current Illness: Diabetes, Coronary Artery disease post Bypass, Dyslipidemia, Aortic valve

TAVER, controlled hypertension.

Preexisting Conditions: Diabetes, Coronary artery disease

Allergies: None

Diagnostic Lab Data: CT . Scan of the brain

CDC Split Type:

Write-up: cerebral hemorrhage and left sided paralysis of the body

VAERS ID: 968026 (history)
Form: Version 2.0

Age: 32.0
Sex: Female
Location: Texas

Vaccinated: 2021-01-21 **Onset:** 2021-01-23

Days after vaccination: 2

Submitted: 0000-00-00 **Entered:** 2021-01-23

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	-/2	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Cerebral artery embolism, Computerised tomogram head abnormal, Facial paralysis, Hemiparesis, Magnetic resonance imaging brain abnormal, Thrombectomy **SMQs:**, Ischaemic central nervous system vascular conditions (narrow), Embolic and thrombotic events, arterial (narrow), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), Guillain-Barre syndrome (broad), Noninfectious

encephalitis (broad), Noninfectious meningitis (broad), Conditions associated with central nervous system haemorrhages and cerebrovascular accidents (narrow), Hearing impairment (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? Yes

Recovered? No

Office Visit? No

ER Visit? No

ER or Doctor Visit? No

Hospitalized? Yes, ? days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: desogestreL-ethinyl estradioL (Enskyce) 0.15-0.03 mg per tablet, escitalopram (LEXAPRO) 20 MG tablet, spironolactone (ALDACTONE) 100 MG tablet

Current Illness: None known **Preexisting Conditions:** Obesity

Allergies: none

Diagnostic Lab Data: CT head - R 1M hyperdensity, no acute ischemic changes yet

Mechanical thrombectomy MRI with R MCA territory stroke

CDC Split Type:

Write-up: Patient states he started having sudden onset of left facial droop, left-sided arm and leg 15 minutes prior to arrival on 1/23 while driving. Pt got the Moderna vaccine second dose 2 days ago (1/21). Patient denies any history of stroke, DVT, PE. tPA was administered. Found to have clot in the Right MCA territory and taken for mechanical thrombectomy to remove the clot. Patient remains hospitalized and further workup is going.

VAERS ID: 968103 (history)
Form: Version 2.0

Age: 77.0
Sex: Female
Location: Oregon

Vaccinated: 2021-01-21 **Onset:** 2021-01-22

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-23

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / UNK	-/-

Administered by: Private Purchased by: ?

Symptoms: Condition aggravated, Lipase increased, Magnetic resonance

cholangiopancreatography, Pancreatitis

SMQs:, Acute pancreatitis (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Immune-mediated/autoimmune disorders (broad)

Life Threatening? Yes **Birth Defect?** No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? No

ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications: No current facility-administered medications on file prior to encounter. Current Outpatient Medications on File Prior to Encounter Medication Sig Dispense Refill? albuterol sulfate HFA (PROVENTIL HFA) 108 (90 Base) mcg/act inhaler Inhale

Current Illness:

Preexisting Conditions: CAD, HTN, DM2, pSVT

Allergies: Percocet and tape

Diagnostic Lab Data: lipase\$g4000. MRCP negative for cause, does not drink. She did have

pancreatitis in 2018 and the cause was also unknown at that time.

CDC Split Type:

Write-up: admitted with pancreatitis.

VAERS ID: 968309 (history)
Form: Version 2.0

Age: 66.0

Sex: Female

Location: Colorado

Vaccinated: 2021-01-02 **Onset:** 2021-01-11

Days after vaccination: 9

 Submitted:
 0000-00-00

 Entered:
 2021-01-23

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	025J202A / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Blood test, Computerised tomogram, Headache, Hypoaesthesia, Hyponatraemia,

Paraesthesia, Vomiting

SMQs:, Acute pancreatitis (broad), Peripheral neuropathy (broad), Guillain-Barre syndrome (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Hyponatraemia/SIADH (narrow), Chronic kidney disease (broad), Sexual dysfunction (broad)

Life Threatening? Yes **Birth Defect?** No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 1 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Lamictal, bystolic, lisinopril, tylenol, aleve, trazodone, , methylphenidate,

wellbutrin, atorvastatin, levothyorine cytomel

Current Illness: None

Preexisting Conditions: Hypertension, thyroid cancer

Allergies: Tramodol, avacado

Diagnostic Lab Data: Blood work, CT scans. 01/13/2021

CDC Split Type:

Write-up: Vomiting /headache/numbNess and tingling in all four extremities/ hyponatremia

VAERS ID: 968320 (history)
Form: Version 2.0

Age: 74.0
Sex: Female
Location: California

 Vaccinated:
 2021-01-23

 Onset:
 2021-01-23

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-23

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	042L20A / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Dyskinesia

SMQs:, Neuroleptic malignant syndrome (broad), Dyskinesia (narrow), Noninfectious

encephalopathy/delirium (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations: Td-edema and fever (remote history per pt)

Other Medications: Singulair 10mg/d, allegra, qnasal, estrogen patch, reglan prn **Current Illness:** Choreoathetoid movement disorder, GERD, Asthma, hypothyroid

Preexisting Conditions: same as above

Allergies: Td-edema/fever, opiate-rash, itching, dilantin-rash

Diagnostic Lab Data: See ER note

CDC Split Type:

Write-up: Result type: ED Note Result date: February 13, 2019 20:29 PST Result status: Auth (Verified) Result Title/Subject: ED Note Performed By/Author: MD on February 13, 2019 20:37 PST Verified By: MD on February 13, 2019 20:37 PST Patient Age: 72 Years Gender: Female Date/Time: 02/06/19 13:25 Time of my initial contact with patient: Patient was seen at 1327 Mode of Arrival: POV/Walk-in Triage Narrative: PT BROUGHT TO ED FROM PT SESSION VIA GURNEY WITH C/O SPASTIC MOVEMENTS OF ARMS LEGS. PER

EMPLOYEE IN PT: THIS EPISODE LASTED 1 HR 15 MINUTES.. PT"S SPOUSE AT BEDSIDE. SEIZURE PADS PLACED ON BED RAILS, PT AWAKE, ALERT, ORIENTED, DR AT BEDSIDE. PT STATES SHE HAD A COLONOSCOPY YESTERDAY. Chief Complaint: Involuntary movement History of Present Illness: This is a 72-year-old unfortunate female who has been suffering a series of episodes of movement disorder like choreoathetoid spastic events she was being evaluated in the hospital and started having 1 of these episodes and was brought into the emergency room with concerns of a possible seizure certainly patient was guite awake and alert knowing that she could not inhibit these upper and lower extremity spastic type of movements she can that the rectum patient did not seem to be too upset by them and seemed to be some events that she has suffered through multiple times her husband is at the bedside patient has already been evaluated by neuro neurology and has been referred to a motor disorder department. Both the patient and his and her husband do not want to initiate a complete workup has been done several times in the emergency room iust wanted to see if we could help her with some Ativan and they are already pending a scheduled appointment this is a sick specifically patient denies any headache any chest pain any palpitations no history of trauma or fever Problem List & Past Medical/Surgical History: Acid reflux Asthma Brain aneurysm Chronic pain Ex-smoker Movement disorder Thyroid disease Family History: Family history is significant for the absence of any motor disorders Social History: Patient states no history of tobacco use Patient specifically denies any previous use of Drugs or previous trauma Allergies: Dilantin (Rash) codeine (Acute vomiting, Rash, ITCHING) fentaNYL (Shortness of breath) morphine (vomiting, itching) opioid-like analgesics (Rash) tetanus toxoids (Edema, fever) traMADol (itchy) Medications: Available Med List Reviewed Review of Systems: All other systems reviewed and are negative except per HPI Physical Exam: Vital Signs BP: 177/85 mmHg Temp (Temporal): 36.3 DegC (97.3 DegF) HR: 80 bpm Resp: 18 br/min SpO2: 100 % [Patient is alert, cooperative, no acute distress] Vital signs as noted HEENT: [Normocephalic, atraumatic, pupils were equal and reactive to light, extraocular movements movements are intact, neck is supple, no thyromegaly] RESP: [Respiratory rate normal is noted, patient is breathing comfortably in no acute distress, with no adventitious breath sounds. specifically no wheezing no rhonchi no rales] CV: [Regular rate and heart rate noted, patient has no S3, no gallop, perfusion confirmed normal] GI: [Patient's abdomen is soft nontender, no rebound, no guarding] Neuro: [GCS of 15, mentation is normal, thought content and processes intact, motor and sensory both upper and lower extremities normal.] Skin: [Good color and normall capillary refill, no rash] MS:[Patient exhibits a spastic type of upper and lower extremity movements which seem to be having no rhythmical sequence she continues being alert and oriented throughout these episodes they seem to subside after a few minutes and with no obvious precipitant begin again Test Results: Labs Results Laboratory and workup and imaging was refused by the patient as they have had that several times Diagnostic Results Imaging Studies Reviewed Emergency Department Course and Procedures: Medications, IV"s and Blood Products Ordered LORazepam (Ativan) 1 mg = 1 tab once PO Critical care patient underwent a critical care observation irrespective of any procedures during her stay in the emergency room a total duration of approximately 42 minutes with concerns of her safety and her neurological status to protected from injury and to monitor her cardiovascular respiratory and neurological organs Medical Decision Making: And reexaminations patient spastic events seem to subside only slightly this is a 72-year-old female presents with a motor disorder of unclear etiology already extensive ER and internal medicine workups has already seen neurology I did speak with the neurologist of the patient tonight to ascertain if there was anything other than Ativan that I could attempt and to also ascertain that she did have a follow-up with her referral motor disorder specialist Impression: Choreoathetotic movements of unclear etiology Plan: Discharge Discharge Follow Up Follow up with primary care provider Within: 3-5 days Comments: Return to ER for any concern Referral for suspected pre-hypertension or hypertension was given. MD Please note: Unless specifically stated, all procedures mentioned, tests done and medications given were performed/interpreted by the emergency

physician, or were under the direct supervision of the emergency physician.

VAERS ID: 968341 (history)
Form: Version 2.0

Age: 74.0 Sex: Male

Location: North Carolina

 Vaccinated:
 2021-01-22

 Onset:
 2021-01-23

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-23

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / UNK	-/-

Administered by: Unknown Purchased by: ?

Symptoms: Cardiac arrest, Endotracheal intubation, Pneumonia, Pyrexia, Respiratory distress, SARS-CoV-2 test negative, Sepsis, Urinary tract infection

SMQs:, Torsade de pointes/QT prolongation (broad), Anaphylactic reaction (narrow), Angioedema (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (narrow), Acute central respiratory depression (broad), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Hypersensitivity (broad), Respiratory failure (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Infective pneumonia (narrow), Sepsis (narrow), Opportunistic infections (broad), COVID-19 (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No

Hospitalized? Yes, ? days Extended hospital stay? No

Previous Vaccinations:

Other Medications: ASPIRIN 81 MG CHEWABLE TABLET Chew 1 tablet (81 mg total) daily. ? ATORVASTATIN (LIPITOR) 80 MG TABLET Take 1 tablet (80 mg total) by mouth every evening. ? CLOPIDOGREL (PLAVIX) 75 MG TABLET Take 1 tablet (75 mg total) by mouth da Current Illness: None known prior to vaccination

Preexisting Conditions: ? Arthritis ? ? Coronary artery disease ? ? Hypertension ? ? Myocardial infarction (CMS-HCC) 6/2016 ? OSA on CPAP ? ? Rheumatoid arthritis (CMS-HCC)

Allergies:

Diagnostic Lab Data: Work-up at present shows evidence of pneumonia, urinary tract infection, Covid PCR is negative

CDC Split Type:

Write-up: 24 hours after presentation patient had developed high fevers 104. He presented to

the emergency department with symptoms of severe sepsis and respiratory distress. He was intubated, suffered cardiac arrest with return of spontaneous circulation, requiring vasopressors.

VAERS ID: 968354 (history)
Form: Version 2.0

Age: 80.0
Sex: Male
Location: Florida

Vaccinated: 2021-01-08 **Onset:** 2021-01-14

Days after vaccination: 6

Submitted: 0000-00-00 **Entered:** 2021-01-23

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EH9899 / 1	LA / IM

Administered by: Other Purchased by: ?

Symptoms: Activated partial thromboplastin time normal, Arterial catheterisation, Coagulation test normal, Colonoscopy abnormal, Computerised tomogram abdomen abnormal, Diarrhoea haemorrhagic, Diverticulum, Diverticulum intestinal haemorrhagic, Endoscopy upper gastrointestinal tract normal, Gastrointestinal haemorrhage, Haemoglobin decreased, Hyperaemia, Intensive care, International normalised ratio normal, Packed red blood cell transfusion, Platelet count decreased, Platelet transfusion, Prothrombin time normal, Rectal haemorrhage, Scan with contrast abnormal, Thrombocytopenia

SMQs:, Haematopoietic erythropenia (broad), Haematopoietic thrombocytopenia (narrow), Haemorrhage terms (excl laboratory terms) (narrow), Haemorrhage laboratory terms (broad), Systemic lupus erythematosus (broad), Anticholinergic syndrome (broad), Retroperitoneal fibrosis (broad), Pseudomembranous colitis (broad), Malignancy related therapeutic and diagnostic procedures (narrow), Gastrointestinal perforation, ulcer, haemorrhage, obstruction non-specific findings/procedures (broad), Gastrointestinal haemorrhage (narrow), Gastrointestinal nonspecific inflammation (broad), Ischaemic colitis (broad), Myelodysplastic syndrome (broad), Noninfectious diarrhoea (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? Yes
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 6 days
Extended hospital stay? No
Previous Vaccinations:

Other Medications: Diltiazem 120 mg bid, Metoprolol 25 mg qd, Lisinopril 10 qd, Clopidogrel 30 qd, ASA 81 mg qd, Metformin 500 mg bid, Pioglitazone 30 mg qd, L thyroxine 88 mcg qd, Ezetimibe 10 mg qd, Silodosin 4 mg qd; Centrum Silver Multivitamin 1 qd, and

Current Illness: No acute illness. H/O Diverticulosis August 2020

Preexisting Conditions: Chronic illnesses: Aortic Stenosis post TAVR 11/4/2020; Hypertension controlled, mild hyperlipidemia, diabetes mellitus with Hgb A1C of 5.8% and FBS 90"s, hypothryoidism,

Allergies: None known

Diagnostic Lab Data: HgB 8.7 dropping to 8.1 after 4 hours and 4 units prbc, and 2 units platelets at adm 101k, coag tests normal PT PTT, INR Abd CT with contrast showed diverticulosis some hyperemia, subsequent interventional radiology with contrast was unremarkable for celiac, superior mesenteric and inferior mesenteric with hyperemia. Subsequent upper GI endoscopy normal and several days later when patient stable colonoscopy showed diverticulosis only w/o diverticulitis. 3 days in Intensive care unit, large bore IV"s, fluid and metabolic adjustments. Admitted 1/14 pm discharged 1/19 early afternoon with Hgb with 1 added PRBC was 9.2 g/I Dx Thrombocytopenia and presumed diverticular bleed but un proven

CDC Split Type:

Write-up: Acute Gastrointestinal Bleeding per rectum with massive bloody diarrhea, transfer to Emergency room by EMS with IV placement and fluid resuscitation, vital signs unstable, emergency assessment and massive transfusion over next 4 hours of 4 units of PRBC and 2 units platelets, dual 16 gauge IV"s, intrarterial line. ER Summary available and can be scanned and sent. Low HgB, Low platelets in 60 k range and multiple consultants and diagnositcs

VAERS ID: 968364 (history)
Form: Version 2.0

Age: 61.0 Sex: Male

Location: Washington

Vaccinated: 2021-01-11 **Onset:** 2021-01-19

Days after vaccination: 8

Submitted: 0000-00-00 **Entered:** 2021-01-23

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	-/2	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Computerised tomogram thorax abnormal, Fibrin D dimer increased, Pulmonary embolism, Scan with contrast abnormal

SMQs:, Haemorrhage laboratory terms (broad), Embolic and thrombotic events, venous (narrow), Malignancy related therapeutic and diagnostic procedures (narrow), Cardiomyopathy (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 1 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Omeprazole

Current Illness: none

Preexisting Conditions: GERD

Allergies: augmentin

Diagnostic Lab Data: elevated D-dimer (2.8), CT with contrast positive for RLL embolus and

possible infarction - 1/20/21

CDC Split Type:

Write-up: Pulmonary embolus developed 8 days after second injection. No previous history of vascular events. No known risk factors.

VAERS ID: 968483 (history)
Form: Version 2.0

Age: 49.0
Sex: Female
Location: lowa

Vaccinated: 2021-01-08 **Onset:** 2021-01-09

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-24

Vaccination / Manufacturer	Lot / Dose	Site / Route	
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	041L20A / UNK	RA/SYR	

Administered by: Work Purchased by: ?

Symptoms: Chest X-ray normal, Computerised tomogram thorax normal, Dyspnoea, Electrocardiogram normal, Fibrin D dimer increased, Petechiae, Platelet count decreased, Rash, Scan with contrast normal

SMQs:, Anaphylactic reaction (narrow), Haematopoietic thrombocytopenia (narrow), Haemorrhage terms (excl laboratory terms) (narrow), Haemorrhage laboratory terms (broad), Systemic lupus erythematosus (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes Birth Defect? No Died? No

Permanent Disability? No

Recovered? No Office Visit? Yes

ER Visit? No.

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Losartan, chlorthalidone, tizanidine, Tylenol,

Current Illness:

Preexisting Conditions: Migraines Back pain Psoriasis

Allergies: sulfates in foods (preservative)

Diagnostic Lab Data: 1/14/2021 - Emergency room visit - Labs for further blood monitoring (continuing and referred to hematology with upcoming appointment, for further care). Labs indicated platelet count of 88,000. 1/14/2021-EKG 1/14/2021-Chest x-ray 1/14/2021- CT with contrast to rule out embolism due to shortness of breath and D-dimer elevation. Normal **CDC Split Type:**

Write-up: Within 20 minutes I experienced extreme shortness of breath that continued throughout the weekend and into the following week. Within 36 hours I developed a "rash" that was later diagnosed as petechiae. Labs were ordered immediately and my platelet level was 66,000. The hematologist that was consulted with had me report to the emergency room for further tests. I was informed not to injure myself in anyway with a count that low or I could hemorrhage and die.

VAERS ID: <u>968620</u> (history)

Form: Version 2.0

Age: 24.0
Sex: Female
Location: Illinois

Vaccinated: 2021-01-22 **Onset:** 2021-01-22

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-24

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / 1	LA / IM

Administered by: Public Purchased by: ?

Symptoms: <u>Dysphagia</u>, <u>Hot flush</u>, <u>Nausea</u>, <u>Palpitations</u>, <u>Paraesthesia oral</u>, <u>Pharyngeal</u> swelling, Rash

SMQs:, Anaphylactic reaction (narrow), Acute pancreatitis (broad), Angioedema (narrow), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? No

Previous Vaccinations:

Other Medications: Birth Control pill: Yaz Women"s multivitamin Vitamin d

Current Illness: N/A

Preexisting Conditions: IBS, GERD

Allergies: Tetracycline medicine family Pineapple Seasonal

Diagnostic Lab Data: CDC Split Type:

Write-up: After about 1 hour and 15 minutes, I began to feel my throat swelling, difficulty to swallow, nausea, hot flashes, my heart racing, a rash on my chest, and my tongue tingly.

VAERS ID: 968633 (history)
Form: Version 2.0

Age: 48.0
Sex: Female
Location: Minnesota

Vaccinated: 2021-01-07 **Onset:** 2021-01-07

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-24

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK9231 / 2	RA / IM

Administered by: Private Purchased by: ?

Symptoms: Anaphylactic reaction, Chest X-ray normal, Chest discomfort, Cough, Differential white blood cell count, Dizziness, Dysphonia, Electrocardiogram, Erythema, Full blood count, Human chorionic gonadotropin, Laboratory test, Metabolic function test, Nausea, Platelet count, Rhinorrhoea, Speech disorder

SMQs:, Anaphylactic reaction (narrow), Acute pancreatitis (broad), Anticholinergic syndrome (broad), Anaphylactic/anaphylactoid shock conditions (narrow), Dementia (broad), Parkinson-like events (broad), Psychosis and psychotic disorders (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Vestibular disorders (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? Yes
ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: allegra, Xolair, pulmicort, prozac, singular, trazadone. dexilant, gabapentin, allergy shots

Current Illness: felt fine at the time of vaccination. Had a mild cold Dec 15-18. runny nose, scratchy throat, mild cough. COVID test negative.

Preexisting Conditions: allergy and respiratory infection induced Asthma Raynauds IBS

Allergies: pineapple-nausea, vomiting Ampicillin- nausea vomiting benzoyle peroxide

Diagnostic Lab Data: EKG monitoring CXR- fine CBC with platelets and Diff Comprehensive Metabolic panel hCG urine POCT

CDC Split Type:

Write-up: chest tightness, cough, runny nose, nausea, dizzy, red chest, high pitch voice, difficulty speaking. anaphylaxis EKG monitoring, IVF, IM Epinephrine, IV Benadryl, IV Pepcid, Albuterol dual neb, CXR, Labs sent home after 6 1/2 hours of treatment and monitoring. Sent home with Epi pen

VAERS ID: 968648 (history)
Form: Version 2.0

Age: 75.0
Sex: Female
Location: Michigan

 Vaccinated:
 2021-01-21

 Onset:
 2021-01-21

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-24

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK5730 /	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Acute pulmonary oedema, Cardiac arrest, Mechanical ventilation

SMQs:, Torsade de pointes/QT prolongation (broad), Cardiac failure (narrow), Anaphylactic reaction (broad), Arrhythmia related investigations, signs and symptoms (broad), Shockassociated circulatory or cardiac conditions (excl torsade de pointes) (narrow), Acute central respiratory depression (broad), Haemodynamic oedema, effusions and fluid overload (narrow), Cardiomyopathy (broad), Respiratory failure (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No

ER or Doctor Visit? No
Hospitalized? Yes, ? days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: Pepcid Xanax Insulin

Current Illness: None known

Preexisting Conditions: Diabetes Mellitus HTN Deaf Anxiety Complete Heart Block

Pacemaker CHF

Allergies: Erythromycin

Diagnostic Lab Data: Ventilated and transferred

CDC Split Type:

Write-up: Cardiac Arrest Acute pulmonary edema

VAERS ID: 968950 (history)
Form: Version 2.0

Age: 69.0
Sex: Female
Location: Florida

Vaccinated: 2021-01-21 **Onset:** 2021-01-21

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-24

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL3246 / 1	-/-

Administered by: Other Purchased by: ?

Symptoms: <u>Asthenia</u>, <u>Catheterisation cardiac normal</u>, <u>Chest pain</u>, <u>Dizziness</u>, <u>Echocardiogram normal</u>, <u>Electrocardiogram normal</u>, <u>Troponin increased</u>

SMQs:, Myocardial infarction (narrow), Anticholinergic syndrome (broad), Guillain-Barre syndrome (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Cardiomyopathy (broad), Vestibular disorders (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? Yes, 2 days

Extended hospital stay? No

Previous Vaccinations: Influenza (Seasonal) High dose (lot U1721AA) 2016-2017 (65)

01/24/2017

Other Medications: Opdivo; Citalopram; clonazepam; levothyroxine; predisone; lysine; biotin;

calcium with vitamin D; Vitamin c; magnesium, Vitamin B shot

Current Illness: Malignant melanoma; pernicious anemia; hypothyroidism;

Preexisting Conditions: diverticulitis; vasal vaga, gastritis, acute keratitis of both corneas;

ascites; osteopenia

Allergies: Doxycycline, tetracycline; erythomycin; keflex; scopolamine; alendronate; ac cyclobenzaprin; fluzone- 2016-2017 high dose syr; retenol A.

Diagnostic Lab Data: EKG- negative 1/21/21/; 122/21 ECO -negative1/22/21 Cardiac catherization - negative 1/22/21 Blood work- showed elevation of tyoponin 11/21;/1/22

CDC Split Type:

Write-up: I became weak and thought I was going to faint. I called the medical professional over and they brought me into a staged area for triage. My blood pressure was 171/104 or

114. I had chest pain. The EMT did and EKG, listened to my heart, and started an IV. The ambulance was called and I was transported by ambulance to the hospital. At the hospital another EKG was taken, blood pressure and blood work. Repeated blood work was taken. I was admitted to the hospital due to elevation of tyoponin level and chest pain. The following day 1/22/21 I saw my PCP and he thought it was related to the vaccine and recommended a cardiologist for the increased levels of tyoponin and chest pain. The cardiologist performed another EKG< more blood work and performed a cardiac catheterization and a ECO. Both were normal. Prior to that I was given a nitro pill as my chest pain was between a 7 and a 8; a few minutes later the nurse asked about my pain level and it was a 3-4. I was given another nitro pill and shortly after I felt extremely faint and my blood pressure was 56/32. I was immediately given a bolus of saline IV . The chest pain continued through the day. The following day, I had no further chest pain, my tyoponin levels returned to normal and I was released from the hospital.

VAERS ID: 969093 (history)
Form: Version 2.0

Age: 80.0
Sex: Female
Location: Arizona

 Vaccinated:
 2021-01-05

 Onset:
 2021-01-08

Days after vaccination: 3

Submitted: 0000-00-00 **Entered:** 2021-01-24

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / UNK	-/-

Administered by: Senior Living Purchased by: ?

Symptoms: Cerebrovascular accident, Computerised tomogram abnormal, Echocardiogram, Embolism, Endocarditis, Hepatic embolisation, Magnetic resonance imaging brain abnormal, Renal embolism

SMQs:, Ischaemic central nervous system vascular conditions (narrow), Haemorrhagic central nervous system vascular conditions (narrow), Embolic and thrombotic events, arterial (narrow), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), Renovascular disorders (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, ? days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: Unknown- please contact pt center for up to date list

Current Illness: DVT R LE, stent x 2 L groin, PNeumonia

Preexisting Conditions: HTN, PVD, COPD, FMS

Allergies: Lisinopril, erythromycin

Diagnostic Lab Data: 1/16/21- ct scan positive 1/18/21- mri confirmed extent of stroke 1/19/21- TEE confirmed endocarditis 1/21/21- mri confirms another stroke 1/23/21- ct scan

shows emboli to liver, spleen, kidneys

CDC Split Type:

Write-up: Pt received vaccine and within 72 hrs developed a stroke. Low platelet count.

Endocarditis. Emboli to liver, spleen, kidney.

VAERS ID: 969488 (history)
Form: Version 2.0

Age: 90.0
Sex: Female
Location: Virginia

Vaccinated: 2021-01-11 **Onset:** 2021-01-11

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-24

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / 1	-/-

Administered by: Senior Living Purchased by: ?

Symptoms: Computerised tomogram, Fatigue, Full blood count, Haematoma, Metabolic function test, Myalgia, Vomiting

SMQs:, Rhabdomyolysis/myopathy (broad), Acute pancreatitis (broad), Haemorrhage terms (excl laboratory terms) (narrow), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Eosinophilic pneumonia (broad), Tendinopathies and ligament disorders (broad)

Life Threatening? Yes

Birth Defect? No

Died? Yes

Date died: 2021-01-18
Days after onset: 7
Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? Yes
Hospitalized? Yes, 6 days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: losartan, doxazosin, metoprolol, Areds 2 eye vitamins

Current Illness: Covid 19

Preexisting Conditions: hypertension

Allergies: No

Diagnostic Lab Data: CBC, BMP, CT

CDC Split Type:

Write-up: Fatigue, muscle aches, vomiting, hematoma

VAERS ID: 969610 (history)
Form: Version 2.0

Age: 79.0
Sex: Male
Location: Utah

Vaccinated: 2021-01-18 **Onset:** 2021-01-19

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-24

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (UNKNOWN)) / UNKNOWN MANUFACTURER	- / 1	- / IM

Administered by: Private Purchased by: ?

Symptoms: Brain natriuretic peptide normal, Chills, Chronic obstructive pulmonary disease, Condition aggravated, Dyspnoea, Electrocardiogram normal, Influenza A virus test negative, Influenza B virus test, Influenza virus test negative, Intensive care, Lung opacity, Lymphocyte count normal, Metabolic function test normal, Myalgia, Neutrophil count increased, Pneumonia, SARS-CoV-2 test negative, Tachypnoea, Troponin normal, Wheezing, White blood cell count increased

SMQs:, Rhabdomyolysis/myopathy (broad), Anaphylactic reaction (broad), Angioedema (broad), Asthma/bronchospasm (broad), Interstitial lung disease (narrow), Neuroleptic malignant syndrome (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Hypersensitivity (broad), Respiratory failure (broad), Tendinopathies and ligament disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Infective pneumonia (narrow), COVID-19 (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, 1 days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: albuterol, allopurinol, ammlodipine, eliquis, aspirin, lipitor, calcium carbonate, vitamin D3, B12, diltiazem, pepcid, breo-ellipta, fluticasone nasal, synthroid, claritin, lisinopril, metformin, viagra, tamsulosin, stiolto respimat

Current Illness: none

Preexisting Conditions: COPD, atrial fibrillation, coronary artery disease, BPH, hypertension, diabetes,

Allergies: finasteride, flagyl, hctz, sulfa, tudorza

Diagnostic Lab Data: As above.

CDC Split Type:

Write-up: Uncertain if this was the Pfizer or Moderna COVID vaccine, patient doesnt remember. He thinks he got it at pharmacy. Patient is a 79 year old man with COPD on chronic 3LPM oxygen who developed chills, myalgias and trouble breathing about 18-24 hours after his first dose of COVID vaccine. He held out for a week outside the hospital before coming in to be admitted on 1/24/2021. Found to have increased oxygen requirements to 6LPM and new bilateral left lower lobe and right lower lobe pulmonary opacities, L side worse than R. Patient is afebrile, tachypneic, and mildly tachycardic with normal blood pressure. Imaging consistent with multifocal pneumonia. Patients labs are significant for elevated white count to 13, with neutrophil predominance, normal absolute lymphocyte count. Basic metabolic panel unremarkable. Influenza A and B PCR are negative, Cepheid SARS-COV2 PCR was negative. Troponin BNP and EKG are normal. Patient was admitted to the ICU on 1/24/2021 and started on rocephin and azithromycin for community acquired pneumonia. He was also treated with duoneb inhalers and IV methylprednisolone, though it's not clear to me he was in COPD exacerbation with wheezing while he was in the ER. He is currently still only a few hours into his hospital stay and is in stable condition, though still requiring 6LPM O2 up from his baseline of 3LPM.

VAERS ID: <u>969615</u> (history) **Form:** Version 2.0

Age:

Sex: Female Location: Oregon

Vaccinated:2021-01-04Onset:2020-01-04Submitted:0000-00-00Entered:2021-01-25

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	011L20A / 1	LA / OT

Administered by: Unknown Purchased by: ?

Symptoms: Anaphylactic reaction, Chest discomfort, Dizziness, Dyspnoea, Echocardiogram, Loss of consciousness, Mitral valve incompetence, Troponin, Troponin increased

SMQs:, Torsade de pointes/QT prolongation (broad), Anaphylactic reaction (narrow), Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Myocardial infarction (narrow), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Anaphylactic/anaphylactoid shock conditions (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Cardiomyopathy (broad), Vestibular disorders (broad), Hypotonic-hyporesponsive episode (broad), Generalised convulsive seizures following immunisation (broad), Hypersensitivity (narrow), Hypoglycaemia (broad)

Life Threatening? Yes
Birth Defect? Yes
Died? No
Permanent Disability? Yes
Recovered? No

Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, ? days
Extended hospital stay? No
Previous Vaccinations:

Other Medications: SERTRALINE; BUSPAR; ACYCLOVIR [ACICLOVIR]; PROPRANOLOL;

HYDROXYZINE; LORAZEPAM

Current Illness:

Preexisting Conditions: Medical History/Concurrent Conditions: Anxiety

Allergies:

Diagnostic Lab Data: Test Date: 20210104; Test Name: Echocardiogram; Result

Unstructured Data: No cardiac function issue, Mitral Valve filing defect.; Test Date: 20210104;

Test Name: Troponin

CDC Split Type: USMODERNATX, INC.MOD20210

Write-up: High Troponin Levels; Felt dizzy; Chest felt tight; Mitral valve filling defect; Difficulty breathing; Concern of anaphylaxis; Passed out unconscious; A spontaneous report was received from a physician concerning an approximately 28-year-old, female patient who received Moderna"s COVID-19 vaccine (mRNA-1273) and experienced the events, felt dizzy, chest felt tight, difficulty breathing, passed out unconscious, concern of anaphylaxis, non-ST segment elevation myocardial infraction, high troponin levels, and mitral valve filing defect. The patient's medical history as provided by the reporter included a history of anxiety. Concomitant medication use included sertraline, buspirone, acyclovir, propranolol, hydroxyzine and lorazepam for unknown indications. On 04 Jan 2020, prior to the onset of the events, the patient received her first of two planned doses of mRNA-1273 (Lot number: 011L20A, Exp. date: 03 Jul 2021) intramuscularly, in her left deltoid, for prophylaxis of COVID-19 infection. On 04 Jan 2020, a couple of minutes after receiving the vaccine, the patient experienced dizziness, chest felt tight, difficulty breathing, and she passed out unconscious. Due to concern of anaphylaxis, while the patient was still unconscious, she was treated with epinephrine followed by intramuscular injection of cetirizine hydrochloride. In addition, ammonia salt was used. The patient woke up briefly and passed back out. Emergency medical services (EMS) arrived and almost had to intubate the patient. The patient stayed overnight in the hospital due to lab values indicating non-ST segment elevation myocardial infraction, high troponin levels, and a mitral valve filing defect. It was noted that the patient has never had an allergy to anything, including the excipients in the Moderna vaccine. In addition, the patient had no history of loss of consciousness or anaphylaxis. Relevant laboratory tests conducted included an echocardiogram which found no issues with cardiac function and noted a mitral valve filling defect. Action taken with mRNA-1273 in response to the events was not reported. The outcome of the events, felt dizzy, chest felt tight, difficulty breathing, passed out unconscious, concern of anaphylaxis, non-ST segment elevation myocardial infraction, high troponin levels, and mitral valve filing defect was unknown.; Reporter's Comments: This case concerns a 28 year old female patient with medical history anxiety who experienced Concern of anaphylaxis, high troponin levels, dizziness, chest discomfort, difficulty breathing, loss of consciousness and Mitral valve filling defect same day after administration of the first and only dose of the mRNA-1273 (Lot number: 011L20A, Exp. date: 03 Jul 2021). Based on temporal association between the use of the product and the start date of the reported events and the absence of any other etiology factors, a causal association cannot be excluded.

VAERS ID: 969839 (history)
Form: Version 2.0

Age: 53.0 Sex: Male

Location: Washington

Vaccinated: 2021-01-13 **Onset:** 2021-01-20

Days after vaccination: 7

Submitted: 0000-00-00 **Entered:** 2021-01-25

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL1283 / 2	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Bullous haemorrhagic dermatosis, Epstein-Barr virus test negative, Hepatitis viral test negative, Immunoglobulin therapy, Petechiae, Platelet count decreased, SARS-CoV-2 test negative, Thrombocytopenia, Ultrasound scan normal, Ultrasound spleen

SMQs:, Severe cutaneous adverse reactions (narrow), Haematopoietic thrombocytopenia (narrow), Haemorrhage terms (excl laboratory terms) (narrow), Systemic lupus erythematosus (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), COVID-19 (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, ? days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: Stelara 90 mg SQ q 8 weeks last dose 12-12-2020 More dont fit

Current Illness: Crohn's Disease, Hypertension, GERD, prediabetes

Preexisting Conditions: allergic rhinitis, obesity, HSV1- cold sores, Nephrolithiasis

Allergies: pseudoephedrine

Diagnostic Lab Data: See above

CDC Split Type:

Write-up: Onset of hemmoragic oral bullae after eating very hot cheese toast 1-20-2021 Widely scattered petechiae lower and upper extremeties 1-21-2021 Extensive petechaie lower extremities and a few on trunk face 1-22-2021 CBC in ER showed severe thrombocytomenia with platelets less than 2000 1-22-2021 Admitteed and treated with Decadron 40 mg IV, and IVIG infusions once daily Jan. 23rd and 24th 2021 Hepatiitis pannel negative EBV negative, COVID Nasopharengeal negative, splenic U/S upper limit of normal but unchanged on comparison with old imaging. With treatment platlets increased to 65,000, Discharged from hospital. IVIG discontinued Oral decadron 40mg will continue for 2 days with CBC hematology f/u in 36 hours

VAERS ID: <u>970140</u> (history)

Form: Version 2.0

 Age:
 52.0

 Sex:
 Female

 Location:
 Tennessee

 Vaccinated:
 2021-01-05

 Onset:
 2021-01-01

 Submitted:
 0000-00-00

 Entered:
 2021-01-25

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EJ1686 / 1	LA / -

Administered by: Private Purchased by: ?

Symptoms: Blood pressure increased, Dyspnoea, Fatigue, Headache, Pain, Paraesthesia oral, Pharyngeal paraesthesia, Pyrexia

SMQs:, Anaphylactic reaction (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Hypertension (narrow), Cardiomyopathy (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? No

ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions: Medical History/Concurrent Conditions: ADHD; Asthma;

Depression; Insect bite allergy; Irritable bowel syndrome; Penicillin allergy

Allergies:

Diagnostic Lab Data: Test Name: BP; Result Unstructured Data: Test Result:148/92;

Comments: High BP: Test Name: temperature: Result Unstructured Data: Test Result:102.3:

Test Name: O2; Result Unstructured Data: Test Result:91

CDC Split Type: USPFIZER INC2021035498

Write-up: fever/102.3 temperature; headache; achy all over; Within 3 minutes had tingling pins in mouth tongue and throat; Within 3 minutes had tingling pins in mouth tongue and throat; had hard time breathing; O2 sat were at 91; i had High BP 148/92; severe fatigue; This is a spontaneous report from a contactable Other HCP (patient). This 52-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (lot number=EJ1686), via an unspecified route of administration on 05Jan2021 07:00 at single dose on the left arm for COVID-19 immunization. Medical history included attention deficit hyperactivity disorder (ADHD), asthma, depression, irritable bowel syndrome (IBS), known allergies included bacitracin, penicillin, levofloxacin (LEVAQUIN), metronidazole (FLAGYL), oseltamivir phosphate (TAMIFLU), Bees, Hornets. Patient took other medications in two weeks. No other vaccine received in four weeks. Patient was not pregnant. Facility type

vaccine was hospital. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient hasn't been tested for COVID-19. On 05Jan2021 07:03. within 3 minutes patient had tingling pins in mouth tongue and throat, had hard time breathing. The nurses gave her 50 mg of diphenhydramine hydrochloride (BENADRYL). The doctors checked her O2 sat were at 91, and she had High BP 148/92. After 40 minutes (05Jan2021) 07:43) after the medication her symptoms seem to go away and she could breath better. She went home and went to bed because she work night shift. She got the vaccine when she got off work, then about six hours later (05Jan2021 13:00) she had bad headache and achy all over, 12 hours later (05Jan2021 19:00) she had 102.3 temperature and took paracetamol (TYLENOL) every 4 hours and fever finally broke 26 hours later (06Jan2021 21:00). She continued to have a headache for about 5 days and severe fatigue. Adverse event resulted in life threatening illness (immediate risk of death from the event). Patient was recovered with lasting effects.; Sender's Comments: The Company cannot completely exclude the possible causality between the reported life threatening events including tingling pins in mouth tongue and throat, had hard time breathing, PO2 decreased, blood pressure increased, bad headache, achy all over, fever, and severe fatigue, and the administration of the COVID 19 vaccine, BNT162B2, considering the plausible temporal association. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RA, IEC, as appropriate.

VAERS ID: 970153 (history)
Form: Version 2.0

Age: 60.0 Sex: Female

Location:MassachusettsVaccinated:2021-01-05Onset:2021-01-01Submitted:0000-00-00Entered:2021-01-25

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL3246 / 1	LA / -

Administered by: Other Purchased by: ?

Symptoms: <u>Deafness transitory</u>, <u>Dizziness</u>, <u>Ear discomfort</u>, <u>Injection site bruising</u>, <u>Muscle spasms</u>, <u>Nausea</u>, <u>Pain</u>, <u>Tremor</u>, <u>Visual impairment</u>, <u>Vomiting</u>

SMQs:, Acute pancreatitis (broad), Haemorrhage terms (excl laboratory terms) (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Dystonia (broad), Parkinson-like events (broad), Noninfectious encephalopathy/delirium (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Glaucoma (broad), Optic nerve disorders (broad), Lens disorders (broad), Retinal disorders (broad), Hearing impairment (narrow), Vestibular disorders (broad), Hypoglycaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes

Office Visit? No ER Visit? No ER or Doctor Visit? No Hospitalized? No Previous Vaccinations: Other Medications: Current Illness:

Preexisting Conditions: Medical History/Concurrent Conditions: Automobile accident; Eye disorder; Leg cramps (when she was pregnant with her twins, but it was only one leg.);

Pregnant; Surgery

Allergies:

Diagnostic Lab Data:

CDC Split Type: USPFIZER INC2021042619

Write-up: Pain through whole body and tremoring; Pain through whole body and tremoring/ whole body was sore; Things started looking funny/ Funny feeling in her ears; Deaf and couldn"t hear; Leg cramps in both legs and toes curled out/ muscle spasming; Dizzy; nauseous; Threw up twice; Bruise at injection site; This is a spontaneous report from a contactable nurse (patient). A 60-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (Batch/lot number: EL3246) via an unspecified route of administration on the arm left on 05Jan2021 around 12:00 PM at single dose for COVID-19 immunization. The patient used to get legs cramps when she was pregnant with her twins, but it was only one leg. The patient stated she delivered six children, was in car accidents, and had surgeries. And the patient stated the pain from the COVID-19 Vaccine was beyond any other pain she has experienced. The patient needed glasses to read patient card. And stated her eyesight was going. The patient was pretty healthy. There were no concomitant medications. The patient had no prior vaccinations within 4 weeks. And the patient did not receive additional vaccines on same date that administered BNT162B2. The patient experienced deaf and couldn"t hear on 06Jan2021 09:00, leg cramps in both legs and toes curled out on 05Jan2021 19:00, dizzy on 05Jan2021, nauseous on 05Jan2021, threw up twice on 05Jan2021, things started looking funny on 06Jan2021 09:00, pain through whole body and tremoring on 06Jan2021 10:00, bruise at injection site on Jan2021. All the events (except for event bruise at injection site) were reported as seriousness as life threatening. Clinical course: the patient worked nightshift. Laid down that afternoon to take a nap and got up around 10:00. Around 05Jan2021 19:00 PM had sever leg cramps in both legs where her toes were curled out. Leg cramps after vaccine wouldn"t go away and it was in both legs. Just wouldn"t go away. Around 05Jan2021 21:00 PM it went away. The patient was dizzy, nauseous, and threw up twice on the night of 05Jan2021, and going into 06Jan2021. The patient went to the couch in the hotel room and started going deaf. She couldn't hear anything on 06Jan2021 around 09: 00 AM. Things started looking funny on 06Jan2021 around 09: 00 AM. Woke up at 09:35. Hour after that there was pain through her whole body and everything was hurting at 10:00 AM on 06Jan2021. The patient was tremoring at 10:00 AM on 06Jan2021. Couldn't reach the phone to dial 9-11. Thought she was going to die. Last until about noon and then started to go away. Doesn"t know if it is safe to take the second vaccine. Doesn"t know if these are thing that should have happened to her. She started to get real concerned. Went into hotel room and started feeling dizzy again. Stopped haring things. Funny feeling in her ears. Was seeing things, got dizzy, and everything got dark. Everything lasted until 12:00 PM on 06Jan2021. Everything was good now. The patient had a bruise where injection was in Jan2021. Stated it was nothing compared to what she went through. Woke up around 10:00 AM. Then went back to sleep and got up around 18:00 PM. She felt fine. Her whole body was sore from the muscle spasming. The outcome of the event bruise at injection site was unknown, of the event leg cramps in both legs and toes curled out was recovered around 05Jan2021 21:00, the outcome of other remain events was recovered on 06Jan2021 12:00. The reporter considered (method of assessment: Global Introspection) that

all the events were related to BNT162B2.; Sender"s Comments: All the reported events were possibly related to the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), due to temporal relationship. However, it is worth noting that the 60-year-old female patient had car accidents history and had surgeries. All the events started when she worked nightshift, including leg cramps in both legs and toes curled out, nauseous, threw up twice, pain through whole body, tremoring and transient deafness. Patient did not get rest after vaccination may a risk factor to the onset of the events. The case will be reassessed should additional information become available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

VAERS ID: <u>970166</u> (history) **Form:** Version 2.0

Age: 48.0 Sex: Female

Location: North Carolina

Vaccinated: 2020-12-17 **Onset:** 2020-12-28

Days after vaccination: 11

Submitted: 0000-00-00 **Entered:** 2021-01-25

	Route
K5730 /	-/-
ŀ	<5730 / 1

Administered by: Private Purchased by: ?

Symptoms: Cholecystectomy, Pancreatitis acute, SARS-CoV-2 test negative, Sepsis SMQs:, Acute pancreatitis (narrow), Gallbladder related disorders (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Sepsis (narrow), Opportunistic infections (broad), COVID-19 (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 6 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions: Medical History/Concurrent Conditions: Penicillin allergy (known

allergies: Penicillin)

Allergies:

Diagnostic Lab Data: Test Date: 20201229; Test Name: Nasal Swab for COVID-19; Test

Result: Negative; Test Date: 20201231; Test Name: Nasal Swab for COVID-19; Test Result:

Negative

CDC Split Type: USPFIZER INC2021051703

Write-up: Acute pancreatitis with sepsis; Acute pancreatitis with sepsis; This is a spontaneous report from a contactable pharmacist, the patient. A 48-year-old non-pregnant female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE: Lot Number: EK5730), via an unspecified route of administration on 17Dec2020 at 15:00 (at the age of 48-years-old) as a single dose for COVID-19 immunization. Medical history included penicillin allergy. Prior to the vaccination, the patient was not diagnosed with COVID-19. Concomitant medications included fexofenadine (MANUFACTURER UNKNOWN). The patient did not receive any other vaccines within four weeks prior to the vaccination. On 28Dec2020, the patient experienced acute pancreatitis with sepsis, which were reported as serious for hospitalization and being life threatening. The patient had gone to the emergency room due to the event and was hospitalized for a total of 6 days. On 29Dec2020 and 31Dec2020, the patient had COVID-19 nasal swabs performed and both results were negative. Therapeutic measures were taken as a result of acute pancreatitis with sepsis and included gall bladder removal. The clinical outcome of acute pancreatitis with sepsis was recovering.; Sender's Comments: Based on the temporal relationship, the association between the events pancreatitis with sepsis with BNT162b2 can not be completely excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.

VAERS ID: 970370 (history)
Form: Version 2.0

Age: 51.0
Sex: Female
Location: New York

Vaccinated: 2021-01-21 **Onset:** 2021-01-21

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-25

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL8982 / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Arthralgia, Chest X-ray, Dyspnoea, Headache, Nausea, Pruritus, Pyrexia, SARS-CoV-2 test negative, Skin burning sensation, Swollen tongue, Throat tightness

SMQs:, Anaphylactic reaction (narrow), Acute pancreatitis (broad), Angioedema (narrow), Peripheral neuropathy (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Hypersensitivity (narrow), Arthritis (broad),

Drug reaction with eosinophilia and systemic symptoms syndrome (broad), COVID-19 (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Calcium, magnesium, vitamin E, multi-vitamin

Current Illness: None

Preexisting Conditions: Diabetes type 2 controlled by diet **Allergies:** Latex, pineapple, mango, kiwi, banana, shellfish **Diagnostic Lab Data:** Chest xray, negative covid test

CDC Split Type:

Write-up: Within 5 minutes, throat closing and generalized itchiness, tongue swelling, joint ache, skin on fire, short of breath. 2 doses of PO Benadryl at clinic, transferred to ED where she received epinephrine and 4 days of prednisone and allergy consult. Nausea began evening of 1/21/21 with headache. Fever 100.6 began 1/22/21. Headache and nausea still remain, not fully recovered.

VAERS ID: 970710 (history)
Form: Version 2.0

Age: 52.0
Sex: Male
Location: Georgia

Vaccinated: 2021-01-22 **Onset:** 2021-01-24

Days after vaccination: 2

Submitted: 0000-00-00 **Entered:** 2021-01-25

Vaccination / Manufacturer Lot / Dose Site / Route COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA | 028L20A / 2 LA / IM

Administered by: Private **Purchased by:** ?

Symptoms: Autonomic nervous system imbalance, Echocardiogram normal,

Electrocardiogram normal, Myocardial necrosis marker normal, Syncope, Ultrasound Doppler

SMQs:, Torsade de pointes/QT prolongation (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Guillain-Barre syndrome (broad), Cardiomyopathy (broad), Hypotonichyporesponsive episode (broad), Hypoglycaemia (broad), Immune-mediated/autoimmune disorders (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No

Recovered? Yes Office Visit? Yes ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 1 days

Extended hospital stay? No

Previous Vaccinations:
Other Medications: Tylenol
Current Illness: None

Preexisting Conditions: None

Allergies: None

Diagnostic Lab Data: ECG, cardiac enzymes, echo and carotid US all negative.

CDC Split Type:

Write-up: 6 episodes of syncope two days after vaccination resulting in hospital admission for what may be an autonomic dysfunction

VAERS ID: 971034 (history)
Form: Version 2.0

Age:

 Sex:
 Unknown

 Location:
 Unknown

 Vaccinated:
 0000-00-00

 Onset:
 0000-00-00

 Submitted:
 0000-00-00

 Entered:
 2021-01-25

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	025J20-2A / 1	- / IM

Administered by: Unknown Purchased by: ?

Symptoms: Aspiration, Cerebrovascular accident, Dizziness, Heart rate irregular **SMQs:**, Anticholinergic syndrome (broad), Ischaemic central nervous system vascular conditions (narrow), Haemorrhagic central nervous system vascular conditions (narrow), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), Cardiac arrhythmia terms, nonspecific (narrow), Vestibular disorders (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? Yes
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 4 days
Extended hospital stay? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions:

Allergies:

Diagnostic Lab Data: Heart rate irreg, aspiration

CDC Split Type:

Write-up: ON Jan 16 complained of lightheadedness then felt better after supper and nap. Next day ok On Jan 22 did not get up, had stroke, taken by ambulance to hospital and transferred to medical facility.

VAERS ID: 971117 (history)
Form: Version 2.0

Age: 71.0
Sex: Female
Location: Florida

Vaccinated: 2021-01-19 **Onset:** 2021-01-21

Days after vaccination: 2

Submitted: 0000-00-00 **Entered:** 2021-01-25

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	028L20A / 1	LA / IM

Administered by: Pharmacy Purchased by: ?

Symptoms: Carbon dioxide increased, Chronic obstructive pulmonary disease, Condition aggravated, Endotracheal intubation, Loss of consciousness, Treatment noncompliance SMQs:, Torsade de pointes/QT prolongation (broad), Angioedema (broad), Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Acute central respiratory depression (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Hypotonic-hyporesponsive episode (broad), Generalised convulsive seizures following immunisation (broad), Respiratory failure (broad), Hypoglycaemia (broad), Infective pneumonia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 3 days
Extended hospital stay? No
Previous Vaccinations:
Other Medications:
Current Illness: UTI

Preexisting Conditions: COPD

Allergies:

Diagnostic Lab Data: CDC Split Type:

Write-up: Two days following dose one of Moderna vaccine, patient loss consciousness due to buildup of CO2. Upon arrival at ED, it was discovered that patient was taking antibiotics for UTI, and was nonadherent with antibiotic regimen or breathing treatment for underlying COPD. Patient was intubated but has since recovered.

VAERS ID: 971556 (history)
Form: Version 2.0

Age:

Sex: Female Location: Unknown

Vaccinated: 2020-12-01 **Onset:** 2020-12-01

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-25

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / 1	-/-

Administered by: Unknown Purchased by: ?
Symptoms: Anaphylactic reaction, Cough, Urticaria

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Anaphylactic/anaphylactoid shock conditions (narrow), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes

Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions: Medical History/Concurrent Conditions: Sulfonamide allergy

Allergies:

Diagnostic Lab Data:

CDC Split Type: USPFIZER INC2021049231

Write-up: Anaphylaxis; Persistent cough; This is a literature report were authors reported 21 cases listed in table 1. This is the 20th of the 21 patients. This report summarizes the clinical and epidemiologic characteristics of case reports of allergic reactions, including anaphylaxis and nonanaphylaxis allergic reactions, after receipt of the first dose of Pfizer-BioNTech COVID-19 vaccine during December 14-23, 2020, in the United States. As of 23Dec2020, a reported 1,893,360 first doses of Pfizer-BioNTech COVID-19 vaccine had been administered and reports of 4,393 (0.2%) adverse events after receipt of Pfizer BioNTech COVID-19 vaccine had been submitted to the Reporting System. Among these, 175 case reports were

identified for further review as possible cases of severe allergic reaction, including anaphylaxis. Anaphylaxis is a life-threatening allergic reaction that does occur rarely after vaccination, with onset typically within minutes to hours. Twenty-one cases were determined to be anaphylaxis (a rate of 11.1 per million doses administered), including 17 in persons with a documented history of allergies or allergic reactions, seven of whom had a history of anaphylaxis. The median interval from vaccine receipt to symptom onset was 13 minutes (range = 2-150 minutes). Among 20 persons with follow-up information available, all had recovered or been discharged home. A 29-year-old female patient who received the 1st dose of the bnt162b2 (BNT162B2 vaccine, unknown lot number) at single dose in Dec2020 for covid-19 immunisation. Medical history included allergy to sulfa drugs. The patient had no prior history of anaphylaxis. The patient's concomitant medications were not reported. The patient experienced anaphylaxis (signs and symptoms: generalized urticaria) and persistent cough, 54 min after vaccination, in Dec2020. It was determined to be Brighton level 2 of diagnosis. The patient received treatment at emergency department and received treatment with epinephrine. At the time of the report, the outcome of the events was recovered. Information on the lot/batch number has been requested.; Sender's Comments: A possible contributory role of the suspect products cannot be excluded for the reported event anaphylaxis based on the known safety profile and temporal association, Linked Report(s): US-PFIZER INC-2021043915 same article/drug, different patient; US-PFIZER INC-2021043908 same article/drug, different patient; US-PFIZER INC-2021043909 same article/drug, different patient: US-PFIZER INC-2021043916 same article/drug, different patient; US-PFIZER INC-2021043911 same article/drug, different patient; US-PFIZER INC-2021043910 same article/drug, different patient; US-PFIZER INC-2021043912 same article/drug, different patient: US-PFIZER INC-2021043913 same article/drug, different patient; US-PFIZER INC-2021043914 same article/drug, different patient; US-PFIZER INC-2021043597 same article/drug, different patient

VAERS ID: 971579 (history)
Form: Version 2.0

Age: 49.0
Sex: Male
Location: Georgia

Vaccinated: 2021-01-08 **Onset:** 2021-01-15

Days after vaccination: 7

Submitted: 0000-00-00 **Entered:** 2021-01-25

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL0142 / 1	LA / SYR

Administered by: Private Purchased by: ?

Symptoms: Anaphylactic shock, Hypersensitivity, Intensive care, Joint swelling, Rash, Urticaria

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Anaphylactic/anaphylactoid shock conditions (narrow), Haemodynamic oedema, effusions and fluid overload (narrow), Hypersensitivity (narrow), Arthritis (broad), Tendinopathies and ligament disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Birth Defect? No

Died? No.

Permanent Disability? No

Recovered? No Office Visit? No

ER Visit? No

ER or Doctor Visit? No Hospitalized? Yes, 3 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Insulin, aspirin, advil

Current Illness: none

Preexisting Conditions: diabetes Allergies: None until this reaction

Diagnostic Lab Data: CDC Split Type:

Write-up: Allergic reaction that occurred 7 days after receiving the first vaccination. Treated for anaphylactic shock at local ER and released. Anaphylactic shock returned within 24 hours causing second visit to the ER. I was then transported to hospital for ICU admission. Body broke out with hives rash for several days followed by severe joint swelling. Remained in ICU 3 days and was released to see Allergist.

VAERS ID: 971656 (history)
Form: Version 2.0

Age: 47.0
Sex: Female
Location: Georgia

Vaccinated: 2020-12-30 **Onset:** 2021-01-01

Days after vaccination: 2

Submitted: 0000-00-00 **Entered:** 2021-01-25

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	011J20A / 1	LA / SYR

Administered by: Public Purchased by: ?

Symptoms: Arthralgia, Back pain, Blood test, Chest pain, Computerised tomogram, Electrocardiogram, Hypertension, Hypoaesthesia, Magnetic resonance imaging, Pain in extremity, Paraesthesia oral, Scan myocardial perfusion, X-ray

SMQs:, Peripheral neuropathy (broad), Neuroleptic malignant syndrome (broad), Retroperitoneal fibrosis (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Hypertension (narrow), Cardiomyopathy (broad), Arthritis (broad), Tendinopathies and ligament disorders (broad), Sexual dysfunction (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No

Office Visit? Yes ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 1 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Prozac, Norvasc, Elderberry, Vitamin C, D3, Turmuric, Multivitamin,

Vyvanse

Current Illness: None

Preexisting Conditions: None

Allergies: KNA

Diagnostic Lab Data: 1/7/2021 EKG, CT Scan, Blood work, MRI, X-Ray 1/8/2021 Nuclear

Stress Test. DC"d with dx of uncontrolled high BP.

CDC Split Type:

Write-up: Pain in left arm. Several days later, chest pain, pain on left side of back. Left wrist pain. All would come and go. January 7, bottom lip began tingling and left side of face went numb. Taken to medical center and admitted.

VAERS ID: 971989 (history)
Form: Version 2.0

Age: 70.0
Sex: Male
Location: Texas

 Vaccinated:
 2021-01-15

 Onset:
 2021-01-16

Days after vaccination: 1

 Submitted:
 0000-00-00

 Entered:
 2021-01-25

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	025L20A / 1	RA / IM

Administered by: Private Purchased by: ?

Symptoms: Angiogram cerebral normal, Angiogram pulmonary normal, Arteriogram carotid normal, Asthenia, Blood test normal, Cardiac stress test normal, Chest X-ray normal, Chest discomfort, Chills, Computerised tomogram head normal, Computerised tomogram spine, Dizziness, Dyspnoea, Fall, Head injury, Loss of consciousness, Magnetic resonance imaging brain normal, Malaise, Nausea, Neck injury, Scan with contrast normal, Vomiting

SMQs:, Torsade de pointes/QT prolongation (broad), Anaphylactic reaction (broad), Acute pancreatitis (broad), Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Accidents and injuries (narrow), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Vestibular disorders (broad), Hypotonic-hyporesponsive episode (broad), Generalised convulsive seizures following immunisation (broad), Hypoglycaemia (broad)

Life Threatening? Yes Birth Defect? No

Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, ? days
Extended hospital stay? No
Previous Vaccinations:

Other Medications:

Other Medications

Current Illness:

Preexisting Conditions:

Allergies:

Diagnostic Lab Data: They have carried out Multiple Blood and Radiology Test as stated below. As per Doctors, all of my Test results are Normal, and they did not find any sign of Stoke and Heart Attack.

CDC Split Type:

Write-up: Following are my symptoms and severe side effects and events after receiving the COVID-19 Vaccine. 1- Receive COVID 19 vaccine at 4.00 PM on 01/15/21. 2- Stay about 20 minutes after Vaccination and observe no reactions and symptoms. Dive back home, take dinner and sleep well whole night. 3- Next day morning when I wake up feel till bit of Nausea/Vomiting. 4- Take breakfast at about 10.00 AM and after that feeling of Nausea got increased and i also start feeling weakness. These symptoms remains all day. 5- At about 5.15 PM I went to take Shower. After about 2 minutes during shower, i feel shortness of Breath, pressure on chest and Dizziness 6- These Symptoms was for about 4 to 5 second and goes off. 7- After about one minute I feel second time shortness of Breath, pressure on chest and Dizziness. It was bit intensive and for a longer period for about 10 second. 8- At this point I realized that this is something serious happening to me. 9- I came out from the Vertical Shower and called my wife that I am not feeling well. She was at this time at first floor. 10-I think it is about 1 minute after when I came from shower, I feel third time shortness of Breath. pressure on chest and Dizziness. I was very severe and within a second or so I passed out and fell down into the Jacuzzi which is beside the Vertical Shower. 11- Within a minute, my wife and my son came to the scene. At this time my wife finds me unconscious with my eyes open. 12- She shouted my name and then I came into my senses and told them to get me out of Jacuzzi. 12- My wife and my son get me out and carried over to the bedroom. I was feeling no shortness of Breath and Dizziness but mild pressure on chest, shivering and chill. 13-Thanks GOD I did not get any body injury except little bit of hit at my Neck and back of the Head. 14- My wife immediately called to my Primary Care Nurse and then I talk to her explain the whole situation and then asking for advise. 15- She advise me to go to any near Hospital Emergency for any urgent Medical care. 16-A about 6.00 PM I went to Emergency. At this time I was feeling Nausea and Shortness of breath. 17- The Nurse immediately check my blood pressure, temperature, oxygen and pulse. These all was normal. Nurse also provide me IV medicine for Nausea. 18- During my stay at Emergency, I again feeling mild tightness/pressure in chest beside shortness of breath and shivering, therefore Emergency Doctor advise me that will admit to the hospital and do the complete check of any stroke and heart attack. 19- I was in the Hospital for 2 nights. During this stay I was under care of: -Attending Physicism: -Cardiology Physician 20- They have carried out Multiple Blood and Radiology Test as stated below. As per Doctors, all of my Test results are Normal, and they did not find any sign of Stoke and Heart Attack. -Multiple Blood Lab test. -XR CHEST 1 V -CT C-SPINE WO CONT. -CT HEAD-BRAIN WO CONT. -CT ANGIO HEAD W&WO CONT. -CT ANGIO NECK W&WO CONT. -CTA CHEST FOR PE -MRI BRAIN WO CONTRAST . -STRESS TEST. 21- I was discharge from the Hospital on 01/18/21 at 17.34.

VAERS ID: 972281 (history)
Form: Version 2.0

Age: 20.0
Sex: Female
Location: Puerto Rico

Vaccinated: 2021-01-20 **Onset:** 2021-01-22

Days after vaccination: 2

Submitted: 0000-00-00 **Entered:** 2021-01-25

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL3249 / UNK	RA / IM

Administered by: School Purchased by: ?

Symptoms: Dyspnoea, Pyrexia, Rash

SMQs:, Anaphylactic reaction (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 1 days Extended hospital stay? No

Previous Vaccinations:

Other Medications: fludrocortisone 0/1 mg daily

Current Illness: Orthostatic intolerance, minor arrhythmia

Preexisting Conditions: none

Allergies: none

Diagnostic Lab Data: CDC Split Type:

Write-up: Dificulty breathing, rash all over my neck, shoulders and eyes. Fever.

VAERS ID: 972363 (history)
Form: Version 2.0

Age: 58.0 Sex: Female

Location: North Carolina

Vaccinated: 2021-01-06

Onset: 2021-01-06

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-25

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	011L20A / 1	LA / IM

Administered by: Public Purchased by: ?

Symptoms: Cerebellar stroke, Computerised tomogram normal, Dysarthria, Dysstasia, Gait disturbance, Hemiparesis, Hypoaesthesia, Magnetic resonance imaging brain abnormal, Scan with contrast normal

SMQs:, Peripheral neuropathy (broad), Anticholinergic syndrome (broad), Ischaemic central nervous system vascular conditions (narrow), Haemorrhagic central nervous system vascular conditions (narrow), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), Parkinson-like events (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Conditions associated with central nervous system haemorrhages and cerebrovascular accidents (narrow), Hypoglycaemia (broad), Sexual dysfunction (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? Yes
Recovered? No
Office Visit? Yes
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 14 days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: Crestor, Lisinopril, Glimepiride, Eliquis, Metformin

Current Illness: None X 1 mo. Covid positive in April 2020... 21 days of Fever headache and

backache DVT ...attributed to Covid in August 2020 Eliquis started

Preexisting Conditions: Diabetes Fibromyalgia Sarcoidosis High Cholesterol

Allergies: Biaxin

Diagnostic Lab Data: CT SCAN With and without contrast 1/7/2021 MRI 1/7/2021

CDC Split Type:

Write-up: 1/6/21 5:30 pm Client was as her patients house and stood up to leave and was "walking like I was drunk." Felt like her leg was asleep. Got to her car and drove to next patients house. Noticed Rt. sided weakness and knee buckling. Drove herself home and went to bed. 1/7/21 Woke up to increased symptoms, Rt hand and Rt. leg weak, slurring speech. hospital by rescue. Admitted X 7 days. CT SCAN with and without contrast showed no bleed. Telemed Visit, MD ordered MRI to rule out Cerebellum Stroke. MRI showed cerebellum stroke. Transferred to A Rehabilitation X 7 days. Has regained most of her normal functions, continues outpatient therapy.

VAERS ID: 972399 (history)
Form: Version 2.0

Age: 37.0

Sex: Female Location: Ohio

Vaccinated: 2020-12-27 **Onset:** 2021-01-13

Days after vaccination: 17

 Submitted:
 0000-00-00

 Entered:
 2021-01-25

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK5730 / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Abdominal distension, Assisted reproductive technology, Computerised tomogram abdomen abnormal, Computerised tomogram pelvis abnormal, Dyspnoea, Haematocrit decreased, Haemoperitoneum, Hypotension, Infusion site extravasation, Oocyte harvest, Packed red blood cell transfusion, Pelvic haematoma, Pelvic haemorrhage, Scan with contrast abnormal, Therapeutic embolisation, Waist circumference increased SMQs:, Anaphylactic reaction (narrow), Acute pancreatitis (broad), Haematopoietic erythropenia (broad), Haemorrhage terms (excl laboratory terms) (narrow), Haemorrhage laboratory terms (broad), Neuroleptic malignant syndrome (broad), Retroperitoneal fibrosis (broad), Malignancy related therapeutic and diagnostic procedures (narrow), Gastrointestinal perforation, ulcer, haemorrhage, obstruction non-specific findings/procedures (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Extravasation events (injections, infusions and implants) (narrow), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Lipodystrophy (broad), Fertility disorders (narrow), Myelodysplastic syndrome (broad), Dehydration (broad), Hypokalaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 2 days
Extended hospital stay? No
Previous Vaccinations:

Other Medications: prenatal vitamin

Current Illness:

Preexisting Conditions:

Allergies:

Diagnostic Lab Data: On presentation to local ER at approx. 19:15 on 01/13/21, vitals were stable. Hematocrit was noted to be 31.9, down from 39.6 on 12/30/2020. CT abd/pelvis showed a large amount of hemoperitoneum throughout the abdomen and pelvis, with a 8.9cm heterogeneous masslike area in the left hemipelvis/adnexa, most compatible with a hematoma, and active extravasation of contrast within the center of the hematoma, compatible with active bleeding. Transient hypotension to 69/35, so 1L IVF and 2 units PRBCs given. Transferred to another hospital at approx. 00:30am on 01/14/21 and underwent partial gelfoam embolization of the bilateral uterine and right ovarian arteries. Hospitalized for 2 days. Hematocrit remained stable.

CDC Split Type:

Write-up: Began medication (follitropin 200 units) for assisted reproductive technology on evening of 01/02/21. Added ganirelix injections on 01/06/21. Trigger injection with leuprolide administered at 20:00 on 01/11/21. Immediately prior to oocyte retrieval on 01/13/21, given 1L IVF and ampicillin (dose unknown) at approx. 07:30am. Retrieval at 08:00am was uneventful, but notable for 17 oocytes retrieved and only 10 were mature. Post-procedure vitals were WNL. Discharged home from facility (Family Health Center) at approx. 09:30am. At approx. 12:00pm, noted increasing abdominal girth. At approx. 14:00, noted mild shortness of breath. Abdominal distention and shortness of breath continued to worsen. Unable to recline even moderately due to difficulty breathing.

VAERS ID: 972540 (history)
Form: Version 2.0

Age: 51.0 Sex: Male

Location: Minnesota

Vaccinated: 2021-01-19 **Onset:** 2021-01-22

Days after vaccination: 3

Submitted: 0000-00-00 **Entered:** 2021-01-25

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / UNK	- / IM

Administered by: Senior Living Purchased by: ?

Symptoms: Craniotomy, Endotracheal intubation, Foaming at mouth, Generalised tonic-clonic seizure, Intensive care, Life support

SMQs:, Angioedema (broad), Systemic lupus erythematosus (broad), Convulsions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Generalised convulsive seizures following immunisation (narrow), Respiratory failure (broad), Hypoglycaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? Yes
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 4 days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: Tylenol, Clonidine, Melatonin. Nicotine patch, and Senna PRN

Current Illness: No

Preexisting Conditions: Hx. of assault causing subdural hematoma/TBI and Craniotomy 10/7/2020. Cranioplasty done 11/11/2020. Cognitive impairment Hx of drug and alcohol abuse

Allergies: NKDA. Some intolerance to food with dairy in it.

Diagnostic Lab Data: Please check with Hospital to see all the exact tests that were done.

Many tests were done while in the ICU including the emergency craniotomy. This resident is still in the hospital. He was extubated this morning. He is stable enough to transfer to a med floor.

CDC Split Type:

Write-up: 1/22/2021 this resident was found on his kitchen floor having severe Grand Mal seizures and was profusely foaming from the mouth. RN (writer) responded to the emergency. Resident had 8 seizures between the time of calling 911 and them arriving. They had been IV pushing Ativan and Versed. The seizures did not stop. He was rushed to Hospital, intubated, placed on life support and admitted to the ICU. Resident had an emergency craniotomy and they did not find any infection or cause of the seizures. Many other tests were done and nothing was determined to be the cause at this time. Reported to ICU nurse on 1/23/2021 that resident had received the Moderna vaccine a couple days prior.

VAERS ID: 972631 (history)
Form: Version 2.0

Age: 92.0
Sex: Male
Location: California

 Vaccinated:
 2021-01-25

 Onset:
 2021-01-25

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-25

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL9263 / 1	UN / IM

Administered by: Military Purchased by: ?

Symptoms: Chest pain, Dizziness, Dyspnoea, Pain in jaw, Palpitations, Supraventricular tachycardia, Throat tightness

SMQs:, Anaphylactic reaction (broad), Angioedema (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Supraventricular tachyarrhythmias (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Cardiomyopathy (broad), Vestibular disorders (broad), Osteonecrosis (broad), Hypersensitivity (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, ? days
Extended hospital stay? No
Previous Vaccinations:

Other Medications: Kcl, Furosemide, Enalapril, Lactobacillus, Bisocodyl, Spironolactone,

Cyanocobalamin, Vit D3, Darolutamide, omeprazole, alendronate, multivitamin

Current Illness: Denies

Preexisting Conditions: CAD, prostate cancer, HTN< GERD, hypoparathyroidism, thoracic

aortic aneursym

Allergies: Codeine (nausea/vomiting)

Diagnostic Lab Data: CDC Split Type:

Write-up: Felt like his throat was closing. He was given 25mg benadryl and then developed dizziness, heart racing, chest pain, shortness of breath, jaw pain. Was in SVT on arrival to ED

VAERS ID: 972677 (history)
Form: Version 2.0

Age: 42.0
Sex: Female
Location: Oklahoma

Vaccinated: 2021-01-04 **Onset:** 2021-01-04

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-25

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / 1	LA / IM

Administered by: Other Purchased by: ?

Symptoms: <u>Dizziness, Dyspnoea, Electrocardiogram normal, Feeling hot, Hyperhidrosis, Palpitations, Throat tightness</u>

SMQs:, Anaphylactic reaction (broad), Angioedema (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Vestibular disorders (broad), Hypersensitivity (broad), Hypoglycaemia (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes

Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Claritin 10mg PO

Current Illness: None

Preexisting Conditions: None

Allergies: Peanuts, pecans, walnuts, pine nuts, sunflower seeds

Diagnostic Lab Data: EKG was normal

CDC Split Type:

Write-up: Shortness of breath, hot all over, diaphoresis, tightening of the throat, feeling of passing out, heart racing. Within 5 minutes of vaccine. Epinephrine auto injection and oxygen followed by steroid, Benadryl and omeprazole with oxygen in the ER.

VAERS ID: 972719 (history)
Form: Version 2.0

Age: 38.0
Sex: Female
Location: Ohio

Vaccinated: 2021-01-20 **Onset:** 2021-01-22

Days after vaccination: 2

Submitted: 0000-00-00 **Entered:** 2021-01-25

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	028L20A / 2	LA / IM

Administered by: Private **Purchased by:** ?

Symptoms: <u>Dizziness, Full blood count normal, Immune thrombocytopenia, Malaise, Metabolic function test normal, Pain, Pain in extremity, Petechiae, Platelet count decreased, Rash</u>

SMQs:, Anaphylactic reaction (broad), Haematopoietic thrombocytopenia (narrow), Haemorrhage terms (excl laboratory terms) (narrow), Systemic lupus erythematosus (broad), Anticholinergic syndrome (broad), Vestibular disorders (broad), Hypersensitivity (narrow), Tendinopathies and ligament disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad). Immune-mediated/autoimmune disorders (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes

Office Visit? No

ER Visit? No

ER or Doctor Visit? No

Hospitalized? Yes. 2 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: 1) Zoloft 25mg PO daily 2) Sprinolactone 150mg PO daily 3) Vitamin D 10,000 units daily PO 4) vitamin B12 5,000 daily PO 5) Tylenol 650mg every 4 hrs prn 6) Advil 800mg every 8-12 hours prn

Current Illness: Received first COVID vaccine on December 23, 2020 Second COVID vaccine Jan 20, 2020 MODERNA brand

Preexisting Conditions: Platelets did drop to 55-115 last year (December 2019). Vitamin B12 was started which brought them from 55 to 112 or so. Positive anti-platelet antibodies were detected. Never required more than vitamin B12.

Allergies: Penicillin and Zithromax (confirmed by allergy testing)

Diagnostic Lab Data: 1/22: CBC, CMP- Platelets 7 1/23: CBC- Platelets 6 1/24: CBC-

Platelets 60

CDC Split Type:

Write-up: Received second COVID vaccine Moderna on Wednesday evening at 6pm. Later that night, I was a little light-headed and achey, but went to bed. On thursday, my legs and arms were extremely achy. I took Tylenol and Motrin in the morning. It seemed to help some, but continued to feel very achy in my legs. I left work early (I am a pediatrician) on Thursday and went home and just sat and rested. I felt terrible, but had talked to other colleagues who felt very bad that first day after the shot. Friday morning, I woke up still achy but feeling better overall. I took motrin and Tylenol again on Friday morning. I worked the whole day seeing patients. Was tired, but got thru the workday. At around 6pm, I noticed petechiae rash on my lower legs. The rash started spreading thru the night- up my legs and to my arms. I went to ER. They did order CBC, CMP. Platelets were undetectable- 1 platelet was seen under microscope. CMP was normal. I was told to go to bigger hospital. I went, My platelets read as 4. I was admitted for two nights. Two doses of IVIG were given and I was put on Decadron 40mg PO daily for 4 days. I had tylenol, benadryl, zofran before the IVIG and after. I will see Hematology next week for follow up. Platelets yesterday at discharge were 60. Will be checked frequently for the next few months. ITP= diagnosis. COVID shot was trigger.

VAERS ID: 972721 (history)
Form: Version 2.0

Age: 25.0
Sex: Female
Location: Kentucky

 Vaccinated:
 2021-01-20

 Onset:
 2021-01-24

Days after vaccination: 4

Submitted: 0000-00-00 **Entered:** 2021-01-25

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL9262 / 2	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Lip swelling, Pharyngeal swelling, Urticaria

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? No
Previous Vaccinations:

Other Medications: Verapamil, aimovig, magnesium, prenatal, linzess, Claritin, Effexor,

trazodone, cyclobenzaprine. Finished Flagyl 1/23/21 in AM

Current Illness: Bacterial vaginosis

Preexisting Conditions: Asthma PTSD Migraines Insomnia IBS with constipation

Allergies: PCN - anaphylaxis Diagnostic Lab Data: None

CDC Split Type:

Write-up: Hives and minor lip swelling 1/24/21 throughout the day. Took two Atarax after waking up. Took multiple Benadryl throughout the day. Did not help. Took 50mg Benadryl at bedtime along with Claritin. Woke up 1/25/21 with swelling of both lips and swelling in throat what felt like around tonsil and lymph area (have had tonsillectomy). Went to ER was given additional Benadryl PO, IV Decadron and IV Pepcid. Was discharged home with a prednisone taper prescription, Benadryl and Pepcid. My full biological sister also had minor hives after her second dose of Pfizer, but has never had an anaphylactic reaction in the past and her onset was within the first day after vaccination.

VAERS ID: 972784 (history)
Form: Version 2.0

Age: 73.0
Sex: Female
Location: Florida

Vaccinated: 2021-01-11 **Onset:** 2021-01-16

Days after vaccination: 5

Submitted: 0000-00-00 **Entered:** 2021-01-25

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL 3246 / 1	LA / IM

Administered by: Private **Purchased by:** ?

Symptoms: Aphasia, Blood test, Chest X-ray, Dizziness, Dysarthria, Hand-eye coordination impaired, Headache, Hypertension, Magnetic resonance imaging, Neurological symptom SMQs:, Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Dementia (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Hypertension (narrow), Conditions associated with central nervous system haemorrhages and cerebrovascular accidents (broad), Vestibular disorders (broad), Hypoglycaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, 2 days
Extended hospital stay? No
Previous Vaccinations:

Other Medications: NONE Current Illness: NONE

Preexisting Conditions: NONE

Allergies: NONE

Diagnostic Lab Data: mri (2) 01/15 BLOOD TESTS -SEVERAL CHEST XRAY

CDC Split Type:

Write-up: STROKE SYMPTOMS 5 DAYS LATER. SEVERE HEADACHE, DIZZINESS, SLURRED SPEACH, TROUBLE REMEMBERING SOME WORDS, DIFFICULTY SIGNING NAME, HIGH bp WAS ADMINISTERED EMERGENCY CLOT BUSTING DRUG IV AND THEN TRANSFERRED TO NEUROLOGY HOSPITAL. SYMPTOMS OF SLURRED SPEECH, DISAPPEARED NEXT DAY, WRITING HAND RETURNED TO NORMAL RAPIDLY AFTER IV. SLIGHT HEADACHE REMAINED FOR A COUPLE OF DAYS

VAERS ID: 972884 (history)
Form: Version 2.0

Age: 70.0
Sex: Male
Location: Missouri

 Vaccinated:
 2021-01-20

 Onset:
 2021-01-21

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-25

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL9262 / UNK	-/-

Administered by: Private Purchased by: ?

Symptoms: Liver injury, Pneumonia

SMQs:, Hepatic failure, fibrosis and cirrhosis and other liver damage-related conditions (narrow), Accidents and injuries (narrow), Eosinophilic pneumonia (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Infective pneumonia (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, ? days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Metoprol, Torsemide, Spirolactone, potassium, Midodrine, vit C, vit D3,

Current Illness: Excited

Preexisting Conditions: Heart disease

Allergies: Ativan

Diagnostic Lab Data: Ongoing

CDC Split Type:

Write-up: Hospitalization severe pneumonia liver damage

VAERS ID: 973299 (history)
Form: Version 2.0

Age: 72.0
Sex: Male
Location: Nevada

 Vaccinated:
 2021-01-25

 Onset:
 2021-01-25

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-26

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL8982 / 2	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Angioedema, Endotracheal intubation, Intensive care, Swollen tongue **SMQs:**, Anaphylactic reaction (narrow), Angioedema (narrow), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Hypersensitivity (narrow), Respiratory failure (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes **Birth Defect?** No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, ? days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: lantus, gabapentin, regular insulin, sertraline, sevelamar, cinacalcet,

bumetadine, calcium acetate, vitiman E, atovorstatin

Current Illness: none

Preexisting Conditions: stage 5 chronic kidney disease, diabetes melitis, diabetic

neuropathy, gout, anemia, hyperkalemia, ptsd, GERD

Allergies: hydralazine caused flushing, varenicline caused nausea

Diagnostic Lab Data: CDC Split Type:

Write-up: severe angioedema resulting in intubation to protect his airway and ICU admission. pt recieved the 2nd dose at 0755 am, woke up from a nap at 2200 the same night with tongue swelling.

VAERS ID: 973708 (history)
Form: Version 2.0

Age: 91.0
Sex: Female
Location: Nebraska

 Vaccinated:
 2021-01-25

 Onset:
 2021-01-25

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-26

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL3302 / 2	LA / IM

Administered by: Senior Living Purchased by: ?

Symptoms: Acute pulmonary oedema, Hypertension, Hypoxia, Rales

SMQs:, Cardiac failure (narrow), Asthma/bronchospasm (broad), Neuroleptic malignant syndrome (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Haemodynamic oedema, effusions and fluid overload (narrow), Hypertension (narrow), Eosinophilic pneumonia (broad), Respiratory failure (broad), Infective pneumonia (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, ? days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Acetaminophen, Carb/Levo Tab 25-100mg, Polyethylene Glycol, Vitamin D3, Systane eye drops, Oxybutynin, Elequis, Guaifenesin DM, Metoprolol Succinate,

Levothyroxine, Furosemide

Current Illness: NA

Preexisting Conditions: Parkinson's Disease, Acute Kidney Failure, Essential Hypertension, Hypothyroidism, Dorsalgia, Overactive Bladder, Anemia, Dry eye syndrome of bilateral

lacrimal glands, Nonexudative Age-related macular degeneration,

Allergies: Penicillins, Sulfa Antibiotics Diagnostic Lab Data: Not available.

CDC Split Type:

Write-up: Resident experienced flash pulmonary edema at 2300 on 01/25/2021 with SOA, Overt coarse crackles to all lung fields, hypoxia on room air requiring 5LPM via NC, Hypertension (190/102). Resident was sent to Hospital where she was admitted for pulmonary edema.

VAERS ID: 974040 (history)
Form: Version 2.0

Age: 86.0
Sex: Female
Location: lowa

 Vaccinated:
 2021-01-22

 Onset:
 2021-01-22

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-26

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / 1	RA/SYR

Administered by: Private Purchased by: ?

Symptoms: Cerebrovascular accident, Dizziness, Internal haemorrhage, Pain, Pyrexia,

Sepsis, Vomiting

SMQs:, Acute pancreatitis (broad), Haemorrhage terms (excl laboratory terms) (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Ischaemic central nervous system vascular conditions (narrow), Haemorrhagic central nervous system vascular conditions (narrow), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Vestibular disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Sepsis (narrow), Opportunistic infections (broad)

Life Threatening? Yes Birth Defect? Yes

Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, ? days

Extended hospital stay? No

Previous Vaccinations:
Other Medications: elquis
Current Illness: None

Preexisting Conditions: pacemaker, valve replacement

Allergies: None

Diagnostic Lab Data: currently in the hospital

CDC Split Type:

Write-up: high fever, severe pain, dizziness, vomitting, internal bleeding, stroke, sepsis

VAERS ID: 974230 (history)
Form: Version 2.0

Age: 92.0 Sex: Male Location: Vermont

Vaccinated: 2021-01-18 **Onset:** 2021-01-25

Days after vaccination: 7

Submitted: 0000-00-00 **Entered:** 2021-01-26

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL3302 / 1	LA / IM

Administered by: Senior Living Purchased by: ?

Symptoms: Cognitive disorder, Computerised tomogram head abnormal, Fall, Subdural haematoma

SMQs:, Haemorrhage terms (excl laboratory terms) (narrow), Haemorrhagic central nervous system vascular conditions (narrow), Dementia (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Accidents and injuries (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes
Hospitalized? Yes, 2 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: ASpirin 81mg, Symbicort, vitamin C, finasteride, synthroid, losartan, fish

oil, multivitamin, tamsulosin, Spiriva, trazodone

Current Illness:

Preexisting Conditions:

Allergies: Brimonidine, Prednisone **Diagnostic Lab Data:** CT Head/Brain

CDC Split Type:

Write-up: Patient had a fall at extended care facility, patient had worsening cognitive function.

CT reveals subdural hematoma

VAERS ID: 974244 (history)
Form: Version 2.0

Age: 40.0
Sex: Female
Location: Connecticut

 Vaccinated:
 2021-01-21

 Onset:
 2021-01-21

Days after vaccination: 0

Submitted: 0000-00-00

Entered: 2021-01-26

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	026L20A / 1	LA / IM

Administered by: Public **Purchased by:** ?

Symptoms: Pruritus, Urticaria

SMQs:, Anaphylactic reaction (broad), Angioedema (narrow), Hypersensitivity (narrow), Drug

reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, ? days

Extended hospital stay? No

Previous Vaccinations:
Other Medications: Denied

Current Illness: Reported she was feeling well

Preexisting Conditions:

Allergies: Multiple IV Antibiotics

Diagnostic Lab Data: CDC Split Type:

Write-up: PT shared that she had a history of allergic reaction to multiple antibiotics. PT denied that she had an anaphylactic response and stated she did not carry an epi-pen. PT confirmed reading the fact sheet and review of the pre-vaccination questionnaire prior to coming to the clinic. At 5-10 min, RN checked with Patient. She stated she was feeling okay. She was reassured by RN that EMT staff were on site if she had any concerns. Pt stated "Yes, I work at the police department. They are the reason I came here for the vaccine." Within 20 min. of admin. she reported hives and itchy. Pt was imm. moved to the paramedic team, emergency care was initiated. Transfered to Hosp. ED

VAERS ID: 974526 (history)
Form: Version 2.0

Age: 82.0 Sex: Male

Location:

Vaccinated: 2021-01-21

Minnesota

Onset: 2021-01-25

Days after vaccination: 4

Submitted: 0000-00-00 **Entered:** 2021-01-26

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK9231 /	RA / IM

Administered by: Private Purchased by: ?

Symptoms: International normalised ratio decreased

SMQs:

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? Yes ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications: Carvedilol, Hydralazine, Bumex, Warfarin, Allopurinol, Amlodipine,

Isosorbide, Multivitamin. Aspirin, Atorvastatin, Insulin

Current Illness: New Stroke 12/2021

Preexisting Conditions: Congestive Heart Failure, COPD, diabetes- Type 2, ASHD, Aortic

valve replacement, High Cholesterol, Chronic Renal Failure

Allergies: None

Diagnostic Lab Data: See above

CDC Split Type:

Write-up: Unexplained dramatic drop in INR from 2.9 on January 11, 2021 to 1.3 on January 25, 2021. No symptoms experienced SQ Lovenox was initiated Follow-up INR is scheduled for January 27, 2021

VAERS ID: 975065 (history)
Form: Version 2.0

Age: 51.0 Sex: Female

Location: Massachusetts

 Vaccinated:
 2021-01-22

 Onset:
 2021-01-22

Days after vaccination: 0

 Submitted:
 0000-00-00

 Entered:
 2021-01-26

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	032L20A / 1	LA / IM

Administered by: Work Purchased by: ?

Symptoms: Dizziness, Flushing, Periorbital swelling, Swollen tongue

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Anticholinergic syndrome (broad), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Vestibular disorders (broad), Periorbital and eyelid disorders (narrow), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes Birth Defect? No Died? No Permanent Disability? No

Recovered? No

Office Visit? No.

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:
Other Medications:
Current Illness:

Preexisting Conditions:

Allergies:

Diagnostic Lab Data:

CDC Split Type:

Write-up: Dizzyness Flushed face and neck Swollen tongue Minor facial swelling around eyes Epi Pen and 50mg of Benedryl, bp remained normal, patient remained fully conscious. 911 called and transport to Emergency Dept

VAERS ID: 975214 (history)
Form: Version 2.0

Age: 86.0 Sex: Male

Location: North Carolina

Vaccinated: 2020-01-22 **Onset:** 2021-01-22

Days after vaccination: 366

Submitted: 0000-00-00 **Entered:** 2021-01-26

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL9261 / 1	-/-

Administered by: Military Purchased by: ?

Symptoms: Cerebrovascular accident

SMQs:, Ischaemic central nervous system vascular conditions (narrow), Haemorrhagic central nervous system vascular conditions (narrow), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? Yes
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 5 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications:

Current Illness: Na

Preexisting Conditions: Heart attack 2 years ago. High blood pressure and borderline

diabetic. He had a stroke friday night. Same day as vaccine

Allergies: Na

Diagnostic Lab Data: CDC Split Type:

Write-up: He had a stroke later that night after receiving vaccine.

VAERS ID: 975246 (history)
Form: Version 2.0

Age: 84.0
Sex: Male
Location: Florida

Vaccinated: 2021-01-07 **Onset:** 2021-01-19

Days after vaccination: 12

Submitted: 0000-00-00 **Entered:** 2021-01-26

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL3246 / 1	LA / IM

Administered by: Unknown Purchased by: ?

Symptoms: Cerebral haemorrhage

SMQs:, Haemorrhage terms (excl laboratory terms) (narrow), Haemorrhagic central nervous system vascular conditions (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? Yes

Recovered? No Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? Yes, 8 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Gabapentin, tamulosin, atorvastatin, isosorbide, KCl, shingrix (4/23/20),

twinrx (4/23/20), synthroid, omeprazole, eliquis

Current Illness:

Preexisting Conditions: CKD, DM, hyperlipidemia, afib

Allergies: NKMA
Diagnostic Lab Data:
CDC Split Type:

Write-up: ~2 weeks after 1st dose, patient suffered cerebral hemorrhage. Was also on Eliquis. Received KCentra.

VAERS ID: 975664 (history)
Form: Version 2.0

Age: 71.0
Sex: Female
Location: Unknown

Vaccinated: 2021-01-19 **Onset:** 2021-01-22

Days after vaccination: 3

Submitted: 0000-00-00 **Entered:** 2021-01-26

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK9231 /	LA / IM

Administered by: Unknown Purchased by: ?

Symptoms: Mononucleosis heterophile test negative, Streptococcus test negative, Throat tightness

SMQs:, Anaphylactic reaction (broad), Angioedema (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Hypersensitivity (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: CD-LD 24/100, Ropinirole, Metformin, Amlodipine, Atenolol, B-12, D-2,

Biotin, Fish Oil Current Illness:,

Preexisting Conditions: Parkinsons

Allergies: lisinopril, penicillin, codeine, oxycodone, hydrochlorothiazide, aspirin 81, statins,

clindamiacin

Diagnostic Lab Data: Strep test and mono test - negative

CDC Split Type:

Write-up: Throat closing ER Visit 1: 25 mg Benadryl pill ER Visit 2: Epi Pen injection; IV PEPCID and MEDRA, Benadryl; Prescription for Famotidine, Methylprednisolone, continue Benadryl ER Visit 3: IV MEDRAL and Benadryl; Prescription for Epi Pens Throat is slightly better. Prednisone elevates my glucose levels, but am working real hard to keep them low.

VAERS ID: 975925 (history)
Form: Version 2.0

Age: 66.0

Sex: Male Location: Unknown

 Vaccinated:
 2021-01-22

 Onset:
 2021-01-22

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-26

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL1283 / 1	LA / IM

Administered by: Other Purchased by: ?

Symptoms: Paraesthesia oral

SMQs:, Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow),

Guillain-Barre syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? Yes ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations: Other Medications: Current Illness:

Preexisting Conditions:

Allergies:

Diagnostic Lab Data:

CDC Split Type:

Write-up: Oral perioral paresthesias Narrative:

VAERS ID: 975928 (history)
Form: Version 2.0

Age: 43.0
Sex: Male
Location: Unknown

Vaccinated: 2020-12-21 **Onset:** 2020-12-22

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-26

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / UNK	AR / IM

Administered by: Unknown Purchased by: ?

Symptoms: Blood urine present, Drug reaction with eosinophilia and systemic symptoms, Eosinophil count, Liver function test increased, Rash

SMQs:, Liver related investigations, signs and symptoms (narrow), Severe cutaneous adverse reactions (narrow), Anaphylactic reaction (broad), Haemorrhage terms (excl laboratory terms) (narrow), Haemorrhage laboratory terms (narrow), Eosinophilic pneumonia (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (narrow)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No

ER or Doctor Visit? No Hospitalized? Yes, 3 days Extended hospital stay? No

Previous Vaccinations:

Other Medications: naprosyn, doxycycline

Current Illness: none

Preexisting Conditions: mgus, low T

Allergies: seasonal allergies

Diagnostic Lab Data: elevated lfts, eos

CDC Split Type:

Write-up: mild DRESS syndrome, rash, blood in urine. note it may have bene the doycycline, as simialr symptoms recurred later with a dose of doxy on jan 2nd, not hospitalized. pt is a MD

VAERS ID: 975932 (history)
Form: Version 2.0

Age: 80.0
Sex: Male
Location: Unknown

Vaccinated: 2021-01-08 **Onset:** 2021-01-20

Days after vaccination: 12

Submitted: 0000-00-00 **Entered:** 2021-01-26

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK4173 / UNK	RA / IM

Administered by: Other Purchased by: ?

Symptoms: COVID-19 pneumonia, Hypoxia, Intensive care, SARS-CoV-2 test positive **SMQs:**, Asthma/bronchospasm (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Eosinophilic pneumonia (broad), Respiratory failure (broad), Infective pneumonia (narrow), Opportunistic infections (broad), COVID-19 (narrow)

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes. ? days

Extended hospital stay? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions:

Allergies:

Diagnostic Lab Data: 12/14/20: nCOV-19 CEPH Negative COVID-19 (PFIZER), MRNA, LNP-S, P* 12/21/2020 12/21/20: CoV2019 Not Detected 12/29/20: CoV2019 Not Detected 1/4/21: nCOV-19 CEPH POSITIVE COVID-19 (PFIZER), MRNA, LNP-S, P* 2 01/08/2021

CDC Split Type:

Write-up: HYPOXIA Narrative: Patient received dose one of COVID vaccine and at the time was COVID negative (documented shortly before and after the vaccine). COVID test turned positive 14 days after first injection. He then received his second vaccine 4 days after positive test. 12 days after the second vaccine he was admitted to our facility and is currently in critical condition in the ICU with COVID pneumonia. It is unclear what role, if any the second vaccination had related to critical condition.

VAERS ID: <u>976019</u> (history) **Form:** Version 2.0

Age: 44.0
Sex: Female
Location: Colorado

Vaccinated: 2021-01-20 **Onset:** 2021-01-20

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-26

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / 1	LA / IM

Administered by: Pharmacy Purchased by: ?

Symptoms: Angioedema, Endotracheal intubation, Hyperglycaemia, Intensive care, Mechanical ventilation, Respiratory failure, Swelling face, Swollen tongue

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Hyperglycaemia/new onset diabetes mellitus (narrow), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (broad), Torsade de pointes, shock-associated conditions (broad), Hypovolaemic shock conditions (broad), Toxic-septic shock conditions (broad), Anaphylactic/anaphylactoid shock conditions (broad), Hypoglycaemic and neurogenic shock conditions (broad), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (narrow), Guillain-Barre syndrome (broad), Hypersensitivity (narrow), Respiratory failure (narrow), Drug reaction

with eosinophilia and systemic symptoms syndrome (broad), Hypokalaemia (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? Yes, ? days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Phenergan; Trileptal; Nortriptyline; Melatonin; Voltaren

Current Illness: None

Preexisting Conditions: Diabetes Mellitus; Asthma; Migraine headaches.

Allergies: Pt denies any allergies to medications. Pt reports as a "teen I was I allergic to citrus, barley, wheat, rice". Pt states "my lips and tongue swelling and I would take Benadryl". Pt reports that she has "since outgrown those food allergies". Pt denies to her knowledge

allergies to other products

Diagnostic Lab Data:

CDC Split Type:

Write-up: Per summary of primary hospitalist. Pt admitted for acute hypoxic respiratory failure requiring mechanical ventilation secondary to angioedema from Moderna COVID-19 vaccination. Pt presented with a chief complaint of tongue and facial swelling approximately 10 minutes after receiving first dose of the vaccination. She did not respond to Benadryl or IM epinephrine. She was admitted to ICU and intubated. She was started on IVsteroids, famotidine and diphenhydramine. Swelling gradually improved and she was successfully extubated. Her hospital course was complicated by steroid-induced hyperglycemia requiring insulin.

VAERS ID: <u>976965</u> (history)
Form: Version 2.0

Age: 45.0
Sex: Male
Location: Arizona

 Vaccinated:
 2021-01-13

 Onset:
 2021-01-14

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-27

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) /	EL0142 /	LA / -
PFIZER/BIONTECH	2	LA / -

Administered by: Unknown Purchased by: ?

Symptoms: Acute myocardial infarction, Arteriospasm coronary, Arthralgia, Burning sensation, Catheterisation cardiac normal, Chest pain, Echocardiogram normal, Ejection fraction normal, Electrocardiogram ST segment elevation, Lymphadenopathy, Myalgia,

Pyrexia, SARS-CoV-2 test negative, Tachycardia, Troponin increased

SMQs:, Rhabdomyolysis/myopathy (broad), Peripheral neuropathy (broad), Neuroleptic malignant syndrome (broad), Myocardial infarction (narrow), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Embolic and thrombotic events, arterial (narrow), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Other ischaemic heart disease (narrow), Arthritis (broad), Tendinopathies and ligament disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Dehydration (broad), COVID-19 (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, ? days
Extended hospital stay? No
Previous Vaccinations:

Other Medications: ALFUZOSIN

Current Illness:

Preexisting Conditions: Medical History/Concurrent Conditions: BPH

Allergies:

Diagnostic Lab Data: Test Date: 20210114; Test Name: temp; Result Unstructured Data: Test Result:101 to 101.7; Test Date: 20210118; Test Name: Echocardiogram; Result Unstructured Data: Test Result:normal EF; Test Date: 20210118; Test Name: ECG; Result Unstructured Data: Test Result:ST elevation inferior lead; Test Date: 20210114; Test Name: heart rate; Result Unstructured Data: Test Result:110 to 130; Test Date: 20210114; Test Name: pain; Result Unstructured Data: Test Result:1-2/10; Test Date: 20210115; Test Name: pain; Result Unstructured Data: Test Result:7-8/10; Test Date: 20210118; Test Name: Pain; Result Unstructured Data: Test Result:10/10; Test Date: 20210118; Test Name: Nasal Swab; Result Unstructured Data: Test Result:Negative; Test Date: 20210118; Test Name: Trop; Result Unstructured Data: Test Result:16.28 ng/ml

CDC Split Type: USPFIZER INC2021051391

Write-up: coronary spasm; STEMI COVID vaccine induced; slight 1-2/10 substernal chest pain on/off; fever of 101 to 101.7; diffuse severe muscle aches; tachycardia of 110 to 130; painful lymphadenopathy of the ipsilateral axilla and clavicular lymph node (LN); This is a spontaneous report from a contactable physician (patient). A 45-year-old male patient received the second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number: EL0142), via an unspecified route of administration in the left arm on 13Jan2021 at a single dose for COVID-19 immunization. The patient's medical history included benign prostatic hyperplasia (BPH). Concomitant medication included alfuzosin. The patient previously took the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE. lot number: EH9899) in the left arm on 23Dec2020 16:00 at the age of 44 years old for COVID-19 immunization. On 14Jan2021, the patient started having fever of 101 to 101.7, diffuse severe muscle aches, and tachycardia of 110 to 130. Thursday evening (14Jan2021) through Sunday (17Jan2021), the patient also had painful lymphadenopathy of the ipsilateral axilla and clavicular lymph node (LN). Thursday evening (14Jan2021), the patient had slight 1-2/10 substernal chest pain on/off. Friday evening around 23:30 (15Jan2021), the patient had chest pain substernal 7-8/10 that lasted for one hour. The burning sensation was worse with cold air. It resolved with paracetamol (TYLENOL) and ibuprofen. Monday early morning

at 04:00 (18Jan2021), the patient experienced STEMI COVID vaccine induced wherein the patient woke up with 10/10 chest pain and shoulder pain which lasted for 30 to 40 minutes and resolved with paracetamol and ibuprofen. The patient also decided to check blood work Monday morning (18Jan2021) while in the hospital. Trop came back 16.28 ng/ml. This is the old trop not high sensitivity. Normal high is 0.30 ng/ml. The patient went to the hospital. ECG showed ST elevation inferior lead. Left heart catheterization was done. The patient have clean coronaries. No evidence of any atherosclerosis. Echocardiogram showed normal EF. No wall motion abnormality. It was concluded that the patient also had coronary spasm. The patient underwent other lab test and procedure which included nasal swab COVID test showed negative on 18Jan2021. Outcome of the lymphadenopathy was recovered on 17Jan2021, of the chest pain was recovered on Jan2021, of the coronary spasm and STEMI was recovering, while of the remaining events was unknown. The events coronary spasm and STEMI resulted in hospitalization and life threatening illness.; Sender's Comments: The reported coronary spasm with chest pain and suspected STEMI were likely related to the second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE) due to plausible temporal relationship, and no evidence of any atherosclerosis during left heart catheterization. The case will be reassessed should additional information become available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

VAERS ID: 976970 (history)
Form: Version 2.0

Age: 43.0
Sex: Female
Location: Tennessee

Vaccinated: 2020-12-29 **Onset:** 2020-12-29

Days after vaccination: 0

 Submitted:
 0000-00-00

 Entered:
 2021-01-27

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL1284 / 1	RA / OT

Administered by: Private Purchased by: ?

Symptoms: Dysphonia, Rash, Throat tightness, Urticaria

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Parkinson-like events (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? Yes
ER Visit? No

ER or Doctor Visit? Yes
Hospitalized? Yes, 3 days
Extended hospital stay? No
Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions: Medical History/Concurrent Conditions: Anxiety; Blood pressure

high; Depression; Diabetes; Drug allergy (To triptians); Migraine

Allergies:

Diagnostic Lab Data:

CDC Split Type: USPFIZER INC2021057870

Write-up: Rash; Hives; Throat started to close up; Voice changed/ Functional dysphonia; This is a spontaneous report from a contactable other health professional reporting for herself. A 43-year-old female patient received the 1st dose of bnt162b2 (BNT162B2, Manufacturer Pfizer-BioNTech, lot# EL1284), intramuscular in the right arm, on 29Dec2020 at 16:42, at single dose, for COVID-19 immunisation. Medical history included diabetes from an unknown date and unknown if ongoing, blood pressure high from an unknown date and unknown if ongoing, anxiety from an unknown date and unknown if ongoing, depression from an unknown date and unknown if ongoing, migraine from an unknown date and unknown if ongoing, drug allergy to triptans from an unknown date and unknown if ongoing. Past drug event included drug allergy to Topamax and Rocephin both from an unknown date and unknown if ongoing. Concomitant medications were not reported. The patient experienced rash on 29Dec2020 at 16:45 with outcome of not recovered, hives on 29Dec2020 at 16:45 with outcome of not recovered, throat started to close up on 29Dec2020 at 16:45 with outcome of not recovered. The patient was given Benadryl and EpiPen and was rushed to the emergency room (ER). The events needed emergency room visit and physician office visit. She was admitted into the hospital for 3 days and received Solu-Medrol and intravenous Benadryl every 6 hours until discharge. The reporter stated that after the reaction her voice changed. She was visited by an otorhinolaryngology (ENT) doctor on 19Jan2021 and she had functional dysphonia. Therapeutic measure included speech therapy. Outcome was not recovered. The patient was not diagnosed with COVID-19 prior to vaccination. Since vaccination the patient has not been tested for COVID-19.; Sender"s Comments: Based on temporal association, a possible contributory role of suspect BNT162B2 cannot be excluded for reported events rash, hives and throat tightness. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

VAERS ID: 976973 (history)
Form: Version 2.0

Age: 44.0 Sex: Male

Location: New Jersey

 Vaccinated:
 2021-01-20

 Onset:
 2021-01-20

Days after vaccination: 0

Submitted: 0000-00-00

Entered: 2021-01-27

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / 1	LA / -

Administered by: Unknown Purchased by: ?

Symptoms: Asthenia, Blood pressure increased, Dizziness

SMQs:, Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Guillain-

Barre syndrome (broad), Hypertension (narrow), Vestibular disorders (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: LIPITOR [ATORVASTATIN]; FIORICET

Current Illness:

Preexisting Conditions:

Allergies:

Diagnostic Lab Data: Test Date: 20210120; Test Name: blood pressure; Result Unstructured

Data: Test Result:180/116; Comments: Elevated, highest recorded

CDC Split Type: USPFIZER INC2021064708

Write-up: Elevated blood pressure (180/116 highest recorded); dizziness; weakness lasting several hours; This is a spontaneous report from a contactable consumer (patient). A 44-years-old male patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration in the left arm on 20Jan2021 14:15 at single dose for COVID-19 immunisation at Public Health Clinic/Veterans Administration facility. The patient medical history was not reported. Concomitant medication included atorvastatin (LIPITOR), 40 mg daily, butalbital, caffeine, paracetamol (FIORICET). The patient experienced elevated blood pressure (180/116 highest recorded), dizziness and weakness lasting several hours on 20Jan2021 14:30 with outcome of recovering. The events were considered life-threating (immediate risk of death from the event) and resulted in Doctor or other healthcare professional office/clinic visit, Emergency room/department or urgent care visit. No treatment was performed. Prior to vaccination, the patient was not diagnosed with COVID-19 and since the vaccination the patient had not been tested for COVID-19. Information on the lot/batch number has been requested.

VAERS ID: 977593 (history)
Form: Version 2.0

Age: 71.0
Sex: Female
Location: Minnesota

 Vaccinated:
 2021-01-08

 Onset:
 2021-01-11

Days after vaccination: 3

Submitted: 0000-00-00 **Entered:** 2021-01-27

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK9231 /	- / IM

Administered by: Pharmacy Purchased by: ?

Symptoms: Angiogram cerebral normal, Arteriogram carotid normal, Cardiac telemetry normal, Cerebral small vessel ischaemic disease, Echocardiogram normal, Electrocardiogram normal, Facial paralysis, Hemiparesis, Intensive care, Magnetic resonance imaging brain normal, Visual impairment

SMQs:, Anticholinergic syndrome (broad), Ischaemic central nervous system vascular conditions (narrow), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious meningitis (broad), Glaucoma (broad), Optic nerve disorders (broad), Lens disorders (broad), Retinal disorders (broad), Conditions associated with central nervous system haemorrhages and cerebrovascular accidents (narrow), Hearing impairment (broad), Hypoglycaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 3 days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: amlodipine, simvastatin, metformin, losartan, omeprazole Current Illness: Pt had strep throat that was treated on January 4, 2021 Preexisting Conditions: hypertension, DM2, GERD, high cholesterol

Allergies: Aspirin

Diagnostic Lab Data: While I don"t know/think this stroke was caused by a stroke, I thought

it was a reportable event.

CDC Split Type:

Write-up: Patient is a 71-year-old female with PMH of type 2 diabetes, hypertension, hyperlipidemia, cataracts, glaucoma who was transferred from Medical Center as a stroke code after she presented there for right-sided weakness, facial droop and visual changes. Patient was given TPA in the past she was within window and she was then transferred here for further management. Patient's symptoms continue to resolve. She was admitted in the ICU and managed by neuro critical care and neurology. Further imaging including CTA head and neck, MRI brain did not reveal any stroke. An assessment of small vessel disease was made which likely resolved after TPA was given. Patient was assessed by PMR and PT/OT and deemed safe to go home with family care and no restrictions. Echo, telemetry and EKG showed no signs of cardiac involvement. Patient was started Plavix x21 days and chronic baby aspirin. She was also started on Crestor 20 mg daily. Patient is to follow-up with neurology in 3 months as she got TPA. She will also follow-up with her PCP on discharge.

VAERS ID: 977869 (history) Version 2.0 Form:

76.0 Age: Sex: Female Location: Louisiana

Vaccinated: 2021-01-08 Onset: 2021-01-09

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-27

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	039K20A / 1	RA / IM

Administered by: Senior Living **Purchased by: ?**

Symptoms: Asthenia, Bilevel positive airway pressure, Dyspnoea, Intensive care, Loss of personal independence in daily activities, Nausea, Oxygen saturation decreased, Pain, Pneumonia, Pyrexia, SARS-CoV-2 test negative, Tremor, Urinary tract infection, X-ray abnormal

SMQs:, Anaphylactic reaction (broad), Acute pancreatitis (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Dementia (broad), Parkinson-like events (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Noninfectious encephalopathy/delirium (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Respiratory failure (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad), Infective pneumonia (narrow), COVID-19 (broad)

Life Threatening? Yes Birth Defect? No Died? No **Permanent Disability?** No Recovered? Yes Office Visit? No ER Visit? No ER or Doctor Visit? Yes Hospitalized? Yes. 11 days Extended hospital stay? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions: Heart failure, Hx of stroke, Diabetic, hypertension,

Allergies: Invokana, Rocephin, Vancomycin

Diagnostic Lab Data: Multiple Covid test- all negative (first being done on 1/9/2021) X ray-

1/9/2021

CDC Split Type:

Write-up: 1/9/21 At 3:50 am started with nausea, weakness, and complaints of body aches. Required more assistance with ADL"s than previous. @ 4:28 am: complaints of SOB, O2 sats 85% on room air. Required supplement O2, with tremors noted. PRN Zofran administered for nausea. 7:42 am noted with fever, decreased O2 sats, Tylenol administered for fever. Fever continue to climb despite Tylenol, supplemental O2 increased to 4L, rapid covid test negative, new orders to start Rocephin IM x 3 days and stat Xray which showed pneumonia. Temperature continues to remain elevated- O2 status continues to decline. Sent to ER 1/9/2021 @ 4:53 pm via ambulance. Admitted to Hospital with ABT tx for pneumonia and UTI. Respiratory status continued to decline- pulmonology consulted- Placed in ICU 1/13/21 and started on steroids. Required BiPap and was eventually weaned to supplemental O2. Multiple Covid tests- all negative. GI complaints addressed with GI consult- unremarkable. Started on PPI and Linzess. Eventually was placed on telemetry floor, closely monitored by pulmonology, and was cleared for discharge on 1/19/2021 back to nursing home.

VAERS ID: 977933 (history)
Form: Version 2.0

Age: 56.0
Sex: Female
Location: Idaho

 Vaccinated:
 2021-01-16

 Onset:
 2021-01-18

Days after vaccination: 2

Submitted: 0000-00-00 **Entered:** 2021-01-27

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / 1	AR / IM

Administered by: Private Purchased by: ?

Symptoms: Angiogram pulmonary abnormal, Fibrin D dimer increased, Pulmonary embolism **SMQs:**, Haemorrhage laboratory terms (broad), Embolic and thrombotic events, venous

(narrow), Pulmonary hypertension (broad)

Life Threatening? Yes **Birth Defect?** No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Just discontinues beyaz(ocps) prescribed by gynecology

Current Illness: none

Preexisting Conditions: none

Allergies: none

Diagnostic Lab Data: Lab work performed in the emergency room on January 22 clued of an

elevated D-dimer and positive CT pulmonary angiogram.

CDC Split Type:

Write-up: EventsPatient experienced segmental and subsegmental pulmonary emboli without other preceding no evidence for DVT, no history of inherited thrombophilia or previous pulmonary embolism, no underlying cancer, surgery, or stasis. The only other complicating factor would be that she has been taking estrogen therapy prescribed by gynecology which she discontinued the day prior to her vaccine.

VAERS ID: 977963 (history)
Form: Version 2.0

Age: 81.0
Sex: Male
Location: Alabama

Vaccinated: 2021-01-26 **Onset:** 2021-01-26

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-27

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL8982 / 1	RA / IM

Administered by: Private Purchased by: ? Symptoms: Death, Unresponsive to stimuli

SMQs:, Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Hypotonichyporesponsive episode (broad), Hypoglycaemia (broad)

Life Threatening? Yes

Birth Defect? No

Died? Yes

Date died: 2021-01-26
Days after onset: 0
Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:
Other Medications: Unknown
Current Illness: Unknown

Preexisting Conditions: Unknown

Allergies: Unknown

Diagnostic Lab Data: Unknown

CDC Split Type:

Write-up: (Report per patients wife) Patient took his usual nap around 12pm. She found him lying in the bed unresponsive at 2pm. EMS was not called. Patient's wife called the Funeral home.

VAERS ID: 978002 (history)
Form: Version 2.0

Age: 77.0

Sex: Male Location: Georgia

Vaccinated: 2021-01-19 **Onset:** 2021-01-20

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-27

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	013L20A / 1	RA / IM

Administered by: Other Purchased by: ?

Symptoms: Blood urine present, Communication disorder, Confusional state, Culture stool, Disorientation, Fall, Laboratory test, Magnetic resonance imaging, Pneumonia, Pyrexia, Renal function test abnormal, Thrombosis, Transfusion, Ultrasound Doppler, White blood cell count increased

SMQs:, Acute renal failure (broad), Haemorrhage terms (excl laboratory terms) (narrow), Haemorrhage laboratory terms (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Dementia (broad), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), Thrombophlebitis (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Accidents and injuries (narrow), Eosinophilic pneumonia (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (narrow), Hypoglycaemia (broad), Infective pneumonia (narrow), Dehydration (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No

ER or Doctor Visit? No Hospitalized? Yes, 7 days Extended hospital stay? No

Previous Vaccinations:

Other Medications: Tramadol, Gabapentin, Lantus, Novalog, Baby Aspirin, Atorvastatin,

Blood Pressure Med, Syntriod, B12, Dieuretic

Current Illness: none

Preexisting Conditions: Chronic heart condition, Diabetes, Cellulitis, End stage deterioration

of both knees and hips, Bursitis, High cholesterol, High blood pressure

Allergies: none

Diagnostic Lab Data: I have not been aware of all the tests, however, he has been given a

Doppler MRI, pneumonia test, cultured bowel and urine and others.

CDC Split Type:

Write-up: The morning of Jan 20, 2021, Patient was disoriented, could not communicate well, and fell when he tried to get out of bed. He was taken to The Hospital by ambulance about 11:30 am. He is still hospitalized. Emerging symptoms include: passing a blood clot from his mouth, slight pneumonia, high white count, low kidney values, high fever, all of which fluctuated. A blood transfusion was given because of blood in the urine. He has been confused and disoriented until this morning.

VAERS ID: 978535 (history)
Form: Version 2.0

Age: 34.0
Sex: Female
Location: Washington

 Vaccinated:
 2020-12-30

 Onset:
 2021-01-01

Days after vaccination: 2

 Submitted:
 0000-00-00

 Entered:
 2021-01-27

Vac	cination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19	(COVID19 (MODERNA)) / MODERNA	037K20A / 1	LA / SYR

Administered by: Work Purchased by: ?

Symptoms: Alanine aminotransferase normal, Albumin globulin ratio normal, Anion gap decreased, Aspartate aminotransferase normal, Basophil count decreased, Basophil percentage, Blood albumin normal, Blood alkaline phosphatase normal, Blood bilirubin normal, Blood calcium normal, Blood chloride normal, Blood creatinine normal, Blood glucose normal, Blood potassium normal, Blood sodium normal, Blood urea decreased, Carbon dioxide normal, Dizziness, Electrocardiogram abnormal, Eosinophil count normal, Eosinophil percentage, Globulins decreased, Glomerular filtration rate, Haematocrit normal, Haemoglobin normal, Human chorionic gonadotropin negative, Hypoaesthesia, Immature granulocyte count increased, Immature granulocyte percentage increased, Lymphocyte count normal, Lymphocyte percentage, Mean cell haemoglobin concentration normal, Mean cell haemoglobin normal, Mean cell volume normal, Monocyte count decreased, Monocyte percentage increased, Neutrophil count normal, Neutrophil percentage decreased, Platelet count normal, Protein total normal, Rash, Red blood cell count decreased, Red cell distribution width normal, Sinus arrhythmia, Swelling face, Syncope, Tachycardia, Troponin I, White blood cell count decreased

SMQs:, Torsade de pointes/QT prolongation (broad), Anaphylactic reaction (broad), Agranulocytosis (broad), Angioedema (narrow), Haematopoietic erythropenia (narrow), Haematopoietic leukopenia (narrow), Peripheral neuropathy (broad), Haemorrhage laboratory terms (broad), Neuroleptic malignant syndrome (broad), Systemic lupus erythematosus (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Disorders of sinus node function (narrow), Guillain-Barre syndrome (broad), Cardiomyopathy (broad), Vestibular disorders (broad), Hypotonic-hyporesponsive episode (broad), Hypersensitivity (narrow), Myelodysplastic syndrome (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad), Dehydration (broad), Sexual dysfunction (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? Yes
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? No
Previous Vaccinations:

Other Medications: Women's multivitamin

Current Illness: None

Preexisting Conditions: None

Allergies: None

Diagnostic Lab Data: Troponin I, High Sensitivity - Result <3 ng/L Standard <=45 ng/L hCG Screen, Serum - Negative ECG 12 LEAD - Normal sinus rhythm with sinus arrhythmia Na 138 mmol/L 136 - 145 mmol/L K 3.7 mmol/L 3.5 - 5.1 mmol/L Cl 106 mmol/L 98 - 107 mmol/L CO2 28 mmol/L 20 - 31 mmol/L Calcium 9.4 mg/dL 8.7 - 10.4 mg/dL Anion Gap 4 mmol/L 5 - 16 mmol/L Albumin 4.9 g/dL 3.2 - 4.8 g/dL BUN 9 mg/dL 9 - 23 mg/dL Creatinine 0.79 mg/dL 0.55 - 1.02 mg/dL Glucose 76 mg/dL 65 - 140 mg/dL Total Protein 7.1 g/dL 5.7 - 8.2 g/dL Globulin 2.2 g/dL 2.0 - 4.0 g/dL Albumin/Globulin Ratio 2.2 Ratio 0.7 - 2.2 Ratio Alkaline Phosphatase 81 U/L 46 - 116 U/L ALT 15 U/L 10 - 49 U/L AST 19 U/L <=33 U/L Bilirubin Total 0.3 mg/dL 0.3 - 1.2 mg/dL Estimated GFR \$g60 mL/min/1.73m2 \$g=61 mL/min/1.73m2 Adult GFR Result Intervals measured in mL/min/1.73 m squared: GT 60: Normal renal function. LT or equal to 60: Chronic kidney disease, if confirmed over a 3 month period. A single determination is not considered diagnostic. 30-60 eGFR (Stage 3 CKD): Chronic renal disease. 15-29 eGFR (Stage 4 CKD): Chronic renal disease, consider nephrology consult. LT 15 eGFR (Stage 5 CKD): Renal failure. White Blood Cells 4.7 K/uL 3.8 - 11.0 K/uL Red Blood Cells 4.19 M/uL 3.70 - 5.10 M/uL Hemoglobin 12.5 g/dL 11.3 - 15.5 g/dL Hct 37.6 % 34.0 -46.0 % MCV 89.7 fL 80.0 - 100.0 fL MCH 29.8 pg 27.0 - 34.0 pg MCHC 33.2 g/dL 32.0 - 35.5 g/dL RDW-CV 13.7 % 11.0 - 15.5 % Platelet Count 245 K/uL 150 - 400 K/uL % Neutrophils 52.9 % % % Lymphocytes 24.3 % % % Monocytes 20.7 % % % Eosinophils 1.1 % % % Basophils 0.8 % % % Immature Granulocytes 0.2 % 0.0 - 1.0 % Absolute Neutrophils 2.5 K/uL 1.9 - 7.4 K/uL Absolute Lymphocytes 1.1 K/uL 1.0 - 3.9 K/uL Absolute Monocytes 1.0 K/uL 0.0 - 0.8 K/uL Absolute Eosinophils 0.1 K/uL 0.0 - 0.2 K/uL Absolute Basophils 0.0 K/uL 0.0 - 0.2 K/uL Absolute Immature Granulocytes 0.01 K/uL 0.00 - 0.03 K/uL

Write-up: Trachycardia, syncope, dizziness, facial swelling, full body numbness, rash over arms

VAERS ID: 978870 (history)
Form: Version 2.0

Age: 40.0
Sex: Male
Location: Arizona

CDC Split Type:

Vaccinated: 2021-01-13 **Onset:** 2021-01-14

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-27

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL3249 / 1	LA / -

Administered by: Unknown Purchased by: ?

Symptoms: Acute cardiac event, Cerebrovascular accident, Mechanical ventilation, Respiratory arrest, SARS-CoV-2 test negative

SMQs:, Anaphylactic reaction (broad), Myocardial infarction (narrow), Ischaemic central nervous system vascular conditions (narrow), Haemorrhagic central nervous system vascular conditions (narrow), Embolic and thrombotic events, vessel type unspecified and mixed

arterial and venous (narrow), Acute central respiratory depression (narrow), Guillain-Barre syndrome (broad), Other ischaemic heart disease (narrow), Hypersensitivity (broad), Respiratory failure (narrow), COVID-19 (broad)

Life Threatening? Yes Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No

ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications: AMBIEN; DOXEPIN

Current Illness:

Preexisting Conditions: Medical History/Concurrent Conditions: Allergy to nuts

Allergies:

Diagnostic Lab Data: Test Date: 20210114; Test Name: Covid-19 test; Test Result: Negative

CDC Split Type: USPFIZER INC2021063505

Write-up: Heart event stopped him from breathing; stroke; lack of air; This is a spontaneous report from a contactable consumer, the patient. A 40-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: EL3249), via an unspecified route of administration in the left arm on 13Jan2021 (at the age of 40-years-old) as a single dose for COVID-19 immunization. Medical history included nut allergy from an unknown date and unknown if ongoing. Prior to the vaccination, the patient was not diagnosed with COVID-19. Concomitant medications included zolpidem tartrate (AMBIEN) and doxepin (MANUFACTURER UNKNOWN). The patient did not receive any other vaccines within four weeks prior to the vaccination. On 14Jan2021 at 13:00, the patient experienced heart event that stopped him from breathing and the lack of air caused a stroke; all reported as life-threatening. On 14Jan2021, the patient underwent lab tests and procedures which included COVID-19 test which was negative. The patient was treated for the events which included being put on a ventilator and sedation. The clinical outcomes of the heart event stopped him from breathing, lack of air, and stroke, were not recovered.

VAERS ID: <u>978912</u> (history)
Form: Version 2.0

Age: 67.0 Sex: Male

Location: Washington

Vaccinated: 2021-01-22 **Onset:** 2021-01-25

Days after vaccination: 3

Submitted: 0000-00-00 **Entered:** 2021-01-27

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	011L20A / UNK	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Angiogram pulmonary abnormal, Echocardiogram abnormal, Electrocardiogram

ST-T segment abnormal, Pulmonary embolism

SMQs:, Embolic and thrombotic events, venous (narrow), Pulmonary hypertension (broad), Cardiomyopathy (broad), Other ischaemic heart disease (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? No.

ER Visit? No

ER or Doctor Visit? No

Hospitalized? Yes, ? days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: For Hypertension losartan potassium 100 MG Tablet (Cozaar) 1 po qd

for blood pressure Chlorthalidone 25 MG Tablet 1 po q AM for blood pressure

Current Illness:

Preexisting Conditions: Hypertension, metabolic syndrome

Allergies: Codeine (Feels goofy), Lisinopril (Cough)

Diagnostic Lab Data: Echocardiogram showing RV strain and Pulmonary CT Angiogram: Pulmonary Arteries: Diagnostic quality: Adequate through the segmental arteries. There are large filling defect/emboli in the distal right pulmonary artery with large emboli extending into the second and third order arteries to the right lower lobe. In addition there are prominent emboli extending into the second and third order arteries of the right upper lobe. There is prominent embolus in the distal left main pulmonary artery with extension into the second and third order arteries of the left upper lobe and the left lower lobe.

CDC Split Type:

Write-up: Large, bilateral, unprovoked pulmonary emboli 3 days after a Moderna first dose vaccine in a patient with no risk factors for DVT or PE and no history of any sort of prothrombotic disorder. He is in the hospital and work up is in progress, and so we might find another reason for his PE, but as of now we have no other explanation.

VAERS ID: <u>979082</u> (history)
Form: Version 2.0

Age: 76.0 Sex: Female

Location: South Carolina

 Vaccinated:
 2021-01-22

 Onset:
 2021-01-22

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-27

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL9262 / 1	LA / SYR

Administered by: Other Purchased by: ?

Symptoms: Anaphylactic shock, Electrocardiogram

SMQs:, Anaphylactic reaction (narrow), Anaphylactic/anaphylactoid shock conditions (narrow), Hypersensitivity (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: clonazepam 0.5 (1), aspirin 81mg (1), centrum silver (1), miralax 1 tbsp, rosuvastatin 5 mg (1), preservision areds 2 (2), cymbalta 60 mg (1), calcium 600 +D3 (1),

elderberry syrup (2) tbsp daily on all

Current Illness: none

Preexisting Conditions: fibromyalgia

Allergies: penicillin, clindamycin, zofran, avocado

Diagnostic Lab Data: EKG, no memory of any other tests or procedures due to drugs

influence.

CDC Split Type:

Write-up: Severe anaphylaxis shock, received 5 drug injections at vaccination site, transported to ER for observation. released later that evening.

VAERS ID: 979109 (history)
Form: Version 2.0

Age: 66.0
Sex: Female
Location: Washington

Vaccinated: 2021-01-26 **Onset:** 2021-01-26

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-27

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / UNK	-/-

Administered by: Private **Purchased by:** ?

Symptoms: Blood test, Cardio-respiratory arrest, Respiratory arrest, Resuscitation **SMQs:**, Torsade de pointes/QT prolongation (broad), Anaphylactic reaction (narrow), Arrhythmia related investigations, signs and symptoms (broad), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (narrow), Acute central respiratory depression (narrow), Guillain-Barre syndrome (broad), Hypersensitivity (broad), Respiratory failure (narrow)

Life Threatening? Yes **Birth Defect?** No

Died? No

Permanent Disability? No

Recovered? Yes

Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Vitimin, B12,D, D3, Chewable Women''s Multivitamin, Benazepril HCL, 10mg., Levothyroxine, 75MCG, Amlodipine Besylate 5 Mg, (took morning of appt) did not take prescribed mef of Dextroamp Amphetamine 10 mg or 20 mg that day.

Current Illness: Graves Disease, anemia, foot fungus, wart removed, anxiety

Preexisting Conditions: Graves Disease, Anxiety, one, prior treatment for migraines with Botox 2O13 after 20 years of illness, minor asthma treatment PRN, cognitive issues as a result of 3 motor vehicle accident, Sleep Apnea, untreated, Narcolepsy (untreated), periodic psycological treatment for episodic events in life; i.e, divorce, legal issues, family dynamic, childhood sexual and mental abuse

Allergies: Sulfur, sulfates, peanut butter, milk, coconuts, penicillin, amoxicillin, reglan, vicodin, latex, codeine, morphine

Diagnostic Lab Data: Clearing airway, cut off clothing, epi pen, Oxygen, steroids, blood tests after stabilization, chest compressions, in public waiting room at hospital where other patients were waiting for their 15 minute waiting period.

CDC Split Type:

Write-up: Unable to breath within 27 minutes, coded, rushed to emergency after crash cart medical trestment

VAERS ID: <u>979224</u> (history)
Form: Version 2.0

Age: 88.0
Sex: Female
Location: Minnesota

Vaccinated: 2021-01-07 **Onset:** 2021-01-26

Days after vaccination: 19

Submitted: 0000-00-00 **Entered:** 2021-01-27

Vaccination / Manufacturer	Lot / Dose	Site / Route	
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	037K20A / UNK	- / IM	

Administered by: Public **Purchased by:** ?

Symptoms: Asthenia, Full blood count, Gastrointestinal haemorrhage, Metabolic function test

SMQs:, Haemorrhage terms (excl laboratory terms) (narrow), Gastrointestinal haemorrhage (narrow), Guillain-Barre syndrome (broad), Ischaemic colitis (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No

Office Visit? No ER Visit? No

ER or Doctor Visit? Yes
Hospitalized? Yes, ? days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: Too many to list.

Current Illness: None other than chronic illness

Preexisting Conditions: Afib on coumadin, HTN, hyperlipidemia, osteoporosis

Allergies: Ambien and cyclobenzoprine Diagnostic Lab Data: CBC, CMP, 1/27/2021

CDC Split Type:

Write-up: Pt. with weakness and GI bleed. Admitted to hospital after being seen in the ER

VAERS ID: 979259 (history)
Form: Version 2.0

Age: 82.0
Sex: Female
Location: Florida

 Vaccinated:
 2021-01-22

 Onset:
 2021-01-22

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-27

Vaccination / ManufacturerLot / DoseSite / RouteCOVID19: COVID19 (COVID19 (MODERNA)) / MODERNA012L20A / 2LA / SYR

Administered by: Private Purchased by: ?

Symptoms: Intensive care, Mechanical ventilation, Speech disorder, Walking aid user **SMQs:**, Dementia (broad), Acute central respiratory depression (broad), Psychosis and psychotic disorders (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Respiratory failure (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? Yes

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? No Hospitalized? Yes, 5 days Extended hospital stay? No

Previous Vaccinations:
Other Medications: Tylenol

Current Illness: Lung Cancer and Biopsys done on Tues Before

Preexisting Conditions: Fell broke right hip in Sept 2020 Found mass on Left lung

Negative. Right lung biopsied at Hospital.

Allergies: None

Diagnostic Lab Data: Still in ICU under the care of MD

CDC Split Type:

Write-up: At 8:00 P.M. that night she used her walker to go to the bathroom. After 5 minutes I went in and found her walker at the comode,and she was standing 20 ft. away at the bed mumbling O.K. o.k. and that was all she said. I called 911 and she was taken to The Hospital where she is currently in ICU on a respirator.

VAERS ID: 979379 (history)
Form: Version 2.0

Age: 62.0
Sex: Male
Location: Virginia

Vaccinated: 2020-12-19 **Onset:** 2020-12-31

Days after vaccination: 12

Submitted: 0000-00-00 **Entered:** 2021-01-27

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EH9899 / 1	LA / IM

Administered by: Other Purchased by: ?

Symptoms: Angiogram pulmonary abnormal, Blood test, Chest X-ray, Dyspnoea, Exposure to SARS-CoV-2, Fatigue, Headache, Impaired work ability, SARS-CoV-2 test positive, Thrombosis

SMQs:, Anaphylactic reaction (broad), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), Thrombophlebitis (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Infective pneumonia (broad), Opportunistic infections (broad), COVID-19 (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 6 days

Extended hospital stay? No

Previous Vaccinations: MMR -rash 1980

Other Medications: Losartan 50 mg daily; Zocor 20 mg daily; aspirin - 81 mg daily; Breolopto

inhaler daily; Mybetriq - 50 mg daily; Vit D - 5000 units daily

Current Illness: none

Preexisting Conditions: hypertension; high blood pressure; obesity; asthma

Allergies: none

Diagnostic Lab Data: Chest CT angio - showed small blood clots in lungs Chest xray Blood

work

CDC Split Type: vsafe

Write-up: 19th vaccinated; my wife was exposed to COVID on 26th and she developed symptoms on 29th; I developed on 31st and tested Positive on January 2 for COVID; January3, I was admitted to ER for shortness of breath, my oxygen saturation - between 88 and 94; I was in the hospital and discharged on January 8. Remdesivir and Decadron treated with and also Eliquis. I was on oxygen until Wednesday (three days) and then I went home on 8th and continued on Prednisone for last week (Friday). Haven"t gone back to work - shortness of breath, fatigue and headaches continue.

VAERS ID: 979451 (history)
Form: Version 2.0

Age: 61.0
Sex: Female
Location: Maine

Vaccinated: 2021-01-21 **Onset:** 2021-01-21

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-27

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	030L20A / 1	LA / IM

Administered by: Other Purchased by: ?

Symptoms: <u>Deafness, Loss of consciousness, Pruritus, Pulse abnormal, Unresponsive to stimuli</u>

SMQs:, Torsade de pointes/QT prolongation (broad), Anaphylactic reaction (broad), Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Hearing impairment (narrow), Hypotonic-hyporesponsive episode (broad), Generalised convulsive seizures following immunisation (broad), Hypersensitivity (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:
Other Medications: NA
Current Illness: NA

Preexisting Conditions: NA

Allergies: Moderate to severe reaction to mollusks: clams, mussels, etc.

Diagnostic Lab Data: NA

CDC Split Type:

Write-up: Pt received second dose of vaccine and went to the observation area. She was risk stratified into the high risk (30 minute obsevation) category based on a previous anaphylactic response to shelffish requiring epinhephrine. She reported only a minor pruritis after the first dose of the vaccine. While in the observation area she reported auditory exclusion to her male partner, then reportedly went unconcsious immediately. Employees working in the observation area were notified and summoned medical assistance. A medical provider (PA) arrived and found the pt supine in the passenger seat and unresponsive. Her pulse was weak and thready. One dose of 0.3mg epi autoinjector was administered to her R lateral thigh at 12:03p

VAERS ID: 979690 (history) Version 2.0 Form:

Age: 50.0 Sex: Male Location: Arizona

Vaccinated: 2021-01-14 2021-01-16 Onset:

Days after vaccination: 2

Submitted: 0000-00-00 **Entered:** 2021-01-27

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	ELI283 / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Appendicitis, Appendicitis perforated, Computerised tomogram abdomen abnormal, Surgery, White blood cell count increased

SMQs:, Neuroleptic malignant syndrome (broad), Retroperitoneal fibrosis (broad), Gastrointestinal perforation (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 1 days Extended hospital stay? No

Previous Vaccinations:

Other Medications: Vitamin D 5,000 IU every day Ibuprofen 200 mg PRN headache (about 1

or 2 a month) Tadalafil 5 mg PRN

Current Illness: None

Preexisting Conditions: None

Allergies: None known

Diagnostic Lab Data: CT scan of abdomen on Jan 17, 2021 confirming acute appendicitis CBC on same date showing a WBC of 15,000 initially and then 22,000 the following day (Jan

18, 2021)

CDC Split Type:

Write-up: Acute appendicitis with perforation on January 17, 2021 that required emergency surgery

VAERS ID: 980009 (history) Form: Version 2.0

43.0 Age: Sex: Unknown Location: Virginia

Vaccinated: 2021-01-26 Onset: 2021-01-26

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-27

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / UNK	RA/SYR

Administered by: School **Purchased by: ?**

Symptoms: Chills, Choking sensation, Cough, Dizziness, Dysphagia, Dyspnoea, Pharyngeal

swelling, Tremor

SMQs:, Anaphylactic reaction (broad), Angioedema (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Parkinson-like events (broad). Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Cardiomyopathy (broad), Vestibular disorders (broad), Hypersensitivity (narrow). Drug reaction with eosinophilia and systemic symptoms syndrome (broad). Hypoglycaemia (broad)

Life Threatening? Yes Birth Defect? No Died? No Permanent Disability? No Recovered? Yes Office Visit? No ER Visit? No ER or Doctor Visit? Yes

Hospitalized? No **Previous Vaccinations:**

Other Medications: None **Current Illness: None**

Preexisting Conditions: None

Allergies: None **Diagnostic Lab Data: CDC Split Type:**

Write-up: Swollen throat, not able to swollow or breath Chili?s dizziness, shaking, coughing, feeling like being choked Epipen, benedryl howpitalization

VAERS ID: 980056 (history)
Form: Version 2.0

Age: 76.0
Sex: Female
Location: Arizona

 Vaccinated:
 2021-01-22

 Onset:
 2021-01-22

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-27

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / 1	LA / -

Administered by: Other Purchased by: ?

Symptoms: Hypersensitivity, Peripheral swelling, Pharyngeal swelling, Rash, Swelling face **SMQs:**, Cardiac failure (broad), Anaphylactic reaction (narrow), Angioedema (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Extravasation events (injections, infusions and implants) (broad), Haemodynamic oedema, effusions and fluid overload (narrow), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations: Contrast dye

Other Medications: Lotsartan

Current Illness: None

Preexisting Conditions: None

Allergies: Contrast dye

Diagnostic Lab Data: Allergic reaction 1/22/2021

CDC Split Type:

Write-up: Rash and severe swelling of the face, Hands and throat. Given intravenous

benedryl, Pepcid, Ativan, Prednisone

VAERS ID: 981918 (history)
Form: Version 2.0

Age: 87.0
Sex: Male
Location: Unknown

 Vaccinated:
 2021-01-12

 Onset:
 2021-01-12

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-27

Vaccination / ManufacturerLot / DoseSite / RouteCOVID19: COVID19 (COVID19 (MODERNA)) / MODERNA026L20A / UNKLA / IM

Administered by: Other Purchased by: ?

Symptoms: COVID-19, Cough, Diarrhoea, Dyspnoea, Pyrexia, SARS-CoV-2 test positive

SMQs:, Anaphylactic reaction (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Pseudomembranous colitis (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Noninfectious diarrhoea (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Infective pneumonia (broad), Opportunistic infections (broad), COVID-19 (narrow)

Life Threatening? Yes Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations: Other Medications:

Current Illness:

Preexisting Conditions:

Allergies:

Diagnostic Lab Data:

CDC Split Type:

Write-up: covid + on 1/21/21; admitted to hospital due to infection Narrative: Patient received the first dose of the COVID vaccine on 1/12/21. The patient tested positive for COVID 1/21/21. Admitted to Hospital on 1/23/21. Patient developed fever, cough, SOB, and diarrhea.

VAERS ID: <u>981249</u> (history) Form: Version 2.0

Age: 51.0 Sex: Female

Location: New Hampshire

 Vaccinated:
 2020-12-29

 Onset:
 2021-01-25

Days after vaccination: 27

Submitted: 0000-00-00 **Entered:** 2021-01-28

Vaccination / Manufacturer Lot / Dose | Site / Route

COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA 039K20A / 1 LA / IM

Administered by: Work Purchased by: ?

Symptoms: Aphasia, Cerebrovascular accident, Computerised tomogram, Full blood count,

Magnetic resonance imaging, Metabolic function test, Mobility decreased

SMQs:, Ischaemic central nervous system vascular conditions (narrow), Haemorrhagic central nervous system vascular conditions (narrow), Dementia (broad), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), Parkinson-like events (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Conditions associated with central nervous system haemorrhages and cerebrovascular accidents (broad), Tendinopathies and ligament disorders (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? Yes, 2 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Lisinopril 10 mg daily. Zoloft 75 mg daily. Atenolol 25mg

Current Illness: Covid nov 23

Preexisting Conditions: HTN, anxiety/ depression

Allergies: None

Diagnostic Lab Data: CT, CBC, BMP, MRI

CDC Split Type:

Write-up: I had covid nov 23 2020. On jan 25 I had a stroke Couldn"t talk. Couldn"t move my

left arm or leg. I received TPA.

VAERS ID: <u>981553</u> (history) Form: Version 2.0

Age: 71.0 Sex: Female

Location: South Carolina

 Vaccinated:
 2021-01-27

 Onset:
 2021-01-27

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-28

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	029L20A / 1	LA / -

Administered by: Pharmacy Purchased by: ?

Symptoms: Cough, Dyspnoea, Ear pruritus, Headache, Hypersensitivity, Rash

SMQs:, Anaphylactic reaction (narrow), Angioedema (broad), Acute central respiratory

depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad),

Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Levathoroxin

Current Illness:

Preexisting Conditions: hypo thyroid

Allergies:

Diagnostic Lab Data: ER Dr. said it was an alergic reaction. He gave her Epinephrine and Benedryl intraveniuosly. Watched her for several hours untilshe was breathing normally. I brought her home with 2 prescriptions: Prednisone & Zyrtec. She had headach through the night. She is doing better today.

CDC Split Type:

Write-up: coughing; severe difficulty breathing; itching of inner ear; rash around neck; headache

VAERS ID: <u>981604</u> (history)
Form: Version 2.0

Age: 60.0
Sex: Male
Location: Florida

Vaccinated: 2021-01-25 **Onset:** 2021-01-25

Days after vaccination: 0

 Submitted:
 0000-00-00

 Entered:
 2021-01-28

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	-/2	RA / IM

Administered by: Work Purchased by: ?

Symptoms: Arthralgia, Bone pain, Chest X-ray, Chest discomfort, Chills, Dyspnoea, Electrocardiogram, Fatigue, Hyperhidrosis, Laboratory test, Myalgia, Throat tightness

SMQs:, Rhabdomyolysis/myopathy (broad), Anaphylactic reaction (broad), Angioedema (broad), Neuroleptic malignant syndrome (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Osteonecrosis (broad), Hypersensitivity (broad), Arthritis (broad), Tendinopathies and ligament disorders (broad), Hypoglycaemia (broad)

Life Threatening? Yes **Birth Defect?** No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 1 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: testosterone, Crestor, Anastrozole, omeprazole, Trulicity, Jaurdiance

Current Illness: Positive Covid result 1/6/2021

Preexisting Conditions: Asthma, Barretts, Type 2 diabetes. prostate cancer

Allergies: Metformin. Atorvastatin. IVP

Diagnostic Lab Data: EKG, LAB, Chest X-ray

CDC Split Type:

Write-up: Approximately 5 hours after my injection, I started to feel fatigue. Went to bed, awoke around 0039 1/26/2021 with mild shortness of breath and slight chest pressure. Around 0500 I started with chills, muscle, joint, bone pain. I went back to bed and awoke around 1200 with throat tightness, SOB, chest pressure and diaphoretic accompanied by the other symptoms. I went to my local ER.

VAERS ID: 981746 (history)
Form: Version 2.0

Age: 82.0
Sex: Female
Location: Arkansas

 Vaccinated:
 2021-01-05

 Onset:
 2021-01-26

Days after vaccination: 21

 Submitted:
 0000-00-00

 Entered:
 2021-01-28

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	025L20A / 1	RA / IM

Administered by: Senior Living Purchased by: ?

Symptoms: COVID-19, Intensive care

SMQs:, Infective pneumonia (broad), Opportunistic infections (broad), COVID-19 (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? No

Hospitalized? Yes, 3 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions:

Allergies:

Diagnostic Lab Data:

CDC Split Type:

Write-up: Pt in CCU with Covid

VAERS ID: 981928 (history)
Form: Version 2.0

Age: 51.0
Sex: Female
Location: Puerto Rico

Vaccinated: 2021-01-08 **Onset:** 2021-01-09

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-28

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / 1	UN / IM

Administered by: Other Purchased by: ?

Symptoms: Activated partial thromboplastin time prolonged, Acute kidney injury, Alanine aminotransferase increased, Albumin globulin ratio decreased, Amylase normal, Anion gap increased, Aspartate aminotransferase increased, Basophil count increased, Basophil percentage, Blood albumin normal, Blood alkaline phosphatase increased, Blood bilirubin increased, Blood calcium decreased, Blood chloride normal, Blood cholesterol normal, Blood creatine increased, Blood creatinine increased, Blood glucose increased, Blood lactate dehydrogenase increased, Blood osmolarity increased, Blood potassium decreased, Blood smear test abnormal, Blood sodium normal, Blood urea increased, Carbon dioxide decreased, Disseminated intravascular coagulation, Eosinophil count decreased, Eosinophil percentage decreased, Gamma-glutamyltransferase increased, Globulin, Glomerular filtration rate decreased, Haematocrit decreased, Haemoglobin decreased, Hypoglycaemia, Immature granulocyte count increased, International normalised ratio increased, Lipase normal, Lymphocyte count decreased, Lymphocyte percentage decreased, Mean cell haemoglobin increased, Mean cell volume increased, Mean platelet volume normal, Mechanical ventilation, Monocyte count normal, Monocyte percentage decreased, Neutrophil count increased, Neutrophil percentage increased, Pancreatitis acute, Platelet count decreased, Pneumonia, Protein total decreased, Prothrombin time prolonged, Red blood cell count decreased, Red blood cell nucleated morphology, Red cell distribution width increased, Respiratory failure, Sepsis, White blood cell count increased

SMQs:, Rhabdomyolysis/myopathy (broad), Acute renal failure (narrow), Liver related investigations, signs and symptoms (narrow), Liver-related coagulation and bleeding disturbances (narrow), Anaphylactic reaction (broad), Acute pancreatitis (narrow), Haematopoietic erythropenia (narrow), Haematopoietic leukopenia (narrow), Haematopoietic thrombocytopenia (narrow), Lactic acidosis (broad), Haemorrhage terms (excl laboratory terms) (narrow), Haemorrhage laboratory terms (broad), Hyperglycaemia/new onset diabetes mellitus (narrow), Neuroleptic malignant syndrome (broad), Systemic lupus erythematosus (broad), Retroperitoneal fibrosis (broad), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (broad), Torsade de pointes, shock-associated conditions (broad), Hypovolaemic shock conditions (broad), Toxic-septic shock conditions (broad),

Anaphylactic/anaphylactoid shock conditions (broad), Hypoglycaemic and neurogenic shock conditions (broad), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), Acute central respiratory depression (narrow), Biliary system related investigations, signs and symptoms (narrow), Guillain-Barre syndrome (broad), Eosinophilic pneumonia (broad), Chronic kidney disease (broad), Hypersensitivity (broad), Tumour lysis syndrome (narrow), Respiratory failure (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (narrow), Infective pneumonia (narrow), Dehydration (broad), Hypokalaemia (narrow), Sepsis (narrow), Opportunistic infections (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? Yes
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, ? days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: Benadryl 50mg PO HS, Duloxetine 30mg POD, Folic Acid 1mg POD, Gabapentin 300mg POD, Gemfibrozil 600mg POD, methotrexate 2.5mg PO weekly, Prednisone 5mg POD, Propranolol 80mg POD, Sulfasalazine 1gm POD

Current Illness:

Preexisting Conditions: rheumatoid arthritis, fibromyalgia, essential tremors, unspecified cardiac arrhythmia, anxiety

Allergies:

Diagnostic Lab Data: White Blood Count | 21.42 | H | 3.98-10.04 10^3/uL | | RECHECKED | | Red Blood Count | 3.29 | L | 3.93-5.22 10^6/uL | Hemoglobin | 11.00 | L | 11.2-15.7 g/dL | Hematocrit | 34.10 | | 34.1-44.9 % | Mean Corpuscular Volume | 103.6 | H | 79.0-94.8 fL | Mean Corpuscular Hemoglobin | 33.4 | H | 25.6-32.2 pg | Mean Corpuscular HGB Conc | 32.3 | | 32.2-36.5 g/dL | RDW Standard Deviation | 57.3 | H | 35.1-46.3 fL | RDW Coefficient of Variation | 14.9 | H | 11.6-14.4 % | Platelet Count | 52 | L | 163-369 10^3/uL | | RECHECKED | RESULTS CALLED TO RN AT 0326 BY MT | | PLATELETS ESTIMATED BY SMEAR | 2-10 PLTS/FIELD Mean Platelet Volume | 12.1 | | 9.4-12.4 fL | Neutrophils Percent Auto | 93.2 | H | 34.0-71.1 | Lymphocytes Percent Auto | 4.1 | L | 19.3-53.1 | Monocytes Percent Auto | 1.5 | L | 4.7-12.5 % | Eosinophils Percent Auto | 0.0 | L | 0.7-7.0 % | Basophils Percent Auto | 0.5 | | 0.1-1.2 % | Immature Granulocyte | 0.7 | H | 0.0-0.4 % | Neutrophils Absolute Auto | 19.96 | H | 1.56-6.13 10^3/uL | Lymphocytes Absolute Auto | 0.88 | L | 1.18-3.74 10^3/uL | Monocytes Absolute Auto | 0.32 | | 0.24-0.82 10^3/uL | Eosinophils Absolute Auto | 0.01 | L | 0.04-0.54 10^3/uL | Basophils Absolute Auto | 0.11 | H | 0.01-0.08 10^3/uL | Immature Granulocyte Absolute | 0.14 | H | 0.00-0.03 10^3/uL | Neutrophils Percent Manual | 68 | 44-76 % | Band Neutrophils Percent | 16 | H | 2-6 % | Lymphocytes Percent Manual | 8 | L | 15-43 % | Monocytes Percent Manual | 8 | | 2-12 | Nucleated Red Blood Cells | 0.2 | | 0.0-1.0 % | Nucleated RBC Absolute | 0.04 | | 0.0-0.10 10^3/uL | Dohle Bodies | 1+ | | | PT/PTT COMBO Prothrombin Time | 16.90 | H | 9.5-12.0 sec | INR | 1.64 | H | 0.86-1.12 | Partial Thromboplastin Time | 42.50 | H | 24.0-33.0 sec | Sodium | 136 | | 136-145 mmol/L | Potassium | 3.20 | L | 3.50-5.10 mmol/L | Chloride | 100 | | 98-107 mmol/L | Carbon Dioxide | 13.00 | L | 21.00-32.00 mmol/L | Anion Gap | 23.00 | H | 10-20 | Blood Urea Nitrogen | 66.00 | H | 7.00-18.00 mg/dL | Creatinine | 4.53 | H | 0.6-1.30 mg/dL | Estimated Glomerular Filt Rate | 10.2 | | | | Reference Values: Greater than 60.0 mL/min/1.73 sgm. | Please multiply de GFR result by 1.210 in case of patients | who are African American. The IDMS-Traceable MDRD Study | Equation is applied to patients who are 18 year or older. | The MDRD Study equation

has not been tested in children, the | elderly (over 70 years of age), pregnant women, patients | with serious comorbid conditions, or person with extremes of | body size, muscle mass or nutritional status. BUN Creatinine Ratio | 14.6 | | 12.0-20.0 mg/dL | Pharmacy Creatinine | 16.389 | | | Glucose | 221 | H | 74-106 mg/dL | Osmolality Calculated| 298.10 | H | 275.00-295.00 mmol/L | Calcium | 8.1 | L | 8.5-10.1 mg/dL | Total Bilirubin | 1.10 | H | 0.2-1.0 mg/dL | Direct Bilirubin | 0.80 | H | 0.0-0.3 mg/dL | Indirect Bilirubin | 0.30 | | 0.20-1.20 mg/dL | Gamma Glutamyl Transpeptidase | 86 | H | 5-55 U/L | Aspartate Amino Transferase | 121 | H | 15-37 U/L | Alanine Aminotransferase | 43 | | 12-78 U/L | Lactate Dehydrogenase | 672 | H | 84-246 U/L | Total Protein | 6.2 | L | 6.4-8.2 g/dL | Albumin | 3.6 | | 3.4-5.0 g/dL | Globulin | 2.6 | | 2.3-3.5 g/dL | Albumin Globulin Ratio | 1.38 | L | 1.50-2.2 g/dL | Cholesterol | 96 | | 0-240 mg/dL | Reference Ranges: | 2-17 years | Desirable: <170 mg/dL | Borderline High: 170-199 mg/dL | High: \$g=200 mg/dL | 18 years or Older | Desirable: <200 mg/dL | Bordeline High: 200-239 mg/dL | High: \$g=240 mg/dL Alkaline Phosphatase | 241 | H | 42-117 U/L | Amylase | 74.00 | | 25.00-115.00 U/L | Lipase | 32 | | 12-53 U/L | New reference range for Atellica Method. CDC Split Type:

Write-up: Sepsis, Acute Pancreatitis, Respiratory Failure on Mechanical Ventilation, Disseminated Intravascular Coagulation, Pneumonia, Acute Kidney Injury. Refractory Hypoglycemia

VAERS ID: 982472 (history)
Form: Version 2.0

Age: 72.0 Sex: Male

Location: New Jersey

Vaccinated: 2021-01-19 **Onset:** 2021-01-20

Days after vaccination: 1

 Submitted:
 0000-00-00

 Entered:
 2021-01-28

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	026L20A / 1	RA / IM

Administered by: Private **Purchased by:** ?

Symptoms: Death, Respiratory failure

SMQs:, Anaphylactic reaction (broad), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (broad), Torsade de pointes, shock-associated conditions (broad), Hypovolaemic shock conditions (broad), Toxic-septic shock conditions (broad), Anaphylactic/anaphylactoid shock conditions (broad), Hypoglycaemic and neurogenic shock conditions (broad), Acute central respiratory depression (narrow), Guillain-Barre syndrome (broad), Hypersensitivity (broad), Respiratory failure (narrow), Hypokalaemia (broad)

Life Threatening? Yes Birth Defect? No Died? Yes

Date died: 2021-01-27 Days after onset: 7 Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? No
Hospitalized? Yes, 6 days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: Eliquis, Lasix, metoprolol

Current Illness: Chf, CKD

Preexisting Conditions: CHF, CKD, DM

Allergies: None
Diagnostic Lab Data:
CDC Split Type:

Write-up: Worsening respiratory failure 1/20/2021 death 1/27/2021

VAERS ID: 983040 (history)
Form: Version 2.0

Age: 55.0
Sex: Female
Location: Virginia

Vaccinated: 2021-01-07 **Onset:** 2021-01-07

Days after vaccination: 0

 Submitted:
 0000-00-00

 Entered:
 2021-01-28

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Acute kidney injury, Blood creatinine increased, Chills, Immediate post-injection reaction, Kidney infection, Pain, Pyrexia, Sepsis, Urine output decreased

SMQs:, Rhabdomyolysis/myopathy (broad), Acute renal failure (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Retroperitoneal fibrosis (broad), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (broad), Torsade de pointes, shock-associated conditions (broad), Hypovolaemic shock conditions (broad), Toxic-septic shock conditions (broad), Anaphylactic/anaphylactoid shock conditions (broad), Hypoglycaemic and neurogenic shock conditions (broad), Chronic kidney disease (broad), Hypersensitivity (narrow), Tumour lysis syndrome (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Dehydration (broad), Sepsis (narrow), Opportunistic infections (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? Yes
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 5 days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: Envarsus, Cellcept, Bentley, Pepcid, Amlodipine. Crestor, Zoloft,

Wellbutrin

Current Illness: Possible silent UTI/kidney infection(?)

Preexisting Conditions: S/p bilateral nephrectomies (1987, 2011) S/p right renal transplant, living, unrelated donor 5/17/2011., Polycystic Kidney DS., Depression., Hx of pancreatitis, s/p appendectomy1988, right oopharectomy 2002

Allergies: Zestril?angioedema Ampicillin?hives Heparin?heparin induced thrombocytopenia **Diagnostic Lab Data:** See Hospital records?extensive testing, 10 days IV and oral antibiotics, lingering fever post-treatment & renal pain in transplanted kidney.

CDC Split Type:

Write-up: Developed immediate fever & cills within 2 hours. By next morning had pain & difficulty producing urine. Saw primary care doctor and urgent care center, infection not treated w/PO Macrobid after 2 days. Admitted to Hospital w/sepsis, kidney infection and acute renal injury?creatinine 4.25 (baseline=1.5)

VAERS ID: 983314 (history)
Form: Version 2.0

Age: 45.0
Sex: Female
Location: Unknown

Vaccinated: 2021-01-27 **Onset:** 2021-01-27

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-28

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL3248 / 2	RA / IM

Administered by: Private **Purchased by:** ?

Symptoms: Lip swelling, Swelling face, Swollen tongue, Throat tightness, Urticaria **SMQs:**, Anaphylactic reaction (narrow), Angioedema (narrow), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes **Birth Defect?** No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Omeprazole, rosuvastatin, multivitamin

Current Illness: none

Preexisting Conditions: ADHD, familial hypercholesterolemia

Allergies: Contrast (Iodinated) - anaphylaxis, amoxicillin - hives, clindamycin - hives,

doxycycline-hives, sulfa antibiotics-hives

Diagnostic Lab Data: none

CDC Split Type:

Write-up: Received the second vaccine yesterday 1/27/2021 around 11am. About an hour later started to get hives and took a Claritin. Was at home later in the evening around 5pm and started to have lip/jaw swelling and throat tightening. Called an ambulance and they gave her EPI pen and took over treatment. Ended up getting discharged around 11-12pm last night and told to take prednisone and Benadryl. Around 5am today 1/28 had swelling in tongue and bottom lip swelling. Went back to emergency room and they did similar treatment. Is planning to follow up with her doctor and will be on her prescribed medications for a few days.

VAERS ID: 983362 (history)
Form: Version 2.0

Age: 25.0
Sex: Female
Location: California

Vaccinated: 2021-01-08 **Onset:** 2021-01-13

Days after vaccination: 5

 Submitted:
 0000-00-00

 Entered:
 2021-01-28

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	025220A / 1	UN / IM

Administered by: Private Purchased by: ?

Symptoms: Blood creatine phosphokinase MB increased, Chest pain, Dyspnoea,

Electrocardiogram ST segment depression, Myalgia, Myocarditis, Pyrexia, Troponin increased

SMQs:, Rhabdomyolysis/myopathy (broad), Anaphylactic reaction (broad), Neuroleptic malignant syndrome (broad), Myocardial infarction (narrow), Anticholinergic syndrome (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Other ischaemic heart disease (broad), Tendinopathies and ligament disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypokalaemia (broad), Immune-mediated/autoimmune disorders (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, 8 days
Extended hospital stay? No
Previous Vaccinations:
Other Medications: Tylenol

Current Illness: None

Preexisting Conditions: None

Allergies: None

Diagnostic Lab Data: Troponin: 3.7 CKMB:\$g27 EKG findings with ST segment depression

in III, aVF, V4, V5 CDC Split Type:

Write-up: 7 Days after receiving the vaccine, patient developed generalized myalgia, fever, shortness of breath, and chest pain. Patient admitted to our hospital on 21JAN and diagnosed with myocarditis. Difficult to elucidate whether the myocarditis was secondary to Moderna vaccination or other viral etiologies.

VAERS ID: 983425 (history)
Form: Version 2.0

Age: 41.0
Sex: Female
Location: Texas

 Vaccinated:
 2021-01-20

 Onset:
 2021-01-25

Days after vaccination: 5

Submitted: 0000-00-00 **Entered:** 2021-01-28

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL0140 / 2	LA / IM
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EJ1685 / 1	LA / IM

Administered by: Work Purchased by: ?

Symptoms: Back pain, Computerised tomogram head, Full blood count, Guillain-Barre syndrome, Immunoglobulin therapy, Lumbar puncture, Magnetic resonance imaging neck, Metabolic function test, Pain, Pain in extremity, Paraesthesia, Viral titre

SMQs:, Peripheral neuropathy (narrow), Retroperitoneal fibrosis (broad), Guillain-Barre syndrome (narrow), Demyelination (narrow), Tendinopathies and ligament disorders (broad), Immune-mediated/autoimmune disorders (narrow)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, 4 days
Extended hospital stay? No

Previous Vaccinations:

Other Medications:

Current Illness: Acid reflux

Preexisting Conditions: History of breast cancer, in remission over 15 years

Allergies:

Diagnostic Lab Data: CT head MRI cervical spine Lumbar puncture Labs - CBC, CMP, viral

titers, etc.

CDC Split Type:

Write-up: 5 days after 2nd covid vaccine, I started experiencing severe pain, with pins/needles sensation. Started in plantar aspect of both feet and traveled upwards to my hands, in a matter of hours. Extreme pain in lower back and extremities caused me to go to the ER. Following lumbar puncture and a series of diagnostic tests, I have started on IVIG for Acute Inflammatory Demyelinating Polyneuropathy. This is a subtype of Guillain Barre syndrome, believed to be precipitated by autoimmune response generated from the 2nd covid vaccine. I am now on day 4 of my hospitalization.

VAERS ID: 983612 (history)
Form: Version 2.0

Age: 54.0
Sex: Female
Location: Texas

 Vaccinated:
 2021-01-28

 Onset:
 2021-01-28

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-28

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	043L20A / 2	LA / IM

Administered by: Work Purchased by: ?

Symptoms: Breath sounds abnormal, Choking, Dyspnoea, Emotional distress, Paraesthesia oral, Pharyngeal paraesthesia, Tearfulness, Throat tightness

SMQs:, Anaphylactic reaction (broad), Angioedema (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (narrow), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Cardiomyopathy (broad), Depression (excl suicide and self injury) (broad), Hypersensitivity (broad), Respiratory failure (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? Yes ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations: localized pruritis and sensation of tingling of lips on 1st dose of

Moderna vaccine 1 mo prior. No angioedema. Pt received benad

Other Medications: multivitamin

Current Illness: None.

Preexisting Conditions: DMT2

Allergies: Augmentin, Flonase, Darvocet. Bee stings, shellfish.

Diagnostic Lab Data: None.

CDC Split Type:

Write-up: Following vaccination, at the 15 min mark, patient started experiencing tightening around throat and tingling around lips. Benadryl 25mg PO given w/ water. Pt monitored and taken to observation area where she needed further treatment. (refer to PE) PE: 1400-pt started 30 min motoring post vaccination. 1415- pt expressed tightening around throat and tingling, respirations unlabored, no stridor heard, no rash observed. Benadryl 25mg PO given. 1420- Pt became tearful and expressed feeling SOB in addition to symptoms, no angioedema or other symptoms observed, patient moved to monitor room where vitals were taken, 98%, 94HR, 192/115. CTAB 1423- pt distressed, 94%. unable to verbalize and making chocking sign. EPI PEN immediately administered 0.3mg IM in left vastus lateralis. Lung sounds diminished bilaterally. vitals taken. \$g\$g\$g(*EPI PEN Given in prefilled syringe IM ONCE. LOT 0GM071, Expiration OCT 21) 1424- 203/125, 105HR, 97%. pt sitting upright, tearful but now able to verbalize. 1425- pt sighed in relief, able to take a deep breath, stating "ok. It passed." Lungs CTAB. 98%, 91HR, 16RR. 1430-pt sitting calmly in chair. Breathing unlabored. Denies SOB. No distress at this time. 108/101, 14RR, 98% 1432-98%, 95HR. Patient able to tolerate clear PO fluids. NO n/v or abd pain. 1436-99%, 77HR, 159/85, RR 15-16. CTAB. 1440-unlabored respirations. CTAB. patient sitting comfortable in chair. no distress. 1443- 97%, 70 HR. 1450- Regular heart rate on auscultation. 1454-12RR, 98%, 102 HR, 164/83 1512-164/82, 97.4F, 91HR, 97%, 20RR. No distress. 1527-20RR, 175/83, 98%, 91HR, 96.4F. No distress, 1542-22RR, 155/81, 98%, 82, 96.9F. No distress, 1600-pt ambulates to restroom independently without any SOB, weakness or dizziness, 1615- Pt sitting comfortably in chair. 99%, 88HR, 148/85, 96.9F, 18RR. No distress. 1650-Pt denies blurred vision, HA, dizziness, weakness, chest pain, palpitations, SOB, tightening to throat, swelling, n/v or pruritis. no rash present. pt in no distress. 157/87, 96.7F, 99%, 88HR, 15RR. 1700-Pt no distress. pt d/c to family member.

VAERS ID: <u>983741</u> (history) Form: Version 2.0

Age: 43.0
Sex: Female
Location: Missouri

 Vaccinated:
 2021-01-22

 Onset:
 2021-01-22

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-28

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / UNK	-/-

Administered by: Unknown Purchased by: ?

Symptoms: Blood immunoglobulin E, Dizziness, Dry throat, Full blood count, Injection site pain, Metabolic function test, Nausea, Palpitations, Presyncope, Throat irritation, Throat tightness, Tryptase, Vertigo

SMQs:, Anaphylactic reaction (broad), Acute pancreatitis (broad), Angioedema (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Extravasation events (injections, infusions and implants) (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Vestibular disorders (narrow), Hypotonic-hyporesponsive episode (broad), Hypersensitivity (broad),

Hypoglycaemia (broad), Dehydration (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations: Other Medications:

Current Illness: Completed tonsillectomy 12-28-20

Preexisting Conditions: tonsil stone, rosacea, migraine, HPV, asthma

Allergies: adhesive tape, sulfa

Diagnostic Lab Data: CBC, CMP, tryptase, IgE latex, IgE cinnamon

CDC Split Type:

Write-up: She received her first dose of Moderna COVID-19 vaccine at 7:30 AM on 1-22-21. At 9:15 AM, she felt lightheaded, her heart was racing, and vertigo. She had a nurse check her blood pressure and it was 101/65 and her heart rate was 138 bpm. She felt presyncopal so she went to the ED for evaluation. By the time she got to the ED, she felt her throat was scratchy, and when she would lie down flat she felt her throat was occluding. She notes that she is s/p tonsillectomy in 12-2020, and considered whether that was playing a role in her symptoms, but she had not had any of those throat symptoms for 1 week prior to getting her COVID-19 vaccine. In the ED, she was given IV medications and IV fluids. ENT was consulted. Her symptoms got better with medications, she is still experiencing some throat dryness but otherwise is feeling back to her usual self. She never had any rash, flushing, itching. She had a little tenderness at the injection site only. She never had any difficulty breathing, lip/eye/tongue swelling, wheezing, coughing, shortness of breath, vomiting/diarrhea/abdominal pain. She did have nausea when she felt vertigo.

VAERS ID: 983842 (history)
Form: Version 2.0

Age: 67.0
Sex: Male
Location: Arkansas

Vaccinated: 2021-01-18 **Onset:** 2021-01-21

Days after vaccination: 3

 Submitted:
 0000-00-00

 Entered:
 2021-01-28

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	042L20A / 1	RA / IM

Administered by: Pharmacy Purchased by: ?

Symptoms: Endotracheal intubation, Lip swelling, Mechanical ventilation, Nausea, Obstructive airways disorder, Sedative therapy, Swelling, Swollen tongue, Vomiting

SMQs:, Anaphylactic reaction (narrow), Acute pancreatitis (broad), Angioedema (narrow), Asthma/bronchospasm (broad), Oropharyngeal allergic conditions (narrow), Oropharyngeal

conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Haemodynamic oedema, effusions and fluid overload (narrow), Eosinophilic pneumonia (broad), Hypersensitivity (narrow), Respiratory failure (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 3 days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: LISINOPRIL 2.5MG, METFORMIN 500MG ER, CITALOPRAM 20MG, B-

12 INJECTION, EZETIMIBE 10MG, GLIPIZIDE 10MG, METOPROLOL 25MG, PANTOPRAZOLE 40MG, PRASUGREL 10MG, ROSUVASTATIN 20MG,

Current Illness: COMPLAINT OF SINUS ISSUES AND NON PRODUCTIVE COUGH

Preexisting Conditions: HEART CONDITION

Allergies: SULFONYLUREAS, Diagnostic Lab Data: UNKNOWN

CDC Split Type:

Write-up: PATIENT EXPERIENCED ISSUES WITH SOME LIP SWELLING AND PRESENTED TO THE PHARMACY ON FRIDAY JANUARY 19TH IN THE MORNING. HE HAD VISIBLE SWELLING ON ONE SIDE OF BOTH LIPS. HE PURCHASED SOME DIPHENYDRAMING 25MG OTC AND LEFT. ACCORDING TO HIS WIFE VIA PHONE TO US (ON JAN 26 6PM) HE HAD BEEN ADMITTED TO THE ER AND WAS ON A VENTILATOR DUE TO SEVERE SWELLING OF HIS LIPS, NECK AND TONGUE. HIS AIRWAY HAD BECOME COMPROMISED AND HE WAS STARTING TO EXPERIENCE NAUSEA AND VOMITING. HE WAS IMMEDIATELY INTUBATED AND PLACED ON A VENTILATOR EVEN THOUGH HE WAS STILL CAPABLE OF BREATHING ON HIS OWN. DRS WERE FEARFUL OF MORE SWELLING AND WANTED TO SEDATE HIM AND BEGIN TREATMENTS.

VAERS ID: 983883 (history)
Form: Version 2.0

Age: 50.0
Sex: Female
Location: Arizona

 Vaccinated:
 2021-01-20

 Onset:
 2021-01-28

Days after vaccination: 8

Submitted: 0000-00-00 **Entered:** 2021-01-28

Vaccination / Manufacturer	Lot / Dose	Site / Route	
----------------------------	---------------	--------------	--

COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) /	EL1283 /	AR / IM
PFIZER/BIONTECH	2	An / IIVI

Administered by: Private Purchased by: ?

Symptoms: Cardiac arrest, Coma, Computerised tomogram thorax normal, Confusional state, Dependence on respirator, Fatigue, Fear, Headache, Intensive care, Life support, Liver injury, Pyrexia, Renal failure, Resuscitation, Unresponsive to stimuli, White blood cell count increased

SMQs:, Torsade de pointes/QT prolongation (broad), Rhabdomyolysis/myopathy (broad), Acute renal failure (narrow), Hepatic failure, fibrosis and cirrhosis and other liver damage-related conditions (narrow), Anaphylactic reaction (broad), Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Retroperitoneal fibrosis (broad), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (narrow), Torsade de pointes, shock-associated conditions (broad), Hypovolaemic shock conditions (broad), Toxic-septic shock conditions (broad), Anaphylactic/anaphylactoid shock conditions (broad), Hypoglycaemic and neurogenic shock conditions (broad), Dementia (broad), Acute central respiratory depression (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Accidents and injuries (narrow), Cardiomyopathy (broad), Hypotonic-hyporesponsive episode (broad), Chronic kidney disease (narrow), Tumour lysis syndrome (broad), Respiratory failure (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (narrow), Hypoglycaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? Yes
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? No

Previous Vaccinations:

Other Medications: Metoprolol, procardia, asirin, suboxone, locartin,

Current Illness: chronic high BP, possible uti **Preexisting Conditions:** high blood pressure

Allergies: codiene, demerol, milk

Diagnostic Lab Data: CDC Split Type:

Write-up: Got booster shot on Wednesday the 20th, came home and was fatigued. Thursday had horrible headache that would not be relieved with tylenol. I took a plane and arrived at 1130 pm. I went to bed shortly after arriving at my daughters house. Friday morning, I was unable to be woken up and my daughter called 911. I was in a coma. I suffered cardiac arrest during a CT to check for clots. I was resuscitated and put on life support. CT scan for clots, strokes, heart attacks were all clear. I was admitted to the C-ICU and on life support, on the ventilator, and was on 3 different medications at max dosage to keep my blood pressure barely surviving. The doctors told my daughter not to expect me to survive because they had no idea why I was suddenly so ill. A doctor then told my daughter that my kidneys were failing, and my liver was damaged. I also developed a high fever and had a high white blood cell count. They gave me Vancomycin and another antibiotic, and then the next the day a kidney doctor gave me lasix to flush out all of the excess fluid. I woke up on Saturday not knowing what had happened and was completely terrified and confused. My daughter was allowed into the ICU to see me and keep me calm, thankfully. She explained to me what happened. I am

still in the hospital, as they are keeping me for observation and trying to determine if my kidneys will start working properly again. Prior to this, I have only ever had a kidney infection, and I thought before I might have had the start of a UTI. I do have chronic high blood pressure as well, a long term side effect from open heart surgery 10 years prior for an aneurysm, but aside from that I am relatively healthy 50 year old.

VAERS ID: 984616 (history)
Form: Version 2.0

Age: 78.0
Sex: Female
Location: Montana

Vaccinated: 2021-01-16 **Onset:** 2021-01-16

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-29

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	-/1	RA / -

Administered by: Senior Living Purchased by: ?

Symptoms: Angiogram, Angiogram abnormal, Asthenia, Dyspnoea, Electrocardiogram abnormal, Fatigue, Headache, Heart rate increased, Hypopnoea, Nausea, Pericardial effusion, Pleural effusion, Pyrexia, Respiratory rate increased, SARS-CoV-2 test negative, X-ray abnormal

SMQs:, Anaphylactic reaction (broad), Acute pancreatitis (broad), Neuroleptic malignant syndrome (broad), Systemic lupus erythematosus (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), Acute central respiratory depression (narrow), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Haemodynamic oedema, effusions and fluid overload (narrow), Cardiomyopathy (broad), Respiratory failure (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Infective pneumonia (broad), Dehydration (broad), COVID-19 (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? Yes
Recovered? No
Office Visit? Yes
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 4 days
Extended hospital stay? No
Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions: Medical History/Concurrent Conditions: Cirrhosis liver; Dementia; Depression; Drug allergy; Fish allergy; Heart block; Parkinsonism; Portal hypertension; Type 2

diabetes mellitus

Allergies:

Diagnostic Lab Data: Test Date: 20210116; Test Name: CTA; Result Unstructured Data: Test Result:had a pleuralpericardial effusion; Test Date: 20210116; Test Name: body temperature; Result Unstructured Data: Test Result:low grade fever; Test Date: 20210116; Test Name: EKG; Result Unstructured Data: Test Result:had a pleuralpericardial effusion; Test Date: 20210116; Test Name: heart rate; Result Unstructured Data: Test Result:100 bpm; Test Date: 20210117; Test Name: Rapid Nasal Swab; Test Result: Negative; Test Date: 20210116; Test Name: Xray; Result Unstructured Data: Test Result:had a pleuralpericardial effusion

CDC Split Type: USPFIZER INC2021063797

Write-up: felt tired; nausea; headache; short of breath; rapid/shallow breathing; rapid/shallow breathing; fast heart rate (100 bpm); low grade fever; felt very weak; pleuralpericardial effusion; pleuralpericardial effusion; This is a spontaneous report from a contactable consumer. A non-pregnant 78-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), via an unspecified route of administration in the right arm on 16Jan2021 10:30 at a single dose for COVID-19 immunization. Medical history included allergic to opioids, allergy to fish, cirrhosis with portal hypertension, parkinsonism, heart blockage, type 2 diabetes, depression, early dementia. The patient previously took morphine and experienced drug hypersensitivity. There was unspecified concomitant medication. The patient previously took morphine (MANUFACTURER UNKNOWN) and experienced allergic to morphine. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient experienced felt tired, nausea, headache, short of breath, rapid/shallow breathing, fast heart rate (100 bpm), low grade fever, felt very weak, pleuralpericardial effusion on 16Jan2021. All the events were reported with the seriousness criteria of disability, hospitalization and being life-threatening. The patient was hospitalized for the events for 4 days. After the injection, from 0 to 24 hours the patient felt tired, had nausea, a headache, short of breath then at about 24 hours post injection developed rapid/shallow breathing, fast heart rate (100 bpm) low grade fever and felt very weak. The patent was taken to the emergency room (ER) at 30 hours post injection and it was determined (Xray, CTA & EKG) that she had a pleuralpericardial effusion. She was flown by air life to another ER for treatment. The patient underwent lab tests and procedures on 16Jan2021 which included angiogram (CTA): had a pleuralpericardial effusion; body temperature: low grade fever; electrocardiogram (EKG): had a pleuralpericardial effusion; heart rate: 100 beats per minute (bpm); X-ray: had a pleuralpericardial effusion. The patient had a rapid nasal swab on 17Jan2021 which was negative. Therapeutic measures were taken as a result of the events and included unspecified medications & oxygen therapy. The outcome of the events was recovering. The batch/lot number for the vaccine, BNT162B2, was not provided and will be requested during follow-up.

VAERS ID: 984637 (history)
Form: Version 2.0

Age: 38.0
Sex: Female
Location: Nebraska

 Vaccinated:
 2020-12-16

 Onset:
 2020-12-25

Days after vaccination: 9

Submitted: 0000-00-00

Entered: 2021-01-29

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EH9899 / 1	RA / OT

Administered by: Private Purchased by: ?

Symptoms: Cerebrovascular accident, Viral test negative

SMQs:, Ischaemic central nervous system vascular conditions (narrow), Haemorrhagic central nervous system vascular conditions (narrow), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow)

Life Threatening? Yes Birth Defect? No. Died? No Permanent Disability? No Recovered? Yes Office Visit? No ER Visit? No ER or Doctor Visit? Yes Hospitalized? Yes, 3 days Extended hospital stay? No

Previous Vaccinations:

Other Medications: VITAMIN D3 1000

Current Illness:

Preexisting Conditions: Medical History/Concurrent Conditions: Hodgkin's disease

Allergies:

Diagnostic Lab Data: Test Date: 20201225; Test Name: Nasal Swab; Test Result: Negative

CDC Split Type: USPFIZER INC2021069327

Write-up: Rught MCA Stroke; This is a spontaneous report from a contactable nurse (patient). A 39 years old female patient (no pregnant) received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number EH9899), intramuscular on 16Dec2020 10:15 at the first single dose at right arm for covid-19 immunisation. Medical history included Hodgkin's disease. Concomitant medication included colecalciferol (VITAMIN D3 1000). The patient experienced rught MCA stroke on 25Dec2020 06:15. Seriousness criteria reported as hospitalization, life threatening. The patient was hospitalized for rught MCA stroke for 3 days. The patient underwent lab tests and procedures which included Nasal Swab: negative on 25Dec2020. The patient received unspecified treatment for rught MCA stroke. The outcome of event was recovered.; Sender's Comments: The subject had medical history included Hodgkin"s disease. The reported stroke was more likely an intercurrent disease, and unlikely causally related to the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE). The case will be reassessed should additional information become available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

VAERS ID: 984729 (history) Version 2.0 Form:

Age: 58.0 Sex: Male Location: California

Vaccinated: 2021-01-16 **Onset:** 2021-01-17

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-29

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL1283 / 2	LA / IM

Administered by: Private **Purchased by:** ?

Symptoms: Fatigue, Headache, Inflammation, Laboratory test, Lymphadenopathy, Pyrexia **SMQs:**, Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? Yes ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: 25 mg Atenolol, amlodipine 10mg, hydrochlorothiazide 25mg

Current Illness: none

Preexisting Conditions: high blood pressure

Allergies: wellbutrin

Diagnostic Lab Data: labs and tests at hospital

CDC Split Type:

Write-up: I developed a 108.3 degree fever 16 hours after injection. Also swollen lymph glands in left armpit, inflammation on left side of body, headache, extreme fatigue

VAERS ID: 984733 (history)
Form: Version 2.0

Age: 56.0
Sex: Female
Location: Minnesota

 Vaccinated:
 2021-01-28

 Onset:
 2021-01-28

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-29

Vaccination / Manufacturer	Lot / Dose	Site / Route	
----------------------------	---------------	--------------	--

COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH - / 2 - / IM

Administered by: Private **Purchased by:** ?

Symptoms: Chest X-ray, Computerised tomogram neck, Computerised tomogram thorax, Dyspnoea, Endotracheal intubation complication, Hypercapnia, Laboratory test, Lung infiltration, Mechanical ventilation, Unresponsive to stimuli, Wheezing

SMQs:, Anaphylactic reaction (broad), Angioedema (broad), Asthma/bronchospasm (broad), Hyperglycaemia/new onset diabetes mellitus (broad), Interstitial lung disease (narrow), Neuroleptic malignant syndrome (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Hypotonic-hyporesponsive episode (broad), Hypersensitivity (broad), Respiratory failure (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad), Infective pneumonia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, ? days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: Outpatient Medications azelastine (ASTELIN) 137 mcg/spray nasal spray Spray 2 sprays into each nostril Every 12 hours fluconazole (DIFLUCAN) 100 mg tablet Take 100 mg by mouth 1 time per day prochlorperazine (COMPAZINE) 10 mg tablet Take **Current Illness:** Breast cancer with hx radiation and current chemotherapy. Posterior glottis stenosis.

Preexisting Conditions: Hx asthma **Allergies:** Peanut oil, molds, and smut.

Diagnostic Lab Data: Labs, CXR, CT neck and chest, echo TBD in AM.

CDC Split Type:

Write-up: She became acute short of breath. Called EMS. On their arrival she was nearly unresponsive. Bagged. NOT hypotensive. HYPERCARBIC. Difficult intubation. Transferred to our facility on VENT with bilateral pulmonary infiltrates, wheezy with size 6 ETT from outside facility.

VAERS ID: 984752 (history)
Form: Version 2.0

Age: 77.0
Sex: Male
Location: Hawaii

 Vaccinated:
 2021-01-21

 Onset:
 2021-01-22

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-29

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / 1	AR / SYR

Administered by: Private **Purchased by:** ?

Symptoms: Blood count abnormal, Chills, Dizziness, Dyspnoea, Fatigue, Feeling abnormal,

Pain, Pneumonia, Pyrexia, Transfusion

SMQs:, Anaphylactic reaction (broad), Haematopoietic leukopenia (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Dementia (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Vestibular disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Infective pneumonia (narrow)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 3 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Low dose blood pressure medication

Current Illness: None

Preexisting Conditions: Sinusitis annually

Allergies: Hay fever allergies

Diagnostic Lab Data: Left side pneumonia Low blood counts and needed transfusions

CDC Split Type:

Write-up: Feeling normal before the vaccine, with exception of slight cough that Dr said was due to allergies. But then a fever, chills and aches the day after vaccine. Two days after, still febrile and feeling worse and experiencing shortness of breath and lightheadedness. Fatigue, fever and lightheadedness continue for three more days. On the 6th day post-vaccine, taken to ER and admitted to hospital with a pneumonia and blood counts dangerously low. Received 3 blood transfusions and is receiving 2 different IV antibiotics to treat pneumonia. Still in hospital and waiting to see how blood counts go. I can?t say the vaccine CAUSED this, but it all happened rapidly, immediately following the vaccine.

VAERS ID: 984790 (history)
Form: Version 2.0

Age: 69.0
Sex: Male
Location: Michigan

 Vaccinated:
 2021-01-28

 Onset:
 2021-01-28

Days after vaccination: 0

Submitted: 0000-00-00

Entered: 2021-01-29

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	010M20A / 1	LA / SYR

Administered by: Other Purchased by: ?

Symptoms: Dyspnoea, Pyrexia

SMQs:, Anaphylactic reaction (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes

Hospitalized? No.

Previous Vaccinations:

Other Medications: Aspirin 81mg 1 QD, TUMS 750mg 1 TID PRN, Multi Vit 1 QD, Psyllium capsule 0.52GM 1 QD, Tamsulosin 0.4mg 1 HS, AREDS 2 1 BID, Vitamin D 2000IU 1 QD **Current Illness:** COVID 19 diagnosis 12/1/2020. Long convalescence including O2 therapy afterward. Asymptomatic at the time of vaccination.

Preexisting Conditions: Osteoarthritis, enlarged prostate, cirrhosis of the liver, macular degeneration, cataract, cervicalgia, functional dyspepsia

Allergies: NKA

Diagnostic Lab Data: CDC Split Type:

Write-up: Pt reported to Health Services at approximately 2200PM on 1/28/21 after receiving vaccination 1/28/21 at 0925AM. He reported complaints of dyspnea beginning at 2000PM but did not report until 2200. He presented with an SpO2 of 81% on RA, HR 121, RR 44, BP 180/96, and temp 100.4. Previously, the patient required O2 therapy and oral steroids to recover from COVID 19 infection diagnosed on 12/1/2020. He was asymptomatic at the time of vaccination. He was treated with O2 therapy and Tylenol and states feeling much better this morning (1/29/21) at 0630AM. He continues to have a low grade fever of 100.6, and Tylenol provided.

VAERS ID: 984929 (history)
Form: Version 2.0

Age: 35.0
Sex: Female
Location: Arkansas

 Vaccinated:
 2020-12-21

 Onset:
 2020-12-31

Days after vaccination: 10

Submitted: 0000-00-00 **Entered:** 2021-01-29

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EJ1685 / 1	LA / IM
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL0142 / 2	RA / IM

Administered by: Private Purchased by: ?

Symptoms: Angioedema, Full blood count, Lip swelling, Paraesthesia oral, Pruritus, Rash, Throat irritation, Wheezing

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Asthma/bronchospasm (broad), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Eosinophilic pneumonia (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? Yes

ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications: Blisovi (birth control), one dose of duexis, Lil Critters Immune C + zinc &

vit d

Current Illness: None

Preexisting Conditions: None

Allergies: NKA

Diagnostic Lab Data: CBC at PCP office

CDC Split Type:

Write-up: ? Day 10 after vaccine #1 upper lip swelling AKA angioedema ? Day 6 post vaccine #2 lower right lip and upper right lip swelling. Scratchy throat ? Day 10 post vaccine #2 wheezing like an asthma attack ? Day 12 post vaccine #2 Left, lower lip swelling, tingling in my tongue ? itchy for 2 weeks, 14 days post vaccine #2. Developed a sporadic, ever changing rash ? Day 16 post vaccine #2 a different, new rash

VAERS ID: 985117 (history)
Form: Version 2.0

Age: 58.0
Sex: Female
Location: Florida

Vaccinated: 2021-01-14 **Onset:** 2021-01-14

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-29

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / 1	RA / IM

Administered by: Senior Living Purchased by: ?

Symptoms: Cognitive disorder, Dry mouth, Feeling abnormal, Flushing, Speech disorder, Thinking abnormal, Thirst, Urticaria

SMQs:, Anaphylactic reaction (broad), Angioedema (narrow), Hyperglycaemia/new onset diabetes mellitus (broad), Anticholinergic syndrome (broad), Dementia (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Psychosis and psychotic disorders (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Dehydration (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? No
Previous Vaccinations:

Other Medications: valsartan, amyltriptilline, synthroid

Current Illness: none

Preexisting Conditions: hashimotos,

Allergies: sulfa drugs, shellfish

Diagnostic Lab Data: CDC Split Type:

Write-up: Patient stated she was extremely thirsty and felt she had a really really dry mouth? Then stated the top of her head felt funny. At this point on site ARNP was called over to Patient. and both myself and ARNP noticed flushing on face and neck and hives on neck area. On site EMS notified and came over. Patient then self medicated with 2-25 mg Benadryl. Patient exhibited mild cognitive slowing with some mild speech and thought degradation...felt funny....not sure what she felt.... Physical symptoms noted above showed some mild sign of improvement? Clinicians insisted that patient should be taken to hospital of choice via ambulance. Patient was taken to clinic where she was under observation, put on IV saline and administered IV steroid, dexamethasone. After approximately two hours patient was released and instructed to take over-the-counter Benadryl every six hours for six days and one Pepcid per day for six days.

VAERS ID: 985222 (history)
Form: Version 2.0

Age: 43.0
Sex: Female
Location: lowa

 Vaccinated:
 2021-01-18

 Onset:
 2021-01-18

Days after vaccination: 0

 Submitted:
 0000-00-00

 Entered:
 2021-01-29

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	041L20A / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Condition aggravated, Endotracheal intubation, General physical health

deterioration, Immunoglobulin therapy, Myasthenia gravis

SMQs:, Angioedema (broad), Respiratory failure (broad), Immune-mediated/autoimmune

disorders (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 5 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: pyridostigmine 60mg 3x daily Epipen 0.3mg IM prn

Current Illness:

Preexisting Conditions: myasthenia gravis

Allergies: Shellfish
Diagnostic Lab Data:
CDC Split Type:

Write-up: Flareup of myasthenia gravis. Condition deteriorated and she was urgently intubated due to myasthenia crisis. Received steroids and IVIG and was successfully extubated. Therapies worked with her and did well. Discharged on oral steroids with Neurology follow up in 2 weeks.

VAERS ID: <u>985312</u> (history)
Form: Version 2.0

Age: 75.0
Sex: Male
Location: Alabama

 Vaccinated:
 2021-01-26

 Onset:
 2021-01-27

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-29

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	042L20A / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Cardiac arrest, Computerised tomogram abdomen, Computerised tomogram

<u>head, Computerised tomogram thorax, Endotracheal intubation, Haemorrhage, Intensive care, Mechanical ventilation, Oedema, Resuscitation, SARS-CoV-2 test negative</u>

SMQs:, Torsade de pointes/QT prolongation (broad), Cardiac failure (broad), Anaphylactic reaction (narrow), Angioedema (broad), Haemorrhage terms (excl laboratory terms) (narrow), Arrhythmia related investigations, signs and symptoms (broad), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (narrow), Acute central respiratory depression (broad), Haemodynamic oedema, effusions and fluid overload (narrow), Cardiomyopathy (broad), Respiratory failure (broad), COVID-19 (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? Yes, ? days

Extended hospital stay? No

Previous Vaccinations:

Other Medications:

Current Illness: Hyperlipidema, Stage four Kidney disease, Congestive Heart Failure

Preexisting Conditions: CHF, Kidney Disease

Allergies: Sulfamethizole

Diagnostic Lab Data: 1/27/2021 COVID Test- Negative CT Head/Chest/Abd

CDC Split Type:

Write-up: Experienced a witness arrest at home on 1/27/21 while watching TV. Wife performed CPR prior to EMS arrival. Pt intubated using King Airway due to edema and bleeding. Admitted to ICU on Vent

VAERS ID: <u>985505</u> (history)
Form: Version 2.0

Age: 23.0
Sex: Female
Location: New York

Vaccinated: 2021-01-27 **Onset:** 2021-01-27

Days after vaccination: 0

 Submitted:
 0000-00-00

 Entered:
 2021-01-29

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	029L20A / 2	LA / IM

Administered by: Private Purchased by: ?

Symptoms: <u>Dizziness</u>, <u>Dyspnoea</u>, <u>Hyperhidrosis</u>, <u>Skin discolouration</u>, <u>Tachycardia</u>, <u>Throatirritation</u>, Wheezing

SMQs:, Anaphylactic reaction (broad), Angioedema (broad), Asthma/bronchospasm (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad),

Pulmonary hypertension (broad), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Vestibular disorders (broad), Hypotonic-hyporesponsive episode (broad), Hypersensitivity (broad), Hypoglycaemia (broad), Dehydration (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes

Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Women 1 a day. Vit C+D, Allegra, Flonase, Azelestine, cont. DepoShot,

Hydrozyzine, Effexor, Advair 250/50, Albuterol PRN, allergy shots.

Current Illness: Jan 4- Jan 7 Acute Asthma Exacerbation- unknown etiology

Preexisting Conditions: Asthma, Allergic Rhinitus, endometriosis, depression and anxiety. **Allergies:** Environmental see below Allergies- Environmental- Dust, hay, weeds, cats, grass,

trees, pollen. No food allergies. No product or medication allergies.

Diagnostic Lab Data: None

CDC Split Type:

Write-up: Patient received her second dose of Moderna Vaccine at 17:00 and at 17:09 reported developing lightheadedness, itchy throat and subsequently became SOB and diaphoretic. Tachycardia noted at 120 bpm, and BP 148/80, RR 26. Medical First Response called and Dr. present administering Epi 0.3 ml sq to left lateral thigh at 17:12. Benadryl 50 mg given in R. Deltoid at 15:14. Pt. vital improved- 17:28: BP 130/82 and HR 90 RR 18. Transferred to ED. Noted to be diaphoretic, SOB, ashen skin and wheezing in the ED. Given Epi, Pepcid, Deacadron, Benadryl in ED and pt. responded well and discharged when hemodynamically stable. Discharge with Predisone and Benadryl. PCP f/u 2/4/2021

VAERS ID: 985779 (history)
Form: Version 2.0

Age: 31.0
Sex: Female
Location: Utah

Vaccinated: 2021-01-14 **Onset:** 2021-01-14

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-29

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / 1	LA / IM

Administered by: Public Purchased by: ?

Symptoms: Anaphylactic shock, Cough, Dizziness, Dyspnoea, Presyncope, Throat tightness

SMQs:, Anaphylactic reaction (narrow), Angioedema (broad), Anticholinergic syndrome (broad), Anaphylactic/anaphylactoid shock conditions (narrow), Oropharyngeal conditions

(excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Vestibular disorders (broad), Hypotonic-hyporesponsive episode (broad), Hypersensitivity (narrow), Hypoglycaemia (broad)

Life Threatening? Yes Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Clonazepam, venlafaxine, lamotrigine

Current Illness: None

Preexisting Conditions: Chronic cough possibly due to asthma

Allergies: Bee stings
Diagnostic Lab Data:
CDC Split Type:

Write-up: Went into anaphylactic shock. Started feeling dizzy and light headed 15 mins after the vaccine was given. At 20 mins my throat felt tighter and it was making me cough trying to get air so they gave me 50 ml of benedryl into my right arm. I started to pass out and my breathing was labored so I was given my epipen and taken to the ER. While I was there I was monitored for 4 hours and given 2 more medications. One was a steroid, I?m unsure on the second.

VAERS ID: <u>986115</u> (history)
Form: Version 2.0

Age: 65.0

Sex: Female

Location: California

Vaccinated: 2021-01-12 **Onset:** 2021-01-21

Days after vaccination: 9

Submitted: 0000-00-00 **Entered:** 2021-01-29

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EJ1685 / 2	LA / OT

Administered by: Private Purchased by: ?

Symptoms: Cerebrovascular accident, SARS-CoV-2 test negative

SMQs:, Ischaemic central nervous system vascular conditions (narrow), Haemorrhagic central nervous system vascular conditions (narrow), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), COVID-19 (broad)

Birth Defect? No
Died? No
Permanent Disability? Yes
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes. 4 days

Extended hospital stay? No

Previous Vaccinations: Other Medications:

Current Illness:

Preexisting Conditions: Medical History/Concurrent Conditions: COVID-19

Allergies:

Diagnostic Lab Data: Test Name: BP; Result Unstructured Data: Test Result:normal; Test

Date: 20210122; Test Name: Nasal Swab-PCR; Test Result: Negative

CDC Split Type: USPFIZER INC2021063702

Write-up: Suffered a massive MCA stroke; This is a spontaneous report from a Contactable Nurse. A 65-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number: EJ1685), intramuscularly in left arm on 12Jan2021 16:00 at single dose for COVID-19 immunization. Medical history included covid prior vaccination. Known allergies: None. The patient's concomitant medications were not reported. The patient previously received the first dose BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot# EJ1685), intramuscularly in right arm on 21Dec2020 03:00 PM at single dose for COVID-19 immunization. The patient was not pregnant while receiving vaccine. Facility type vaccine: Hospital. If other vaccine in four weeks: No. Other medications in two weeks: No. The patient suffered a massive MCA (Middle cerebral artery) stroke on 21Jan2021 08:00 after getting second covid vaccine with outcome of not recovered. No history of hypertension, elevated cholesterol or medical issues. No medication being taken. Daily BP (Blood pressure) reading normal. Covid test post vaccination: Nasal Swab-PCR on 22Jan2021 with result negative. If treatment for AE: Unknown. The event was resulted in: Emergency room/department or urgent care, Hospitalization (Number of days hospitalization: 4), Life threatening illness (immediate risk of death from the event), Disability or permanent damage.; Sender's Comments: The event middle cerebral artery stroke appeared 8 days after administration BNT162B2. The Company considers that the event is less likely related to suspect BNT162B2 injection given the weak time association. The status (bleeding or infarction) and cause of the stroke would be helpful for further assessment. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

VAERS ID: 986122 (history)
Form: Version 2.0

Age: 68.0 Sex: Male

Location: Tennessee

Vaccinated: 2021-01-19 **Onset:** 2021-01-19

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-29

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / 1	LA / OT

Administered by: Private **Purchased by:** ?

Symptoms: <u>Acute myocardial infarction, Blood cholesterol normal, Electrocardiogram abnormal, Loss of consciousness, Malaise, Stent placement</u>

SMQs:, Torsade de pointes/QT prolongation (broad), Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Myocardial infarction (narrow), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Embolic and thrombotic events, arterial (narrow), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Cardiomyopathy (broad), Hypotonic-hyporesponsive episode (broad), Generalised convulsive seizures following immunisation (broad), Hypoglycaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 2 days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: IRBESARTAN

Current Illness:

Preexisting Conditions: Medical History/Concurrent Conditions: Blood cholesterol abnormal

Allergies:

Diagnostic Lab Data: Test Name: cholesterol; Result Unstructured Data: Test Result:200;

Test Date: 20200119; Test Name: blood pressure; Result Unstructured Data: Test Result:79/38; Test Date: 20200119; Test Name: EKG; Result Unstructured Data: Test

Result:acute myocardial infarction

CDC Split Type: USPFIZER INC2021070078

Write-up: acute myocardial infarction; He was found by his secretary unconscious; feeling unwell; This is a spontaneous report from a contactable nurse. A 68-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: UNKNOWN), intramuscular in the left arm on 19Jan2021 (at 68-years-old) as a single dose for COVID-19 immunization. Medical history included blood cholesterol of 200 (not further specified). The patient did not have any allergies to medications, food, or other products. Prior to the vaccination, the patient was not diagnosed with COVID-19. Concomitant medications included irbesartan (MANUFACTURER UNKNOWN). The patient did not receive any other vaccines within four weeks prior to the vaccination. On 19Jan2020 at 08:00, after the vaccine, that patient was at work and was feeling unwell and the patient was found by his secretary unconscious. An ambulance was called. The patient"s blood pressure was 79/38 and electrocardiogram showed acute myocardial infarction. He underwent one stent placement with the remaining arteries normal. He was also started on ticagrelor (BRILINTA), metoprolol (MANUFACTURER UNKNOWN) and atorvastatin (MANUFACTURER

UNKNOWN). The patient immediately improved and was feeling well and resumed exercise. The clinical outcomes of the unconscious, acute myocardial infarction, and feeling unwell were recovering. The events required emergency room visit and were assessed as serious for requiring hospitalization for 2 days and being life-threatening. The lot number for the vaccine, BNT162B2, was not provided and will be requested during follow up.; Sender's Comments: There is not a reasonable possibility that reported events acute myocardial infarction. unconsciousness and feeling unwell are related to BNT162B2. The events are more likely intercurrent medical condition for this elderly patient. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

VAERS ID: 986145 (history) Version 2.0 Form:

68.0 Age: Sex: Female Location: Oklahoma

Vaccinated: 2021-01-26 2021-01-27 Onset:

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-29

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	#EL9263 /	RA/SYR

Administered by: Unknown Purchased by: ?

Symptoms: Irritability, Pain in extremity, Poor quality sleep, Swelling

SMQs:, Anaphylactic reaction (broad), Angioedema (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Hostility/aggression (broad), Haemodynamic oedema, effusions and fluid overload (narrow), Depression (excl suicide and self injury) (broad). Tendinopathies and ligament disorders (broad), Hypoglycaemia (broad)

Life Threatening? Yes Birth Defect? No Died? No Permanent Disability? Yes Recovered? No Office Visit? No ER Visit? No ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications: Bi0-Hormones, Bone up, Strontiom, Vit. D, Folic Acid, Collagen Type 1 & 3, Omega 7 1000 mg, Quercetin Aller-Plex, Lovasa, Methydopa, Montelukast, Aspirin 81 mg, Zyrtec, Probiotic, L-Lysine, Bystolic, Frova as needed

Current Illness: none

Preexisting Conditions: Migraines, sinus and ear infections

Allergies: All types of steroids, Nitroglycerin, Migranal, Neurontin, Depakote, Tramadol, Cerebyx, Iisinopril, Meloxicam, Tobdramycin, Cefdinir, Atenolol, Verapamil, Hydrocodone, Oxycodone, Percocet, Azithromycin, Otovel, Neomycin-Polumyxin, Tobradex, Loteman, Lorsatan

Diagnostic Lab Data: Dr. told me to take Benadryl and not take the second Pfizer shot, not to take any vaccine for two months.

CDC Split Type:

Write-up: On the two hour ride home, my arm would ache then be fine. I was cranky, not myself, going to bed, I woke several times as I rolled over onto my right arm. When I awoke early, I was swollen from Head to Toes, my eyes were slits, my bracelets and rings were swollen into my skin, and my toes and ankles were large. AND I was grouchy about everything. As the day went on I was just mad about everything, I began to drink lots of water and tried to exercise to get the swelling down. About noon, my eyes and face began to ease, but my body didn"t ease till about 2pm, as my rings and bracelets were movable then. I am still swollen and still angry and it is Friday.

VAERS ID: 986449 (history)
Form: Version 2.0

Age: 47.0
Sex: Female
Location: Florida

 Vaccinated:
 2020-12-29

 Onset:
 2020-12-29

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-29

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	028L20A / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Chills, Computerised tomogram, Dizziness, Dysphagia, Full blood count, Headache, Hot flush, Hyperhidrosis, Hypertension, Immediate post-injection reaction, Laboratory test, Lymphadenopathy, Metabolic function test, Muscle spasms, Nausea, Pain, Pyrexia, Tachycardia, Throat irritation, Tinnitus, Vomiting

SMQs:, Acute pancreatitis (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Dystonia (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Hypertension (narrow), Hearing impairment (narrow), Vestibular disorders (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad), Dehydration (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No

Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Multi-vitamin, fish oil, CoQ10, D3, B12

Current Illness: No

Preexisting Conditions: Asthma

Allergies: No allergies

Diagnostic Lab Data: CDC, CMP, CT

CDC Split Type:

Write-up: Immediately after the 1st injection employee had tachycardia, hypertension, nausea, dizziness, hot flash, ringing in the ears, sweating. Was monitored for 30 minutes and symptoms resolved. Approximately 10 hours after 2nd vaccine employee had nausea, vomiting, fever, body aches and cramps, chills, headache. Approximately 18 hours post 2nd vaccine, Lymph nodes in neck began to swell and throat was scratchy and having difficulty swallowing.

VAERS ID: 986545 (history)
Form: Version 2.0

Age: 55.0

Sex: Male

Location: California

 Vaccinated:
 2021-01-25

 Onset:
 2021-01-26

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-29

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	029620-2A / 1	LA / IM

Administered by: Other Purchased by: ?

Symptoms: Anaphylactic reaction, Blood test, Intensive care

SMQs:, Anaphylactic reaction (narrow), Anaphylactic/anaphylactoid shock conditions

(narrow), Hypersensitivity (narrow)

Life Threatening? Yes Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? No Hospitalized? Yes, 2 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Toprol lisinipril spironolact atorvastatin omega 3 fish oil co q 10

Current Illness: none

Preexisting Conditions: heart condition

Allergies: none known

Diagnostic Lab Data: Multiple blood tests - unknown results at this time

CDC Split Type:

Write-up: Serious anaphylaxis started at 630 PM the day after the Moderna dose was administered . I ended up at the Medical Center ICU for two days before conditions abated and I could be discharged .

VAERS ID: 986636 (history)
Form: Version 2.0

Age: 80.0 Sex: Male

Location: Missouri

 Vaccinated:
 2021-01-28

 Onset:
 2021-01-28

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-29

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	004MZ0A / 1	LA / IM

Administered by: Pharmacy Purchased by: ? Symptoms: Cardiac disorder, Myocardial infarction

SMQs:, Myocardial infarction (narrow), Embolic and thrombotic events, arterial (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, ? days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Unknown Current Illness: Unknown

Preexisting Conditions: Unknown

Allergies: None Reported Diagnostic Lab Data: CDC Split Type:

Write-up: Patient waited 15 minutes after injection at the vaccine clinic. Shortly after leaving the clinic (less than 1 hour), the patient was taken by ambulance to the hospital experiencing cardiac issues. Patient was air-lifted to larger hospital and later diagnosed with myocardial infarction.

VAERS ID: <u>986749</u> (history)

Form: Version 2.0

Age: 71.0
Sex: Male
Location: Florida

Vaccinated: 2021-01-22 **Onset:** 2021-01-26

Days after vaccination: 4

Submitted: 0000-00-00 **Entered:** 2021-01-29

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL 1284 / 1	LA / IM

Administered by: Private **Purchased by:** ?

Symptoms: Angiogram abnormal, Aphasia, Blood test, Cerebrovascular accident, Computerised tomogram thorax normal, Deep vein thrombosis, Echocardiogram, Hemiparesis, Intensive care, Magnetic resonance imaging abnormal, Oxygen saturation decreased, SARS-CoV-2 test, Speech disorder, Thrombosis, Venogram

SMQs:, Ischaemic central nervous system vascular conditions (narrow), Haemorrhagic central nervous system vascular conditions (narrow), Dementia (broad), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), Embolic and thrombotic events, venous (narrow), Thrombophlebitis (broad), Acute central respiratory depression (broad), Psychosis and psychotic disorders (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Conditions associated with central nervous system haemorrhages and cerebrovascular accidents (narrow), Respiratory failure (broad), Infective pneumonia (broad), COVID-19 (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, 4 days

Previous Vaccinations:

Other Medications: avorstatin, nexium, vitamin

Current Illness: none

Preexisting Conditions: none

Extended hospital stay? No

Allergies: none

Diagnostic Lab Data: ct angiogram, mri x 2, echo, lung ct, venogram, covid testing,

bloodwork

CDC Split Type:

Write-up: 5:30 am I found husband by bed, babbling, Called 911, Had Lt Hemi Stroke. Aphasic, Rt side limp, given TPA. Sent to ICU. Recovered within 2hrs, speech, movement of extremities. It hemi clot found on ct angiogram & mri. 2nd mri found clot busted with residual. transfered to telemetry next nite. echo unconclusive. 02 sats low, venogram done 3days later show It dvt, lung ct wnl. Id asa & b/p meds were given. blood work to be drawn for baseline

VAERS ID: 987080 (history)
Form: Version 2.0

Age: 80.0 Sex: Male

Location: Pennsylvania

 Vaccinated:
 2021-01-04

 Onset:
 2021-01-05

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-29

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	011J20A / 1	RA / IM

Administered by: Military Purchased by: ?

Symptoms: Anti-muscle specific kinase antibody, Asthenia, CSF culture, Dysphagia, Endotracheal intubation, Fungal disease carrier, Guillain-Barre syndrome, Helicobacter test negative, Leukocytosis, Lymphocyte count increased, Magnetic resonance imaging abnormal, Plasmapheresis, Pneumonia, Procalcitonin increased, Protein total, Radiculopathy, Respiratory failure, Sensory loss, Vitamin B12 normal, Vitamin B6 normal

SMQs:, Anaphylactic reaction (broad), Angioedema (broad), Peripheral neuropathy (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (broad), Torsade de pointes, shock-associated conditions (broad), Hypovolaemic shock conditions (broad), Toxic-septic shock conditions (broad), Anaphylactic/anaphylactoid shock conditions (broad), Hypoglycaemic and neurogenic shock conditions (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (narrow), Guillain-Barre syndrome (narrow), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Demyelination (narrow), Eosinophilic pneumonia (broad), Hypersensitivity (broad), Respiratory failure (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Infective pneumonia (narrow), Hypokalaemia (broad), Sepsis (broad), Immune-mediated/autoimmune disorders (narrow)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, 20 days
Extended hospital stay? No
Previous Vaccinations:

Other Medications: prilosec 20 bid flonase 50 mcg nasla spray qhs glipizide 5mg ac breakfast/supper lipitor 10 mg qhs dorzolamide/timolol/ eye drops bid OU latanprost eye drops 1 qhs OU senekot bid prn loratidine 10 mg daily synthroid 125 mcg daily ipratropi

Current Illness: COVID infection 12/8/21

Preexisting Conditions: glaucoma, diabetes, hypothyroidism, hyperlipidemia, elevated PSA,

BPH, Lumbar DDD, ED

Allergies: none

Diagnostic Lab Data: Work up at Hospital revealed progressive respiratory failure and pneumonia requiring intubation and progressive ascending weakness and sensory loss without upper motor neuron changes. MRI: nerve root enhancement LP: protein 40, +/- 80 lymphocytes, cultures negative B 12 and B6 normal extensive CSF testing still pending campylobacter and Musk antibodies negative Neurology diagnosed likely AIDP (Guillain-Barre) and an EMG is planned for the near future. His progression and physical exam were classic for GBS Neurology felt the cause of his GBS was likely his covid infection verses his Moderna vaccination He was treated with plasmapheresis.

CDC Split Type:

Write-up: Client developed a mild covid infection 12/8/21 and recovered. He was admitted 12/25 with hypogycemia and mild weakness and sent home He was given his first dose of the Moderna vaccine 1/4/21 at approximately 9AM covid vaccine clinic He developed weakness the next day (1/5) prompting admission to a hospital and then transition to subacute rehabilitation briefly Work up at hospital revealed progressive respiratory failure and pneumonia requiring intubation and progressive ascending weakness and sensory loss without upper motor neuron changes. MRI: nerve root enhancement LP: protein 40, +/- 80 lymphocytes, cultures negative B 12 and B6 normal extensive CSF testing still pending campylobacter and Musk antibodies negative Neurology diagnosed likely AIDP (Guillain-Barre) and an EMG is planned for the near future. Neurology felt the cause of his GBS was likely his covid infection verses his Moderna vaccination He was treated with plasmapheresis. Client received dexamethasone, remdesivir, and zosyn and doxycycline when progressive leukocytosis and procalcitonin elevation was noted. Candida was cultured from tracheal aspirates but felt most likely d/t colonization with an option to treat further if he did not continue to improve. He is now extubated, unable to swallow and has profound weakness and distal sensory loss. He will transition to Acute rehab in the near future. Comorbidities:as described in the above section and... DM2, CKD3, HTN, DJD, BPH (h/o prostate surgery). h/o Lumbar surgery and hernia repair, GERD, hypothyroidism, hyperlipidemia. Possible etiologies of his AIDP (GBS) would include his recent covid infection, the Moderna Vaccine, or other undiagnosed infection. He got his flu shot 9/25 (fluzone sanofi) so this is not likely to be the culprit

VAERS ID: 987374 (history)
Form: Version 2.0

Age: 78.0
Sex: Male
Location: Texas

Vaccinated: 2021-01-27 **Onset:** 2021-01-28

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-29

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	-/1	AR / IM

Administered by: Public Purchased by: ?

Symptoms: Cerebrovascular accident

SMQs:, Ischaemic central nervous system vascular conditions (narrow), Haemorrhagic

central nervous system vascular conditions (narrow), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? No

ER Visit? No

ER or Doctor Visit? No Hospitalized? Yes. ? days

Extended hospital stay? No

Previous Vaccinations:

Other Medications:

Current Illness: Hypertension

Preexisting Conditions: Hypertension

Allergies:

Diagnostic Lab Data: Unk

CDC Split Type:

Write-up: Patient was in distress and had a Stroke (per his wife). Ambulance called and pt was admitted to hospital.

VAERS ID: 987737 (history)
Form: Version 2.0

Age: 65.0
Sex: Male
Location: Michigan

 Vaccinated:
 2021-01-22

 Onset:
 2021-01-23

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-30

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	?/1	UN / SYR

Administered by: Private Purchased by: ?

Symptoms: Blood pressure increased, Computerised tomogram normal, Dysarthria, Electroencephalogram normal, Hypoaesthesia, Laboratory test normal, Magnetic resonance imaging normal, Memory impairment, Transient ischaemic attack, Vitamin B12 decreased SMQs:, Peripheral neuropathy (broad), Neuroleptic malignant syndrome (broad), Ischaemic central nervous system vascular conditions (narrow), Dementia (broad), Embolic and thrombotic events, arterial (narrow), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Hypertension (narrow), Conditions associated with central nervous system haemorrhages and cerebrovascular accidents (broad), Depression (excl suicide and self injury) (broad), Hypoglycaemia (broad), Sexual dysfunction (broad)

Life Threatening? Yes

Birth Defect? No.

Died? No

Permanent Disability? No

Recovered? Yes

Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? Yes, 6 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions:

Allergies:

Diagnostic Lab Data: CT, MRI, EEG, labs. All negative except for low B-12 level.

CDC Split Type:

Write-up: On 1-23-21, less than 24 hours after the vaccine was administered, the person developed facial numbness, slurred speech, memory difficulty. BP: 200/100. This occurred again on day 3. Hospitalized a total of 6 days. Discharged home on 1-29-21. Diagnosis: TIA, possible seizures. No history of either. Positive history for controlled hypertension.

VAERS ID: 987751 (history)
Form: Version 2.0

Age: 74.0
Sex: Female
Location: Arizona

Vaccinated: 2021-01-28 **Onset:** 2021-01-28

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-30

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / UNK	- / IM

Administered by: Senior Living Purchased by: ?

Symptoms: Mechanical ventilation, Respiratory arrest, Respiratory distress, SARS-CoV-2 test negative

SMQs:, Anaphylactic reaction (broad), Acute central respiratory depression (narrow), Guillain-Barre syndrome (broad), Hypersensitivity (broad), Respiratory failure (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), COVID-19 (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No

ER or Doctor Visit? No

Hospitalized? Yes, ? days Extended hospital stay? No

Previous Vaccinations:

Other Medications: Tylenol ES Current Illness: No acute illness

Preexisting Conditions: HTN HLP CAD

Allergies: None

Diagnostic Lab Data: See above

CDC Split Type:

Write-up: My mom received her vaccine at her assisted loving facility. I talked to her that evening and she felt good. No pain. No complaints of anything. Overnight she had respiratory distress. Per EMS her O2 seats were in the 60s . She stoped breathing en route. Currently on a vent, pressers. COVID test at the hospital is negative.

VAERS ID: 987914 (history)
Form: Version 2.0

Age: 33.0
Sex: Female
Location: lowa

Vaccinated: 2021-01-22 **Onset:** 2021-01-25

Days after vaccination: 3

Submitted: 0000-00-00 **Entered:** 2021-01-30

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK4176 / 1	LA / IM

Administered by: Private **Purchased by:** ?

Symptoms: Abdominal pain, Abortion spontaneous, Back pain, Blood test, Exposure during pregnancy, Ultrasound scan

SMQs:, Acute pancreatitis (broad), Retroperitoneal fibrosis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Pregnancy, labour and delivery complications and risk factors (excl abortions and stillbirth) (narrow), Termination of pregnancy and risk of abortion (narrow)

Life Threatening? Yes

Birth Defect? No.

Died? No

Permanent Disability? No

Recovered? No Office Visit? Yes

ER Visit? No.

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Zyrtec, 200 mg Progesterone

Current Illness: Subchorionic hematoma, diagnosed by ultrasound on 1/19/2021

Preexisting Conditions: GERD

Allergies: None

Diagnostic Lab Data: Bloodwork and Ultrasound done 1/26/2020 in ER after miscarriage,

have follow up appt with OBGYN on 2/15

CDC Split Type:

Write-up: Received COVID vaccine on Friday afternoon, 1/22, developed some slight abdominal cramping 1/24 and 1/25, had severe abdominal and back pain resulting in miscarriage evening of 1/25. Estimated date of delivery: August 27, 2020 Also had known subchorionic hematoma, diagnosed on 1/19 via ultrasound at physician''s (OBGYN) office

VAERS ID: 988061 (history)
Form: Version 2.0

Age: 82.0
Sex: Male
Location: Michigan

Vaccinated: 2021-01-11 **Onset:** 2021-01-11

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-30

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / 1	-/-

Administered by: Private Purchased by: ?

Symptoms: Acute respiratory distress syndrome, C-reactive protein, Chest X-ray abnormal, Chills, Computerised tomogram thorax abnormal, Fatigue, Fibrin D dimer increased, Intensive care, Lactic acidosis, Lung opacity, Procalcitonin, Pulmonary congestion, Pulmonary embolism, Pulmonary oedema, Pyrexia, Respiratory tract congestion, Troponin, White blood cell count

SMQs:, Cardiac failure (narrow), Lactic acidosis (narrow), Haemorrhage laboratory terms (broad), Hyperglycaemia/new onset diabetes mellitus (broad), Interstitial lung disease (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Embolic and thrombotic events, venous (narrow), Guillain-Barre syndrome (broad), Haemodynamic oedema, effusions and fluid overload (narrow), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Respiratory failure (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Infective pneumonia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? Yes
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, ? days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Moduretic, ASA 81mg, glipizide, losartan, metformin, potassium chloride,

potassium citrate

Current Illness: None

Preexisting Conditions: CKD stage 2, DM2, essential hypertension, hyperlipidemia, obesity

(BMI 27.3) **Allergies:** None

Diagnostic Lab Data: Labs- elevated d diner, troponin, procalcitonin, lactic acidosis, c reactive protein, white blood cells. chest X-rays- ground glass, pulmonary edema and

congestion. ct scan- positive for pulmonary emboli and ground glass

CDC Split Type:

Write-up: Chills, fever, fatigue from day of onset. Currently in ICU for ARDS

VAERS ID: 988076 (history)
Form: Version 2.0

Age: 59.0
Sex: Male
Location: New York

Vaccinated: 2021-01-13 **Onset:** 2021-01-16

Days after vaccination: 3

Submitted: 0000-00-00 **Entered:** 2021-01-30

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL3302 / 2	LA / IM

Administered by: Work Purchased by: ?

Symptoms: Angiogram, Blood test, Chest X-ray abnormal, Deep vein thrombosis, Dyspnoea, Dyspnoea exertional, Echocardiogram, Myalgia, Oxygen saturation decreased, Pain in extremity, Pulmonary embolism, SARS-CoV-2 test negative, Thromboembolectomy, Thrombosis, Ultrasound Doppler abnormal, Ultrasound scan abnormal

SMQs:, Rhabdomyolysis/myopathy (broad), Anaphylactic reaction (broad), Embolic and thrombotic events, arterial (narrow), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), Embolic and thrombotic events, venous (narrow), Malignancy related therapeutic and diagnostic procedures (narrow), Thrombophlebitis (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Respiratory failure (broad), Tendinopathies and ligament disorders (broad), Infective pneumonia (broad), COVID-19 (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? Yes
Recovered? Yes
Office Visit? Yes
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 5 days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: 20 mg Omeprazole 1x day, 20 mg Lisinopril 1 x day, 5 mg Amlodo;

Amlodopine 1 x day, 12.5 mg Carvedilol 2 tabs 2 x day, .4mg Tamsulosin 1 x day, Advair diskus 500/50 (1) puff twice a day. CPAP machine at night set to 6.

Current Illness: None

Preexisting Conditions: Acid Reflux, sleep apnea, hypertension

Allergies: None

Diagnostic Lab Data: Blood labs drawn 23-27 January 2021 at Hospital Ultra sound Right leg for DVT 23 Jan 2021 CT angio Chest 23 Jan 2021 Xray chest portable 23 Jan 202

Echocardiagram without contrast 27 Jan 20211 transesophagae

CDC Split Type:

Write-up: On day 04 After receiving the 2nd Covid 19 Pfizer vaccine, I experienced a deep pain in my upper inner right thigh around 0600 am of the 16th of January. At the same time my calf muscle of that same right leg was in pain. I thought it to be muscular pain as I was told by the reading material regarding symptoms of the covid 19 vaccine there could be aches an pains attributed to the 2nd shot. I used a deep heating rub on both areas of my right leg and put heat on them to treat the soreness. This occured over the next few days feeling this pain in my right leg and treated the same way applying heat. Within about 24 hours of the pain in my legs I started experiencing a shortness of breath while walking up and down st. On day 04 After receiving the 2nd Covid 19 Pfizer vaccine, I experienced a deep pain in my upper inner right thigh around 0600 am of the 16th of January. At the same time my calf muscle of that same right leg was in pain. I thought it to be muscular pain as I was told by the reading material regarding symptoms of the covid 19 vaccine there could be aches an pains attributed to the 2nd shot. I used a deep heating rub on both areas of my right leg and put heat on them to treat the soreness. This occured over the next few days feeling this pain in my right leg and treated the same way applying heat. Within about 24 hours of the pain in my legs I started experiencing a shortness of breath while walking up and down stairs as part of my daily activities. The symptoms of shortness of breath only seemed to appear when I was on any form of extended walking activity or physical movements or exercise this would of have been starting around the 17th of January. The right leg pain was masked by the heating rub while the shortness of breath continued for the next few days. On the 19th of January, I went to an Urgent Care Facility at 0800 am to see a Medical professional to discuss my symptoms I was previously experiencing and to figure out why I was having a shortness of breath and the pain in my right leg. The on staff Physician's Assistant had a Nurse conduct a Covid 19 Rapids test (negative) and a second swab was administered and sent to the Lab. Which produced a (negative for Covid 19) on the 20th of January. An Xray was not taken to determine my shortness of breath. The Dr listened to my lungs and heart, though I did let the PA know I had received both Pfizer shots and when they were administered. I was carrying My Shot record for the vaccine with the dates and lot number. He didnt appear to be interested in further diagnosis and made sure I had the paperwork to track the results of my Covid swab sent to the lab. The visit was completed and I was released to go back to work/home. I carried on the symptoms of the shortness of breath from the 19th of January to the 22nd of January monitoring my O2 (oxygen levels) with a pulse oximeter. They ranged from 90-93. On the evening of the 22nd of January I was becoming very uncomfortable with my breathing climbing the stairs in my home and monitored my O2 readings with the oximeter on my finger when walking upstairs and they dropped down to 60-65. My wife drove me to the emergency room at Hospital. I walked into the ER and checked myself in for shortness of breath and leg pain in my right leg. I was admitted into the emergency room and put on 15 litres of oxygen. The emergency room Dr ordered a chest Xray, Cat Scan of my chest and heart and a sonogram of my right leg. The testing results came back with a noted large pulmonary emboli on my lungs/heart area and blood clots throughout my right leg (right lower extremity DVT). Surgery was performed to remove the pulmonary emboli and I was put on a Heprin Drip to thin out my blood for the remaining clots in my chest and my right leg. The attending physician ordered a T.E.E. (transesophageal Echocardiogram) to observe my heart functions. I was told the TEE did not demonstrate any further recommend surgeries. I was administered a test for

my cardio and heart functions prior to my discharge on 27 January 2021. I was prescribed Eloquis for maintenance medication to be monitored by followup visits to my cardiologist and Hemotologist within the next few weeks. I have not family or personal history of Blood Clots. I do perform administrative duties as part of my job, which requires sitting and working on a computer. Note however I move around very often during a work day and operate a farm tractor and have an active life style. I have not recently had any extended trips more than 2 hours nor have I flown within the past year or so.

VAERS ID: 988266 (history)
Form: Version 2.0

Age: 50.0
Sex: Female
Location: Arizona

Vaccinated: 2021-01-05 **Onset:** 2021-01-12

Days after vaccination: 7

Submitted: 0000-00-00 **Entered:** 2021-01-30

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL0142 / 1	LA / SYR

Administered by: Other Purchased by: ?
Symptoms: COVID-19, SARS-CoV-2 test positive

SMQs:, Infective pneumonia (broad), Opportunistic infections (broad), COVID-19 (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications: Vit: C, D3, B12, iron, magnesium, Rx: Levothyroxine, Duloxetine,

Gabapentin, cyclobenzaprine, progesterone, Estrogen/Testosterone gel OTC: Tylenol, Zyrtec,

baby asprin

Current Illness: None

Preexisting Conditions: Hashimoto?s Hypothyroidism OSA

Allergies: EDD, EDTA, celebrex, ranidatine, nystatin

Diagnostic Lab Data: 1/17/21 - PCR test positive for Covid 1/26/21- PCR test positive for

Covid

CDC Split Type:

Write-up: I contracted Covid-19 approx 1 week after getting the vaccine. I do not believe that the vaccine gave me Covid. But, I believe that it made me more susceptible. The week of receiving the vaccine my daily schedule was approx 80-90% covid patients. I do Physical Therapy in a hospital with them and spend approx 30 min or more with each patient. If I or my

facility would have been given a warning my schedule could have been different. Our therapy team might have been allowed to change the individual patient load depending on when each person recvd the vaccine. I am older and have a few underlying conditions so I was concerned about contracting it. Luckily I was able to stay home. *main take-away is that health care facilities should have been given more information and guidance on how to change schedules to best protect the employees if the vaccine causes a reduction in immunity right after. I asked the question in a Facebook group for therapists and many of them did get covid right away. Coincidentally? Could be. But for sure something to keep track of.

VAERS ID: 988280 (history)
Form: Version 2.0

Age: 78.0
Sex: Male
Location: Unknown

 Vaccinated:
 2021-01-22

 Onset:
 2021-01-22

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-30

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	013L20A / 1	LA / IM

Administered by: Other Purchased by: ?

Symptoms: Asthenia, Chills, Decreased appetite, Dependence on oxygen therapy,

<u>Dyspnoea, Fatigue, Gait inability, Pneumonia, Pyrexia, Respiratory arrest, SARS-CoV-2 test negative</u>

SMQs:, Anaphylactic reaction (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Dystonia (broad), Acute central respiratory depression (narrow), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Hypersensitivity (broad), Respiratory failure (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Infective pneumonia (narrow), COVID-19 (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? Yes
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, ? days
Extended hospital stay? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions:

Allergies:

Diagnostic Lab Data:

CDC Split Type:

Write-up: SOB, Fatigue, weakness Narrative: F: Telephone call: Pt"s wife called and said that patient is in the hospital- He went into hospital on 1/24/21. He had the Covid injection here at facility on 1/22/21@0945. He was feeling fine till approximately 1800 that night. His symptoms included the following: chills- fever of 102- he took Motrin 11PM on 1/22. On 1/23- @0200 fever was 99 on 1/23- he was fatigued feverish was back @ 101 degrees. He had no appetite all day. He was tired- weak- trouble breathing with SOB- Call was made to to this facility at 0230 but there was no answer. On 1/24/21- 0230AM patient could not breath and 911 was called. The EMT came- Sao2 was 65 %- couldn't walk- very short of breath. He was taken to hospital where he has been since. He was Dx with Pneu and placed on IV/ABT. Covid test was done and was negative at hospital. He has been on Oxygen since. His wife was very tearful. Family says that he may need O2 at home and a HHA.

VAERS ID: 988287 (history) Form: Version 2.0

Age: 23.0 Sex: Female Location: Illinois

Vaccinated: 2021-01-29 Onset: 2021-01-29

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-30

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	038K20A / 2	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Blood test, Dizziness, Fatigue, Lethargy, Pain, Swelling face, Throat tightness, Urticaria

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Anticholinergic syndrome (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Vestibular disorders (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad)

Life Threatening? Yes Birth Defect? No Died? No

Permanent Disability? No

Recovered? No Office Visit? No **ER Visit?** No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Vyvanse (ADHD), doxycycline (acne)

Current Illness: None

Preexisting Conditions: None

Allergies: No allergies

Diagnostic Lab Data: Blood draw, blood pressure, pulse rate, oxygen saturation, respiration -

all on January 29, 2021.

CDC Split Type:

Write-up: I received my second dose of the Moderna COVID vaccine at approx. 10:40 AM on Friday, January 29 at clinic. By 12:00 PM, I noticed that I developed facial swelling, which was most significant around my eyes, and I felt lethargic. Between 12:00 PM and 2:00 PM, I developed hives on my neck, chest, stomach, and arms, which prompted me to take 1/2 of a dose of 25mg Benadryl. Nonetheless, the symptoms persisted and I began to experience dizziness and tightness in my throat around 4-5 PM, which was when I was advised by a nurse to go to the emergency room for treatment. I arrived at Hospital"s Emergency Department around 6:00 PM and I was treated for "Possible Allergic Reaction Major." I received diphenhydrAMINE (BENADRYL) injection 50 mg, famotidine (PF) (PEPCID) injection 20 mg, methylPREDNISolone sodium succinate (PF) (SOLU-MEDROL) injection 125 mg, sodium chloride 0.9 % iv bolus, and acetaminophen (TYLENOL) tablet 650 mg. I was discharged after 10:00 PM and sent home with a prescription for predniSONE 20 mg and famotidine 20 mg. My facial swelling and hives have gone down but neither have completely resolved since being discharged. I am also experiencing full body aches and fatigue at this time (3 PM on Saturday, January 30).

VAERS ID: 988533 (history)
Form: Version 2.0

Age: 89.0
Sex: Female
Location: Montana

Vaccinated: 2021-01-29 **Onset:** 2021-01-30

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-01-30

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL0142 / 1	LA / SYR

Administered by: Senior Living Purchased by: ?

Symptoms: <u>Asthenia</u>, <u>Cerebrovascular accident</u>, <u>Confusional state</u>, <u>Unresponsive to stimuli</u>, Walking aid user

SMQs:, Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Ischaemic central nervous system vascular conditions (narrow), Haemorrhagic central nervous system vascular conditions (narrow), Dementia (broad), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Hypotonic-hyporesponsive episode (broad), Hypoglycaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No

ER or Doctor Visit? No Hospitalized? Yes, ? days Extended hospital stay? No

Previous Vaccinations:

Other Medications: Cerovite senior tablet- 1 daily; Plavix 75 mg daily; Digoxin 125 mcg daily; Furosemide 20 mg daily; Hair Skin and Nails caplet- 1 daily; Levothyroxine 25 mcg daily;

Magnesium 950 mg daily: Materialal ED 95 mg daily; Chimalant I avertice Dive

Magnesium 250 mg daily; Metoprolol ER 25 mg daily; Stimulant Laxative Plus-

Current Illness: No acute illnesses

Preexisting Conditions: Coronary Artery Disease, Atria Fibrillation; Muscle Weakness; GERD without esophagitis; long term use of anticoagulants; hyperlipidemia; diffuse cystic mastopathy; viral hepatitis complicating the peurperium; essential hypertension; impaired fasting glucose; low back pain.

Allergies: Fentanyl, Midazolam, Rosuvastatin, Statins

Diagnostic Lab Data: unknown as to testing done upon arrival at ER or after admission

CDC Split Type:

Write-up: Resident per her usual health when dietary staff were into apartment at 0730 with her breakfast. Resident conversing, appropriate, with no focal deficits with ADL. Resident baseline with mild confusion, generalized weakness, using a 4 wheeled walker when ambulating. Med care manager into room at 0830 with am medications. Resident was lying partially on her bed, non responsive. EMS was called immediately and resident was transported to Hospital ER. Wellness nurse was notified later that resident was admitted for rule out CVA.

VAERS ID: 988684 (history)
Form: Version 2.0

Age: 82.0
Sex: Male
Location: Texas

Vaccinated: 2021-01-27 **Onset:** 2021-01-27

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-30

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / UNK	-/-

Administered by: Unknown Purchased by: ?

Symptoms: Angiogram pulmonary abnormal, Carotid arteriosclerosis, Computerised tomogram thorax, Deep vein thrombosis, Diastolic dysfunction, Echocardiogram abnormal, Ejection fraction, Ejection fraction decreased, Electrocardiogram normal, Fall, Haemarthrosis, Humerus fracture, Left atrial enlargement, Leukocytosis, Peripheral vein occlusion, Pulmonary embolism, Scan with contrast abnormal, Syncope, Tricuspid valve incompetence, Ultrasound Doppler, Ultrasound Doppler abnormal, White blood cell count increased

SMQs:, Torsade de pointes/QT prolongation (broad), Cardiac failure (narrow), Haemorrhage terms (excl laboratory terms) (narrow), Neuroleptic malignant syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Ischaemic central nervous system vascular conditions (narrow), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), Embolic and thrombotic events, venous (narrow),

Malignancy related therapeutic and diagnostic procedures (narrow), Thrombophlebitis (broad), Pulmonary hypertension (narrow), Accidents and injuries (narrow), Cardiomyopathy (narrow), Hypotonic-hyporesponsive episode (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 4 days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: betaxolol (Betoptic S) 0.25 % ophthalmic suspension 1 Drop every day donepezil (Aricept) 10 mg tablet Take 10 mg by mouth at bedtime escitalopram oxalate (Lexapro) 10 mg tablet Take 10 mg by mouth every day for: major depressive disorder me

Current Illness: Alzheimer"s, depression, elevated intra-ocular pressure

Preexisting Conditions: Alzheimer's, depression, elevated intra-ocular pressure

Allergies: None

Diagnostic Lab Data: Doppler bilateral lower extremities 1/29/21 - Acute appearing occlusive thrombus within the right femoral vein. Cta Chest With Contrast 1/28/21 - 1. Acute pulmonary embolus in the right lower lobe lobar branch extending to segmental and subsegmental branches in the posterior basilar right lower lobe. Additional tiny segmental left lower lobe posterior filling defect. No CT evidence for right heart strain. 2. Known right proximal humerus fracture with hemarthrosis and blood extending to the muscles of the right proximal arm, right anterior and right lateral chest wall. Echocardiogram Complete W/WO Contrast 1/28/21 Normal LV and RV size and systolic fxn, LVEF 65%. Impaired diastolic relaxation. Mild LAE. Mild TR. Inadequate tricuspid regurgitation to estimate RVSP. No pericardial effusion. Carotid Doppler 1/28/21 IMPRESSION: Mild carotid plaque LEFT greater than RIGHT. Otherwise negative exam without hemodynamically significant stenosis. ECG Sinus rhythm 1/27/21 Mild leukocytosis 1/27/21 to WBC 12 resolved through admission

CDC Split Type:

Write-up: Patient had fall x 2 with or without sycnope (conflicting documentation) with humeral fracture after recieving the vaccine. Workup demonstrated PE and DVT (appears PE was not submassive/massive, unlikely it directly precipitated fall/ syncope)

VAERS ID: 989006 (history)
Form: Version 2.0

Age: 58.0
Sex: Female
Location: Virginia

 Vaccinated:
 2021-01-30

 Onset:
 2021-01-30

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-31

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL9263 / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: <u>Airway secretion clearance therapy</u>, <u>Breath sounds abnormal</u>, <u>Cardiac arrest</u>, <u>Cardioversion</u>, <u>Death</u>, <u>Dyspnoea</u>, <u>Endotracheal intubation</u>, <u>Mobility decreased</u>, <u>Pulseless electrical activity</u>, <u>Unresponsive to stimuli</u>, <u>Vomiting</u>

SMQs:, Torsade de pointes/QT prolongation (broad), Anaphylactic reaction (narrow), Acute pancreatitis (broad), Angioedema (broad), Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (narrow), Parkinson-like events (broad), Acute central respiratory depression (narrow), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Cardiac arrhythmia terms, nonspecific (narrow), Hypotonic-hyporesponsive episode (broad), Respiratory failure (narrow), Tendinopathies and ligament disorders (broad), Hypoglycaemia (broad)

Life Threatening? Yes Birth Defect? No

Died? Yes

Date died: 2021-01-30
Days after onset: 0
Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Per reviewed on medical records: metformin, gabapentin, glipizide

Current Illness: unknown

Preexisting Conditions: diabetes obesity hypoventilation syndrome

Allergies: penicillin latex Diagnostic Lab Data: CDC Split Type:

Write-up: After being observed for approximately 20 minutes and patient walked to her car without assistance I was called to assess the patient in the parking lot for troubles breathing. EMS was called as I made my way outside. Upon my arrival patient was leaning out of the car and stating that she could not breath. She was able to tell me that she was allergic to penicillin. Oxygen was immediately placed on the patient with minimal relief. Lung sounds were coarse throughout. She then began to vomit about every 20-30 seconds. Epipen was administered in the right leg with no relief. Patient continued to complain of troubles breathing and vomiting. A second epipen was administered in the patients right arm again with no relief. A few minutes later patient was given racemic epinephrine through the oxygen mask. There appeared to be mild improvement in her breathing as she appeared more comfortable, but still complaining of shortness of breath and vomiting. When EMS arrived patient was unable to transport herself to the stretcher. When EMS and clinical staff transferred patient to the stretcher she became unresponsive. She appeared to still be breathing. She did not respond to verbal stimuli. Per ED report large amount of fluid was suctioned from the patients lungs

following intubation in the ambulance. When patient arrived to the ED she was extubated and re-intubated without difficulty and further fluid was suctioned. At that time patient was found to be in PEA, shock was delivered. Shortly thereafter no cardiac activity was found and patient pronounced dead.

VAERS ID: <u>989508</u> (history) Form: Version 2.0

Age: 75.0
Sex: Female
Location: Colorado

Vaccinated: 2021-01-03 **Onset:** 2021-01-03

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-31

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	025L20A / UNK	RA / IM

Administered by: Pharmacy Purchased by: ?
Symptoms: Headache, Seizure, Subdural haematoma

SMQs:, Haemorrhage terms (excl laboratory terms) (narrow), Systemic lupus erythematosus (broad), Haemorrhagic central nervous system vascular conditions (narrow), Convulsions (narrow), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Accidents and injuries (broad), Generalised convulsive seizures following immunisation (narrow), Hypoglycaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 4 days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: Warfarin, blood pressure medications (husband not sure of names), statin, over the counter fish oil, colchicine PRN, acetaminophen PRN-- might not be a complete list of medications as we do not fill for her and husband was unsure of her med

Current Illness: N/A

Preexisting Conditions: Gout, Factor V deficiency, hypertension

Allergies: Sulfa
Diagnostic Lab Data:
CDC Split Type:

Write-up: All information per patient"s husband: patient started experiencing severe headache on the day of vaccination. Headache continued for three days during which no medical attention was sought. Confirmed that patient never took any NSAIDs to treat headache during this time. On day 4, patient had a subdural hematoma accompanied by two seizures upon which she was flown to a hospital to receive treatment. Husband did state that

patient is on warfarin due to factor V deficiency and that treating physician thought that this was most likely caused by the warfarin, however that the vaccine could not be ruled out completely. Husband also said INR has always been within normal limits.

VAERS ID: 989541 (history)
Form: Version 2.0

Age: 75.0 Sex: Male

Location: New Jersey

Vaccinated: 2021-01-20 **Onset:** 2021-01-22

Days after vaccination: 2

Submitted: 0000-00-00 **Entered:** 2021-01-31

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / UNK	RA / IM

Administered by: School Purchased by: ?

Symptoms: Acute myocardial infarction, Asthenia, Blood creatinine increased, Blood urea increased, Haemoglobin decreased, Melaena, Oesophagogastroduodenoscopy abnormal, Packed red blood cell transfusion, Pain in extremity, Troponin increased, Vascular cauterisation

SMQs:, Rhabdomyolysis/myopathy (broad), Acute renal failure (broad), Haematopoietic erythropenia (broad), Haemorrhage terms (excl laboratory terms) (narrow), Haemorrhage laboratory terms (broad), Myocardial infarction (narrow), Retroperitoneal fibrosis (broad), Embolic and thrombotic events, arterial (narrow), Gastrointestinal perforation, ulcer, haemorrhage, obstruction non-specific findings/procedures (broad), Gastrointestinal haemorrhage (narrow), Guillain-Barre syndrome (broad), Gastrointestinal nonspecific inflammation (broad), Chronic kidney disease (broad), Myelodysplastic syndrome (broad), Tumour lysis syndrome (broad), Tendinopathies and ligament disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, ? days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: Baby aspirin every other day

Current Illness: NO other acute illnesses

Preexisting Conditions: DM2, CKD, CAD, spinal stenosis

Allergies: NKA

Diagnostic Lab Data: hgb 5.2 1/30/21 BUN 54 Creatinine 2.49 Troponin 3,06

CDC Split Type:

Write-up: Other than sore arm after vaccine, developed weakness and melena 2 days later on Friday the 22nd and intermittent for next 3 days. He saw cardiologist the following Friday (29th) who advised blood work. The next day sent to ER as hgb was only 5.2. EGD. He received 3 units of PRBC and a gastric AVM was cauterized. He has had a Type 2 MI and is still hospitalized.

VAERS ID: 989665 (history)
Form: Version 2.0

Age: 49.0
Sex: Female
Location: Texas

 Vaccinated:
 2021-01-30

 Onset:
 2021-01-30

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-31

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	011M20A / UNK	- / IM

Administered by: Private Purchased by: ?

Symptoms: Chills, Dyspnoea, Electrocardiogram, Headache, Hypoaesthesia, Joint contracture, Laboratory test, Paralysis

SMQs:, Anaphylactic reaction (broad), Peripheral neuropathy (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Cardiomyopathy (broad), Conditions associated with central nervous system haemorrhages and cerebrovascular accidents (broad), Arthritis (broad), Sexual dysfunction (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes

Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: one a day vitamin tramadol dicyclomine omeprazole Valium Atorvastatin

Current Illness: Arthritis Irritable bowel syndrome Anxiety High cholesterol

Preexisting Conditions: Arthritis Irritable bowel syndrome Anxiety High cholesterol

Allergies: Allergy to lime jello - hives

Diagnostic Lab Data: labs, ekg, not sure what else.. all happened on 01/30/2021

CDC Split Type:

Write-up: about 6 hours post vaccine I started having chills and a headache. 11 hours post vaccine my hands became paralyzed in severe contracture. My face and feet and legs were number. I could barely breathe. I had to be transferred by Ambulance to Hospital

VAERS ID: 989704 (history)

Form: Version 2.0

Age: 98.0
Sex: Female
Location: Maine

Vaccinated: 2021-01-29 **Onset:** 2021-01-31

Days after vaccination: 2

 Submitted:
 0000-00-00

 Entered:
 2021-01-31

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	-/2	-/-

Administered by: Senior Living Purchased by: ?

Symptoms: Acute kidney injury, Albumin globulin ratio, Anion gap normal, Aspartate aminotransferase normal, Base excess increased, Basophil count decreased, Basophil percentage decreased, Blood albumin normal, Blood alkaline phosphatase normal, Blood bicarbonate decreased, Blood bilirubin decreased, Blood calcium decreased, Blood chloride decreased, Blood creatine increased, Blood creatinine decreased, Blood creatinine increased, Blood glucose normal, Blood lactic acid normal, Blood magnesium normal, Blood pH decreased, Blood potassium increased, Blood sodium decreased, Blood urea increased, Bradycardia, C-reactive protein increased, Carbon dioxide decreased, Chest X-ray, Chronic obstructive pulmonary disease, Confusional state, Electrocardiogram abnormal, Eosinophil count decreased, Eosinophil percentage decreased, Full blood count, Globulin, Glomerular filtration rate decreased, Granulocyte count decreased, Haematocrit decreased, Haemoglobin decreased, Haemolysis, Hypophagia, Immature granulocyte count increased, Lymphocyte count decreased, Lymphocyte percentage decreased, Mean cell haemoglobin normal, Mean cell volume normal, Mean platelet volume normal, Monocyte count decreased, Monocyte count normal, Monocyte percentage, Neutrophil count increased, Neutrophil percentage increased, Platelet count increased, Protein total normal, Red blood cell count decreased, Red blood cell nucleated morphology, Red cell distribution width increased, Venous oxygen partial pressure, Venous oxygen saturation decreased, Venous oxygen saturation normal, White blood cell count increased

SMQs:, Rhabdomyolysis/myopathy (broad), Acute renal failure (narrow), Haemolytic disorders (narrow), Agranulocytosis (broad), Haematopoietic erythropenia (narrow), Haematopoietic leukopenia (narrow), Lactic acidosis (broad), Haemorrhage laboratory terms (broad), Neuroleptic malignant syndrome (broad), Systemic lupus erythematosus (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Retroperitoneal fibrosis (broad), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (broad), Torsade de pointes, shock-associated conditions (broad), Hypovolaemic shock conditions (broad), Toxic-septic shock conditions (broad), Anaphylactic/anaphylactoid shock conditions (broad), Hypoglycaemic and neurogenic shock conditions (broad), Dementia (broad), Acute central respiratory depression (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Hyponatraemia/SIADH (narrow), Cardiomyopathy (broad), Chronic kidney disease (broad), Tumour lysis syndrome (narrow), Respiratory failure (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad), Infective pneumonia (broad), Dehydration (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No

Office Visit? No ER Visit? No ER or Doctor Visit? Yes Hospitalized? No

Previous Vaccinations:

Other Medications: Ferrous Sulfate Oral, daily. Hydrocortisone External. Levothyroxine Sodium Oral (Tablet 75 mcg), daily. Metoprolol Tartrate Oral (Tablet 50 mg), 2x a day. Nystatin External. Trimethoprim Oral (Tablet 100 mg), daily at bedtime. Tyl

Current Illness: Recent UTI

Preexisting Conditions: Hypokalemia. Hypertension. Hypomagnesemia. Lumbar Radiculopathy. Dysuria. Hypothyroidism. DVT - Deep Venous Thrombosis. Hemorrhoids. Renal Failure. Heart Disease. Sciatica. Sepsis (disorder). UTI - Urinary Tract Infection. Urinary Retention. Myofascial Strain. Lumbar Strain. Nephropathy. Rectal Bleed. Pneumonia. Allergies: Baclofen. Fentanyl. Sulfa Antibiotics. --

Diagnostic Lab Data: CBC Test WBC 12.6 RBC 2.92 L HGB 8.2 L HCT 24.8 L MCV 84.9 MCH 28.1 RDW-SD 48.2 H RDW-CV 15.6 H PLT 425 H MPV 10.3 NEUTROPHIL% 91.0 % LYMPHOCYTE% 3.6 % REACTIVE LYMPH 0 % MONOCYTE% 4.2 % EOSINOPHIL% 0.2 % BASOPHIL% 0.1 % IMM GRAN% 0.9 % METAMYELOCYTE 0 % MYELOCYTE 0 % NRBC% 0.0 % COUNTS NEUTROPHIL# 11.5 H LYMPHOCYTE# 0.5 L MONOCYTE# 0.5 EOSINOPHIL# 0.0 BASOPHIL# 0.0 IMM GRAN# 0.11 H NRBC# 0.0 MANUAL DIFF NOT IND. CELL SCAN NOT IND. CODED COMMENTS: NONE CMP: (COLL: 01/31/2021 12:38) (MsgRcvd 01/31/2021 13:47) Final results Test Result Flag **(Reference)** GLUC 93 MG/DL (83 - 99) BUN 96 H MG/DL (6 - 20) CREA 5.72 H mg/dL (0.51 - 0.95) EST GFR 7.0 L ml/min/BSA (60.0 - 999) NA 112 LL mmol/L (136 - 145) **CRITICAL VALUE** REPEATED VALUE VERIFIED DATE/TIME 01/31/2021 @ 1318 READ BACK OK K 7.2 HH mmol/L (3.5 -5.1) SPECIMEN SHOWS SLIGHT HEMOLYSIS MAY AFFECT K+ AND AST RESULTS ER WILL TRY TO DRAWN NON-HEMOLYZED SAMPLE FOR REPEAT VERIFICATION CL 89 L mmol/L (98 - 107) CO2 8 LL mmol/L (22 - 29) A-GAP 15.0 mmol/L (6.0 - 16.0) T-BILI < 0.2 L MG/DL (0.4 - 1.2) CALC 8.8 MG/DL (8.6 - 10.2) TP 6.70 G/DL (6.40 - 8.30) ALB 3.6 L G/DL (3.9 - 4.9) GLOBUL 3.1 (2.3 - 4.0) A/G RA 1.2 (1.0 - 2.0) ALKP 92 IU/L (40 - 129) AST/OT 22 IU/L (0 - 32) REPEAT DRAW NOT HEMOLYZED NO CHANGE FOR K+ AND AST ALT/PT 12 IU/L (0 - 33) FASTING? NO GFR INTERPRETATION/par eGFR is calculated using the IDMS-TRACEABLE MDRD equation modified for our laboratory information system. The units are in mL/min normalized for a body surface area (BSA) of 1.73m2. For African Americans, multiply the result by 1.21. Magnesium: (COLL: 01/31/2021 12:38) (MsgRcvd 01/31/2021 13:42) Final results Test Result Flag **(Reference)** MAGN 1.7 MG/DL (1.6 - 2.6) CRP: (COLL: 01/31/2021 12:38) (MsgRcvd 01/31/2021 13:13) Final results Test Result Flag **(Reference)** C-REACTIVE PROTEIN 3.55 H mg/dL (0.00 - 0.60) Lactate Panel ED: (COLL: 01/31/2021 12:38) (MsgRcvd 01/31/2021 12:49) Final results Test Result Flag **(Reference)** POC LACTIC ACID 1.40 mmol/L (0.90 - 1.70) VENOUS BLOOD GASES VENOUS PH 7.13 L (7.31 - 7.41) VENOUS pCO2 25 L mmHG (41 - 51) VENOUS pO2 33 mmHG (25 - 40) VENOUS BASE EXCESS -21.0 L mmol/L (-2.0 - 3.0) VENOUS HCO3 8 L mmol/L (23 - 28) VENOUS TCO2 9 L mmol/L (24 - 29) VENOUS O2 SAT 46.0 % THIS TEST IS PERFORMED ON THE ABBOTT ISTAT, USING THE CG4+ CARTRIDGE METHOD. The cartridge used to perform this test is 510(k) approved by the FDA for use with venous and arterial whole blood samples in a non-waived setting. Portable Chest - Inspirtation 1V: (COLL: 01/31/2021 12:30) (MsgRcvd 01/31/2021 13:02) Final results Test Result Flag **(Reference)** XR CHEST 1 VIEW PORTABLE Radiology Report Exam: XR CHEST 1 VIEW Date: 01/31/2021 12:02:29 Initial report created on 1/31/2021 1:02:28 PM EST PROCEDURE INFORMATION: Exam: XR Chest, 1 View Exam date and time: 1/31/2021 12:30 PM Age: 98 years old Clinical indication: Other: AMS TECHNIQUE: Imaging protocol: XR of the chest Views: 1 view. COMPARISON: CR XR CHEST 1 VIEW PORTABLE 10/16/2020 4:58 PM FINDINGS: Lungs: Hyperexpanded lung fields consistent with COPD Pleural spaces: Unremarkable. No pleural effusion. No pneumothorax. Heart/Mediastinum: Stable cardiac

silhouette Bones/joints: Deformity in the right humeral head is stable IMPRESSION: Hyperexpanded lung fields consistent with COPD ELECTROLYTES: (COLL: 01/31/2021 13:26) (MsgRcvd 01/31/2021 13:59) Final results Test Result Flag **(Reference)** NA 112 LL mmol/L (136 - 145) SECOND DRAW FOR REPEAT VERIFICATION SPECIMEN NOT HEMOLYZED K 6.8 HH mmol/L (3.5 - 5.1) ** CRITICAL VALUE ** ALL CRITICAL VALUES CALLED CL 89 L mmol/L (98 - 107) CO2 8 LL mmol/L (22 - 29) A-GAP 15.0 mmol/L (6.0 - 16.0

CDC Split Type:

Write-up: 3 days ago patient was started on Cipro for a UTI. Patient received the ModernaCOVID vaccine 2 days ago. The past 48 hours patient has had increased confusion, decreased p.o. intake. Patient was sent to emergency room for evaluation. Patient was found to have a low sodium, 112, high potassium 6.9 with corresponding EKG changes. Patient was bradycardic with a rate between 30 and 40. Patient was also found to be in acute renal failure with a creatinine of 5.6. In ER pt was confused, unable to tolerate PO fluids. Due to severity of illness patient"s family has elected to avoid aggressive medical care. Patient has poor prognosis. Patient was returned to nursing home for comfort care only.

VAERS ID: 989739 (history)
Form: Version 2.0

Age: 69.0
Sex: Female
Location: California

 Vaccinated:
 2021-01-22

 Onset:
 2021-01-30

Days after vaccination: 8

Submitted: 0000-00-00 **Entered:** 2021-01-31

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / 1	LA / -

Administered by: Other Purchased by: ?

Symptoms: Cellulitis

SMQs:

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Atrovastatin, synthoid.

Current Illness:

Preexisting Conditions:

Allergies: None

Diagnostic Lab Data:

CDC Split Type:

Write-up: Cellulitis- infection. Initial treatment was antibiotics orally administered. Second day as symptoms worsened, injection of ceftriaxone.

VAERS ID: 989821 (history)
Form: Version 2.0

Age: 70.0

Sex: Female

Location: Louisiana

Vaccinated: 2021-01-29 **Onset:** 2021-01-29

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-01-31

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL92665 / 1	RA / IM

Administered by: Other Purchased by: ?

Symptoms: Atrial fibrillation, Chest X-ray, Condition aggravated, Electrocardiogram,

Laboratory test

SMQs:, Supraventricular tachyarrhythmias (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 1 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Felicainide, metoprolol, eliquis, np thyroid, per pro, rosuvastatin, venlafaxine, busppirone, zinc, vit D3, turmeric, b complex, elderberry, vit c, biotin, daily multiple vitamin

Current Illness: None

Preexisting Conditions: Hypothyroidism, medication controlled A fib

Allergies: None

Diagnostic Lab Data: EKG,s, chest X-ray, lab tests1/29/2021 and 1/30/2021

CDC Split Type:

Write-up: Went into a sustained A fib event at approximately 8:30 pm approximately 11 hours after receiving vaccine. Entered ER and was treated for A fib with A fib lasting approximately 10 hours with cardiziem administration and continued to be hospitalized for another 6 hours for monitoring for stability.

VAERS ID: 990356 (history)
Form: Version 2.0

Age:

Sex: Female Location: Florida

 Vaccinated:
 2021-01-13

 Onset:
 2021-01-15

Days after vaccination: 2

Submitted: 0000-00-00 **Entered:** 2021-02-01

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / 1	- / OT

Administered by: Unknown Purchased by: ?

Symptoms: Cardiac arrest, Diarrhoea, Facial bones fracture, Feeling hot, Head discomfort, Heart rate, Heart rate decreased, Loss of consciousness, Platelet count, Platelet count decreased

SMQs:, Torsade de pointes/QT prolongation (broad), Anaphylactic reaction (broad), Haematopoietic thrombocytopenia (narrow), Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Systemic lupus erythematosus (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (narrow), Pseudomembranous colitis (broad), Acute central respiratory depression (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Accidents and injuries (narrow), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Hypotonichyporesponsive episode (broad), Generalised convulsive seizures following immunisation (broad), Noninfectious diarrhoea (narrow), Respiratory failure (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No

Hospitalized? Yes, ? days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: ATENOLOL

Current Illness:

Preexisting Conditions: Medical History/Concurrent Conditions: No adverse event (No medical history was reported.)

Allergies:

Diagnostic Lab Data: Test Date: 202101; Test Name: Heart rate; Result Unstructured Data: Decreased, 3 different times.; Test Date: 202101; Test Name: Heart rate; Result Unstructured Data: Decreased, couple of times.; Test Date: 202101; Test Name: Platelet count; Result Unstructured Data: Dropped

CDC Split Type: USMODERNATX, INC.MOD20210

Write-up: Passed out from cardiac arrest (her head feeling really full and really hot, and felt as if she was going to pass out, then she passed out).; Passed out; fractured her face; Head really hot; Head full; Diarrhea; heart rate dropped; platelets dropped; A spontaneous report was received from a consumer concerning a 75-years-old, female patient who received Moderna"s COVID-19 vaccine (mRNA-1273) and experienced head feeling really full and really hot, passed out from cardiac arrest, heart rate dropped, platelets dropped, fractured her face and diarrhea. The patient"s medical history was not provided. Concomitant medication included atenolol. On 13 Jan 2021, prior to the onset of the events, the patient received her first of two planned doses of mRNA-1273 (Lot number: Unknown) in her arm for prophylaxis of COVID-19 infection. On 15 Jan 2021, the patient complained her head was feeling full and hot. Felt as she was going to pass out, then she passed out from cardiac arrest and fractured her face. After passing out she got diarrhea. On 15 Jan 2021, the patient was hospitalized. The patient"s heart rate decreased to 22 beats/minute three times and to 15 beats/minutes twice, and her platelet count dropped. The second dose of mRNA-1273 was discontinued in response to the events. The outcome for the events, head feeling really full and really hot, passed out from cardiac arrest, heart rate dropped, platelets dropped, fractured her face and diarrhea, and diarrhea, was unknown.; Reporter's Comments: This spontaneous report concerning a 75-year-old, female subject who experienced unexpected events of passed out from cardiac arrest and fractured her face, head feeling really full and really hot, and felt as if she was going to pass out, then she passed out, and got diarrhea, heart rate dropped down to 22, platelets also dropped, after the first dose of the Vaccine (mRNA-1273) (Lot number: unknown, expiration date: unknown). The events developed 2 days after vaccine administration. The patient was hospitalized. Treatment and outcome are unknown." Based on the information which includes a temporal association and the absence of any other etiology, a causal association cannot be excluded. However, there is inadequate information in that the patient"s medical history is lacking and event is also confounded by patient"s advanced age.

VAERS ID: 991187 (history)
Form: Version 2.0

Age: 63.0
Sex: Female
Location: Illinois

 Vaccinated:
 2021-01-28

 Onset:
 2021-01-28

Days after vaccination: 0

 Submitted:
 0000-00-00

 Entered:
 2021-02-01

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	038K20A / 2	LA / IM

Administered by: Work Purchased by: ?

Symptoms: Anaphylactic reaction, Dyspnoea, Peripheral swelling, Swelling, Urticaria **SMQs:**, Cardiac failure (broad), Anaphylactic reaction (narrow), Angioedema (narrow), Anaphylactic/anaphylactoid shock conditions (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Extravasation events (injections, infusions and implants) (broad), Haemodynamic oedema, effusions and fluid overload (narrow), Cardiomyopathy (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and

systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations: Extreme immune response this past OCT after this year"s flu

vaccine. Elevated fever of 103.4 for 4 days

Other Medications: Zyrtek, Omeprazole, Zetia, Aleve, Singular

Current Illness: Severe reaction to this years flu shot end of October: Fever 103.4 for 4 days which started 3 days after receiving the vaccine-2 Neg COVID tests during that time period

Preexisting Conditions: asthma, allergies, OA, elevated cholesterol, GERD

Allergies: Cantaloupe, Lilium Candidum (Lilies), Macadamia Nut, Ragweed, Codeine, Poison

Ivy, and intolerance to Statins

Diagnostic Lab Data: B/P=250/210 when first arriving at ED, B/P was 156/78 when leaving

ED with HR at 125 CDC Split Type:

Write-up: Developed hives within 2 hrs/took Benadryl that night; swelling that traveled up the arm and neck in the morning with shortness of breath/used rescue inhaler at 0400 and then again at 0800; and then anaphylaxis by 0900. Treated in ED with EpiPen then IV Solumedrol, Benadryl and Famotidine. Recovered and started on prednisone taper pack starting at 6 tabs for 3 days etc. Suggested to make follow up Dr appt for one week following incident/set for Feb 8

VAERS ID: 991535 (history)
Form: Version 2.0

Age: 34.0 Sex: Male

Location: Pennsylvania

Vaccinated: 2021-01-13 **Onset:** 2021-01-28

Days after vaccination: 15

Submitted: 0000-00-00 **Entered:** 2021-02-01

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EJ1686 / 1	LA / SYR

Administered by: Private Purchased by: ?

Symptoms: Abdominal pain, Appendicectomy, Heart rate increased, Influenza like illness,

Pyrexia

SMQs:, Acute pancreatitis (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Retroperitoneal fibrosis (broad), Gastrointestinal nonspecific symptoms and therapeutic

procedures (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Dehydration (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 1 days

Extended hospital stay? No

Previous Vaccinations: Other Medications: N/A Current Illness: N/A

Preexisting Conditions: N/A

Allergies: N/A

Diagnostic Lab Data: Treated in ER and OR on 01/30/2021. Admitted to hospital, released

on 01/31/2021. **CDC Split Type:**

Write-up: Fever, rapid heart rate, and flu like symptoms within 6 hours of receiving vaccine. Extreme abdominal pain coupled with fever began again in the night of 01/26-01/28/2021. Extreme abdominal pain continued and I had to have emergency appendectomy on 01/30/2021.

VAERS ID: 991536 (history)
Form: Version 2.0

Age: 57.0
Sex: Female
Location: Louisiana

Vaccinated: 2021-01-27 **Onset:** 2021-01-27

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-02-01

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / UNK	-/-

Administered by: Other Purchased by: ?

Symptoms: Apnoea, Asthenia, Hot flush, Lethargy, Mental impairment, SARS-CoV-2 test positive

SMQs:, Dementia (broad), Acute central respiratory depression (narrow), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Respiratory failure (narrow), Hypoglycaemia (broad), Infective pneumonia (broad), Opportunistic infections (broad), COVID-19 (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No.

Permanent Disability? No

Recovered? Yes Office Visit? Yes

ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications: vit D3, atorvastatin, hydrocholorthiazide, losartan, metformin, jardiance,

soliqua, aspirin, biotin,

Current Illness: COVID + on 1/12/2021

Preexisting Conditions: type 2 DM, HTN, hyperlipidemia, Depression. vit D defiency.

Allergies: Demerol, Vicodin, Norco,

Diagnostic Lab Data: COVID + 1/12/2021

CDC Split Type:

Write-up: Patient states felt hot flashes following injection in waiting room went home became lethargic that evening having difficulty answering questions at night patient states she became apneic and husband had to watch her breathe. Did not go to the ER. Patient states fully recover the next day and fully recovered 5 days later. No rashes fever generalized weakness that resolved.

VAERS ID: 992035 (history)
Form: Version 2.0

Age: 44.0
Sex: Female
Location: California

Vaccinated: 2021-01-28 **Onset:** 2021-01-28

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-02-01

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Anaphylactic reaction, Dizziness, Hypotension, Throat tightness, Urticaria **SMQs:**, Anaphylactic reaction (narrow), Angioedema (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Anaphylactic/anaphylactoid shock conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Vestibular disorders (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Dehydration (broad), Hypokalaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:
Other Medications: none
Current Illness: none

Preexisting Conditions: none

Allergies: none

Diagnostic Lab Data: no labs were ordered in our clinic.

CDC Split Type:

Write-up: Anaphylaxis: hives all over her body, lightheadedness, throat closing. Hypotension about 2 hours after the moderna was administered.. She received 2 doses of epipen before paramedics took her to the ER.

VAERS ID: 992338 (history)
Form: Version 2.0

Age: 31.0 Sex: Male

Location: Massachusetts

Vaccinated: 2021-01-26 **Onset:** 2021-01-29

Days after vaccination: 3

Submitted: 0000-00-00 **Entered:** 2021-02-01

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) /	MODERNA - / UNK	- / IM

Administered by: Other Purchased by: ?

Symptoms: Computerised tomogram thorax, Pulmonary embolism, Pulmonary infarction

SMQs:, Embolic and thrombotic events, venous (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? Yes ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 3 days Extended hospital stay? No

Previous Vaccinations:
Other Medications: none
Current Illness: Covid-19
Preexisting Conditions: none

Allergies: none

Diagnostic Lab Data: Chest CT scan

CDC Split Type:

Write-up: Pulmonary embolism, with pulmonary infarct

VAERS ID: 992506 (history)
Form: Version 2.0

Age: 22.0
Sex: Male
Location: Texas

 Vaccinated:
 2021-01-30

 Onset:
 2021-01-30

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-02-01

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	-/2	LA / SYR

Administered by: Public Purchased by: ?

Symptoms: Acute coronary syndrome, Chest pain, Chills, Echocardiogram, Ejection fraction, Electrocardiogram ST segment elevation, Pain, Pericarditis, Pyrexia, Troponin increased SMQs:, Neuroleptic malignant syndrome (broad), Systemic lupus erythematosus (broad), Myocardial infarction (narrow), Anticholinergic syndrome (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Cardiomyopathy (broad), Chronic kidney disease (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Immune-mediated/autoimmune disorders (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, ? days

Extended hospital stay? No **Previous Vaccinations:**

Other Medications: none Current Illness: none

Preexisting Conditions: none

Allergies: none

Diagnostic Lab Data: see above, all done on 2/1/2021

CDC Split Type:

Write-up: pt developed fever 102, chills and body aches evening of vaccine. Mon am (2/1/2021) awoke with chest pain. Came to ED for evaluation, diffuse ST elevation in all leads, troponin elevated 4.1, 2nd trop 33. echocardiogram with EF 50% pt currently being worked up for pericarditis, ACS with plans for heart cath in am

VAERS ID: 992599 (history)

Form: Version 2.0

Age: 87.0
Sex: Female
Location: California

Vaccinated: 2020-12-31 **Onset:** 2021-01-03

Days after vaccination: 3

Submitted: 0000-00-00 **Entered:** 2021-02-01

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL0142 / 1	RA / IM

Administered by: Senior Living Purchased by: ?

Symptoms: Erythema

SMQs:, Anaphylactic reaction (broad), Hypersensitivity (broad), Drug reaction with

eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? Yes

Date died: 2021-01-03
Days after onset: 0
Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Lactobacillus Capsule MULTIVITAMINS TABLET CRANBERRY

TABLET

Current Illness: COVID-19 POSITIVE 12/14/20

Preexisting Conditions: COPD, DM TYPE 2, CHF, GERD, HYPERTENSION,

HYPERLIPIDEMIA

Allergies: Ciprofloxacin, Codeine, Bactrim, Lactose Intolerant

Diagnostic Lab Data: CDC Split Type:

Write-up: right arm redness

VAERS ID: 992603 (history)
Form: Version 2.0

Age: 88.0
Sex: Male
Location: Maryland

Vaccinated: 2021-01-18
Onset: 2021-01-27

Days after vaccination: 9

Submitted: 0000-00-00 **Entered:** 2021-02-01

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / UNK	-/-

Administered by: Senior Living Purchased by: ?

Symptoms: Angiogram, Deep vein thrombosis, Fall, Fatigue, Hypotension, Hypoxia, Pulmonary embolism, Pyrexia, SARS-CoV-2 test negative, Ultrasound Doppler

SMQs:, Anaphylactic reaction (broad), Asthma/bronchospasm (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Embolic and thrombotic events, venous (narrow), Thrombophlebitis (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Accidents and injuries (narrow), Eosinophilic pneumonia (broad), Respiratory failure (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Infective pneumonia (broad), Dehydration (broad), Hypokalaemia (broad), COVID-19 (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, 4 days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: zyrtec, lyrica, flomax, B12

Current Illness: none

Preexisting Conditions: dementia, BPH, OA, a fib

Allergies: none

Diagnostic Lab Data: CTA and venous dopplers

CDC Split Type:

Write-up: Had vaccine on 1/18. No reported fevers or change in functional status/fatigue. Patient appeared in usual state of health. Is ambulatory with rollator. No prior h/o DVT. Was found in bathroom after presumed fall on 1/27. When attempted to lift patient become hypotensive (40-60 systolic). hypoxic (PO would not read). Was placed on 10 L oxygen without PO reading. Sent to ED-required 15 L nonrebreather to get PO into 90s. Was diagnosed with large bilateral PEs. Found to have dvt RLE. Patient was hospitalized 4 days. His covid test was negative. He returned to facility without oxygen, on Eliquis.

VAERS ID: 992642 (history)
Form: Version 2.0

Age: 75.0
Sex: Male
Location: Minnesota

Vaccinated: 2021-01-25

Onset: 2021-01-26

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-02-01

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	041620A / 2	RA / IM

Administered by: Senior Living Purchased by: ?

Symptoms: Blood glucose increased, Confusional state, Feeding disorder, Fluid intake reduced, Mobility decreased, Nausea, Oropharyngeal pain, Tremor

SMQs:, Acute pancreatitis (broad), Hyperglycaemia/new onset diabetes mellitus (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Dementia (broad), Parkinson-like events (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Tendinopathies and ligament disorders (broad), Hypoglycaemia (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? No

ER Visit? No

ER or Doctor Visit? No

Hospitalized? Yes, 5 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: EC ASA 81, Tylenol ES, Atorvastatin, Carbadopa - Levodopa,

Magnesium, Vitamin D, Senna, Jardiance, Metformin, Lantus Insulin.

Current Illness:

Preexisting Conditions: Alzheimer"s Lewy Body Dementia, Parkinson"s, Psychotic D/O with

hallucinations, CKD, DM2, HDL, Hypomagneseima.

Allergies: PCN

Diagnostic Lab Data: CDC Split Type:

Write-up: Increased hand and arm tremors, Elevated FSBG (\$g500) Nausea, decreased mobility, increased confusion, sore throat with Inability to eat or drink

VAERS ID: 992776 (history)
Form: Version 2.0

Age: 93.0
Sex: Male
Location: Unknown

 Vaccinated:
 2021-01-20

 Onset:
 2021-01-28

Days after vaccination: 8

Submitted: 0000-00-00

Entered: 2021-02-01

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / 1	-/-

Administered by: Unknown Purchased by: ?

Symptoms: Acute respiratory failure, Lung infiltration

SMQs:, Anaphylactic reaction (broad), Interstitial lung disease (narrow), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (broad), Torsade de pointes, shock-associated conditions (broad), Hypovolaemic shock conditions (broad), Toxic-septic shock conditions (broad), Anaphylactic/anaphylactoid shock conditions (broad), Hypoglycaemic and neurogenic shock conditions (broad), Acute central respiratory depression (narrow), Eosinophilic pneumonia (broad), Hypersensitivity (broad), Respiratory failure (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Infective pneumonia (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? Yes, 5 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions: idiopathic pulmonary fibrosis

Allergies:

Diagnostic Lab Data:

CDC Split Type:

Write-up: Moderna COVID-19 Vaccine EUA patient developed acute respiratory failure with bilateral pulmonary infiltrates 1 week after receiving Moderna COVID vaccine

VAERS ID: 992781 (history)
Form: Version 2.0

Age: 66.0
Sex: Female
Location: Florida

 Vaccinated:
 2021-01-29

 Onset:
 2021-01-29

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-02-01

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL8982 /	RA / IM

Administered by: Public Purchased by: ?

Symptoms: <u>Blood glucose</u>, <u>Blood test</u>, <u>Diarrhoea</u>, <u>Dizziness</u>, <u>Electrocardiogram</u>, <u>Full blood count</u>, <u>Hypopnoea</u>, <u>Loss of consciousness</u>, <u>Respiratory rate increased</u>, <u>Vomiting</u>

SMQs:, Torsade de pointes/QT prolongation (broad), Acute pancreatitis (broad), Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Pseudomembranous colitis (broad), Acute central respiratory depression (narrow), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Vestibular disorders (broad), Hypotonic-hyporesponsive episode (broad), Generalised convulsive seizures following immunisation (broad), Noninfectious diarrhoea (narrow), Respiratory failure (narrow), Hypoglycaemia (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes

Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Metoprolol; Losartan; Clonazepam; Omeprazole; Ibuprofen.

Current Illness: None.

Preexisting Conditions: Mitral valve regurgitation; COPD; asthma.

Allergies: None.

Diagnostic Lab Data: EMS provided I.V. fluids, oxygen, blood sugar test, EKG. Hospital

performed blood panel testing.

CDC Split Type:

Write-up: Within 3 hours: Dizziness, severe diarrhea, vomiting, loss of consciousness, rapid shallow breathing, BP 87/40, called 911, went to E.R.

VAERS ID: 992836 (history)
Form: Version 2.0

Age: 26.0 Sex: Male

Location: Washington

Vaccinated: 2021-01-27 **Onset:** 2021-01-30

Days after vaccination: 3

Submitted: 0000-00-00 **Entered:** 2021-02-01

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	-/2	LA / -

Administered by: Private Purchased by: ?

Symptoms: Catheterisation cardiac normal, Chest discomfort, Chest pain, Echocardiogram abnormal, Ejection fraction normal, HIV test negative, Hepatitis B antibody negative, Hepatitis C antibody negative, Pericardial effusion, Pericardial fibrosis, Pericarditis, Respiratory viral

panel, SARS-CoV-2 test negative, Troponin increased

SMQs:, Anaphylactic reaction (broad), Systemic lupus erythematosus (broad), Myocardial infarction (narrow), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Haemodynamic oedema, effusions and fluid overload (narrow), Cardiomyopathy (broad), Chronic kidney disease (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Immune-mediated/autoimmune disorders (broad), COVID-19 (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 2 days Extended hospital stay? No

Previous Vaccinations:

Other Medications: Aderell Truvada

Current Illness: Nil

Preexisting Conditions: Taking PreP ADHD

Allergies: Augmentin Cat Dander

Diagnostic Lab Data: Echo showed normal EF, but thickened pericardium with small effusion Cardiac cath normal HIV 4th gen negative (PCR pending) Acute hepatis B and C Ab negative (PCR pending) Respiratory virus panel including COVId-19 negative All other tests for acute pericarditis pending (coxsackie, echo entero serologies, parvo PCR RPR GC/ Chlamydia)

CDC Split Type:

Write-up: Presented about 60 hours after 2nd moderna vaccine with crushing chest pain and was found to have acute pericarditis and a troponin of 10.

VAERS ID: 992864 (history)
Form: Version 2.0

Age: 87.0 Sex: Female

Location: Massachusetts

 Vaccinated:
 2021-01-27

 Onset:
 2021-01-28

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-02-01

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EN5318 /	LA / IM

Administered by: Senior Living Purchased by: ?

Symptoms: Condition aggravated, Device malfunction, Dyspnoea

SMQs:, Anaphylactic reaction (broad), Acute central respiratory depression (broad),

Pulmonary hypertension (broad), Cardiomyopathy (broad), Medication errors (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 5 days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: Albuterol Sulfate Nebulization Solution (2.5 MG/3ML) 0.083% 1 dose via trach every 4 hours as needed for SOB/Wheezing Resp (Breaths/min) O2 Sats (%) LS (1-Clear 2-Rhonchi 3-Crackles 4-Dim 5-Wheezes) Post (Outcome: I-Improved NC-No change W Current Illness: Z43.0 T ENCOUNTER FOR ATTENTION TO TRACHEOSTOMY Medical Management 5/2/2019 Primary Primary Admitting Diagnosis 5/3/2019 update R06.02 SHORTNESS OF BREATH N/A, not an acceptable Primary Diagnosis 1/21/2020 A During Stay 2/7/2020 slopes update M62.81 MUSCLE WEAKNESS (GENERALIZED) N/A, not an acceptable Primary Diagnosis 5/2/2019 B During Stay 5/3/2019 update D64.9 ANEMIA. UNSPECIFIED Medical Management 9/25/2019 C During Stay 9/26/2019 update Z43.1 ENCOUNTER FOR ATTENTION TO GASTROSTOMY Medical Management 5/2/2019 D Admission (Also Present on Admission) 5/3/2019 update R13.10 T DYSPHAGIA, UNSPECIFIED N/A, not an acceptable Primary Diagnosis 5/2/2019 E Admission (Also Present on Admission) 5/7/2019 update I50.9 HEART FAILURE, UNSPECIFIED Cardiovascular and Coagulations 5/2/2019 F Admission (Also Present on Admission) 5/3/2019 update F33.1 MAJOR DEPRESSIVE DISORDER, RECURRENT, MODERATE Medical Management 5/2/2019 | Admission (Also Present on Admission) 5/3/2019 update R49.8 T OTHER VOICE AND RESONANCE DISORDERS N/A, not an acceptable Primary Diagnosis 9/13/2019 J During Stay 9/18/2019 update B96.4 PROTEUS (MIRABILIS) (MORGANII) AS THE CAUSE OF DISEASES CLASSIFIED ELSEWHERE Acute Infections 11/24/2020 K 12/1/2020 update J69.0 PNEUMONITIS DUE TO INHALATION OF FOOD AND VOMIT Pulmonary 4/29/2020 Non-Ranked Diagnosis History 4/29/2020 update J18.9 T PNEUMONIA, UNSPECIFIED ORGANISM Pulmonary 4/28/2020 Non-Ranked Diagnosis History 6/2/2020 slopes update Z20.828 CONTACT WITH AND (SUSPECTED) EXPOSURE TO OTHER VIRAL COMMUNICABLE DISEASES N/A, not an acceptable Primary Diagnosis 4/28/2020 Non-Ranked Diagnosis History 4/29/2020 update J20.8 ACUTE BRONCHITIS DUE TO OTHER SPECIFIED ORGANISMS Tracheobronchitis Pulmonary 10/28/2019 Non-Ranked Diagnosis History 11/8/2019 slopes update R26.89 T OTHER ABNORMALITIES OF GAIT AND MOBILITY N/A, not an acceptable Primary Diagnosis 7/26/2019 Non-Ranked Diagnosis History 7/26/2019 update F43.20 ADJUSTMENT DISORDER, UNSPECIFIED Medical Management 7/11/2019 Non-Ranked Diagnosis During Stay 7/19/2019 slopes update J40 BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC

Preexisting Conditions: Z43.0 T ENCOUNTER FOR ATTENTION TO TRACHEOSTOMY Medical Management 5/2/2019 Primary Primary Admitting Diagnosis 5/3/2019 update R06.02 SHORTNESS OF BREATH N/A, not an acceptable Primary Diagnosis 1/21/2020 A During Stay 2/7/2020 slopes update M62.81 MUSCLE WEAKNESS (GENERALIZED) N/A, not an acceptable Primary Diagnosis 5/2/2019 B During Stay 5/3/2019 update D64.9 ANEMIA, UNSPECIFIED Medical Management 9/25/2019 C During Stay 9/26/2019 update Z43.1 ENCOUNTER FOR ATTENTION TO GASTROSTOMY Medical Management 5/2/2019 D Admission (Also Present on Admission) 5/3/2019 update R13.10 T DYSPHAGIA, UNSPECIFIED N/A, not an acceptable Primary Diagnosis 5/2/2019 E Admission (Also Present on Admission) 5/7/2019 update I50.9 HEART FAILURE, UNSPECIFIED

Cardiovascular and Coagulations 5/2/2019 F Admission (Also Present on Admission) 5/3/2019 update F33.1 MAJOR DEPRESSIVE DISORDER, RECURRENT, MODERATE Medical Management 5/2/2019 | Admission (Also Present on Admission) 5/3/2019 update R49.8 T OTHER VOICE AND RESONANCE DISORDERS N/A, not an acceptable Primary Diagnosis 9/13/2019 J During Stay 9/18/2019 update B96.4 PROTEUS (MIRABILIS) (MORGANII) AS THE CAUSE OF DISEASES CLASSIFIED ELSEWHERE Acute Infections 11/24/2020 K 12/1/2020 update J69.0 PNEUMONITIS DUE TO INHALATION OF FOOD AND VOMIT Pulmonary 4/29/2020 Non-Ranked Diagnosis History 4/29/2020 update J18.9 T PNEUMONIA, UNSPECIFIED ORGANISM Pulmonary 4/28/2020 Non-Ranked Diagnosis History 6/2/2020 slopes update Z20.828 CONTACT WITH AND (SUSPECTED) EXPOSURE TO OTHER VIRAL COMMUNICABLE DISEASES N/A, not an acceptable Primary Diagnosis 4/28/2020 Non-Ranked Diagnosis History 4/29/2020 update J20.8 ACUTE BRONCHITIS DUE TO OTHER SPECIFIED ORGANISMS Tracheobronchitis Pulmonary 10/28/2019 Non-Ranked Diagnosis History 11/8/2019 slopes update R26.89 T OTHER ABNORMALITIES OF GAIT AND MOBILITY N/A, not an acceptable Primary Diagnosis 7/26/2019 Non-Ranked Diagnosis History 7/26/2019 update F43.20 ADJUSTMENT DISORDER, UNSPECIFIED Medical Management 7/11/2019 Non-Ranked Diagnosis During Stay 7/19/2019 slopes update J40 BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC

Allergies: NKDA
Diagnostic Lab Data:
CDC Split Type:

Write-up: Patient was having shortness of breath, Heart rate was 111, respirations were 44, suctioned multiple times MD notified and sent to Emergency room for evaluation

VAERS ID: 992878 (history)
Form: Version 2.0

Age: 34.0
Sex: Female
Location: Minnesota

Vaccinated: 2021-01-18 **Onset:** 2021-01-27

Days after vaccination: 9

Submitted: 0000-00-00 **Entered:** 2021-02-01

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / 1	LA / IM

Administered by: Other Purchased by: ?

Symptoms: Computerised tomogram, Loss of consciousness, Respiratory arrest, Troponin increased

SMQs:, Torsade de pointes/QT prolongation (broad), Anaphylactic reaction (broad), Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Myocardial infarction (narrow), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Acute central respiratory depression (narrow), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Hypotonic-hyporesponsive episode (broad), Generalised convulsive seizures following immunisation (broad), Hypersensitivity (broad), Respiratory failure (narrow), Hypoglycaemia (broad)

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes. 3 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Diltiazem Unifiber Miralax Acetaminophen Vitamin B6 Nephrovite Sodium Chloride Cranberry Juice Carvedilol Flax Seed Oil Gabapentin Ladin Ceterizine Folic Acid Zinc Fluticanose Sevelamer Aspirin Famotodine Melatonin Clonidine PRN Zofran PRN

Current Illness:

Preexisting Conditions: Kidney disease Lipoprotein metabolism disorder Developmental

disorder Cerebral palsy Osteoporosis Deaf

Allergies: Ceftriaxone Seasonal Allergies Bactrim Adhesives

Diagnostic Lab Data: Troponin-elevated 1/27 CT 1/27

CDC Split Type:

Write-up: LOC, not breathing, admitted to hospital x3 days

VAERS ID: 992882 (history)
Form: Version 2.0

Age: 51.0
Sex: Male
Location: Ohio

Vaccinated: 2021-01-27 **Onset:** 2021-01-27

Days after vaccination: 0

 Submitted:
 0000-00-00

 Entered:
 2021-02-01

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	-/2	RA/SYR

Administered by: Private **Purchased by:** ?

Symptoms: <u>Dyspnoea, Electrocardiogram abnormal, Feeling hot, Immediate post-injection reaction, Laboratory test, Oxygen saturation decreased</u>

SMQs:, Anaphylactic reaction (broad), Arrhythmia related investigations, signs and symptoms (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Hypersensitivity (narrow), Respiratory failure (broad), Infective pneumonia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Diltiazem, ibuprofen

Current Illness: None

Preexisting Conditions: High blood pressure and Concussion syndrome

Allergies: None

Diagnostic Lab Data: EKG first time was irregular on right side, a second ekg was taken a bit later and was better. Lab work was taken did not have the results prior to leaving for an adult

hospital.

CDC Split Type:

Write-up: Became immediately hot, within 2 hours I was having issues breathing, blood pressure of 202/170. Put on oxygen as my O2 dropped to 90%, Irregular EKG, blood work taken.

VAERS ID: 992900 (history)
Form: Version 2.0

Age: 52.0 Sex: Female

Location: South Dakota

Vaccinated: 2021-01-20 **Onset:** 2021-01-22

Days after vaccination: 2

Submitted: 0000-00-00 **Entered:** 2021-02-01

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL0142 / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Anaphylactic reaction, Dyspnoea, Swollen tongue, Urticaria

SMQs:, Anaphylactic reaction (narrow), Angioedema (narrow), Anaphylactic/anaphylactoid shock conditions (narrow), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? Yes
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 2 days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: Glipizide, ASA, Crestor, & B12

Current Illness: None

Preexisting Conditions: Diabetes

Allergies: Voltaren **Diagnostic Lab Data: CDC Split Type:**

Write-up: Anaphylaxis, tongue swelling, difficulty breathing, & hives, Ambulance transported pt to the nearest ER, required Epinephrine injections 1mg IM X3, IV Methylprednisolone 50mg and IV Benadryl 50mg, pt had to be transferred to higher level of care due to ongoing symptoms and was kept until 1/24/21. Pt said staff at the ER told her they knew they should report the reaction to someone but didn't know how to report it.

VAERS ID: 992902 (history) Form: Version 2.0

58.0 Age: Sex: **Female** California Location:

Vaccinated: 2021-02-01 2021-02-01 Onset:

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-02-01

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EN5318 / 2	LA / IM

Administered by: Other Purchased by: ?

Symptoms: Blood test, Chest X-ray, Chest discomfort, Dysphonia, Dyspnoea,

Electrocardiogram, Headache, Oropharyngeal pain, Rash

SMQs:, Anaphylactic reaction (narrow), Parkinson-like events (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow). Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes Birth Defect? No Died? No Permanent Disability? No Recovered? Yes Office Visit? No. ER Visit? No ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: lisinopril, Prilosec, gabapentin, Norco amlodipine

Current Illness: mild itchiness after first dose one

Preexisting Conditions: blood pressure, diabetes type 2, asthma, chronic pain, severe allergies, post op bariatric, chronic low backpain, chronic pain, retinopathy, elevated tranaminases, fatty liver disease, GAD, hx hysterectomy/menopause, hyperlipidemia,

incarcerated abd hernia, incisional hernia, paresthesia, mild pers asthma controlled, obesity, obstructive sleep apnea, osteoarthritis b/l knees. hx of SVT, patellofemoral syndrome

Allergies: latex, clindamycin, penicillin, Macrobid.

Diagnostic Lab Data: Blood Draw, EKG, monitor, Chest xray

CDC Split Type:

Write-up: chest tightness, shortness of breath, then went to throat sore throat, hoarseness patient received EPIPEN 0.3 mg 3 doses 5 min apart. then went to ER had two breathing treatments, albuterol, epinephrine, solumedrol one injection, 50 mg Benadryl reports rash at IV site from (Benadryl?) No rash anywhere else. Prednisone tapering dose and Benadryl 50 mg at night and 25 during day time. To follow up with PMD. Headache.

VAERS ID: 992985 (history)
Form: Version 2.0

Age: 66.0
Sex: Female
Location: Washington

Vaccinated: 2021-01-15 **Onset:** 2021-01-17

Days after vaccination: 2

Submitted: 0000-00-00 **Entered:** 2021-02-01

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL-3302 / 1	AR / IM

Administered by: Senior Living Purchased by: ?

Symptoms: Chest X-ray, Chest discomfort, Computerised tomogram abnormal, Deep vein thrombosis, Dyspnoea, Fibrin D dimer increased, Laboratory test, Pulmonary embolism, Ultrasound scan abnormal

SMQs:, Anaphylactic reaction (broad), Haemorrhage laboratory terms (broad), Embolic and thrombotic events, venous (narrow), Malignancy related therapeutic and diagnostic procedures (narrow), Thrombophlebitis (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, 3 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: simvastatin 20 mg PO daily Metoprolol Succinate 100 mg PO daily Centrum Silver- one tablet daily aspirin 81 mg PO daily Magnesium oxide 400 mg po bid

Current Illness: none

Preexisting Conditions: Hypertension, Hyperlipidemia- LDL- 97, HDL-52, Triglycerides 143-

Well managed

Allergies: NKDA/ No food allergies of any kind

Diagnostic Lab Data: see above/ hospitalized Dr. - pulmonologist followed with genetic

testing- all tests negative

CDC Split Type:

Write-up: Sunday: tightness in chest Monday: short of breath with walking Tuesday: extreme shortness of breath Wednesday: continued worsening SOB- sent for labs/ chest xray Thursday: D-dimer back -4.53- sent to hospital CAT scan showed multiple pulmonary embolisms without cor pulmonale / ultrasound- multiple DVTs, hospitalized 01-21 to 01-23/ heparin drip, transitioned to apixiban Discharged home

VAERS ID: 993112 (history)
Form: Version 2.0

Age: 62.0
Sex: Female
Location: California

Vaccinated: 2020-12-01 **Onset:** 2021-01-01

Days after vaccination: 31

Submitted: 0000-00-00 **Entered:** 2021-02-01

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / 1	-/SYR

Administered by: Senior Living Purchased by: ?

Symptoms: Aphasia, Cardiac arrest, Death, Decreased appetite, Dependence on respirator, SARS-CoV-2 test positive

SMQs:, Torsade de pointes/QT prolongation (broad), Anaphylactic reaction (broad), Arrhythmia related investigations, signs and symptoms (broad), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (narrow), Dementia (broad), Acute central respiratory depression (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Cardiomyopathy (broad), Conditions associated with central nervous system haemorrhages and cerebrovascular accidents (broad), Respiratory failure (broad), Infective pneumonia (broad), Opportunistic infections (broad), COVID-19 (narrow)

Life Threatening? Yes Birth Defect? No Died? Yes

Date died: 2021-02-01
Days after onset: 31
Permanent Disability? No
Recovered? No

Office Visit? No ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 9 days Extended hospital stay? No

Previous Vaccinations:

Other Medications: Aspirin ec 81mg, xarelto 20 mg, propranolol 40 mg, Vita-B1 100mg

Trazodone 50mg, Clonidine HCL 0.1 mg tablet, Divalproex 80D DR 25mg,

CHLORPROMAZINE 10mg, folic acid 1 mg, Benztropine mes 1mg, cetirizine HCL 10mg,

SPIriva 18 MCG CP-handihal **Current Illness:** Broken ankle

Preexisting Conditions: Mid intellectual Disabilities, Schizoaffective Disorders, Obesity, Unspecified Heart Disease, Unspecified Hypothyroidism, unspecified Allergic rhinitis

Allergies: PCN, Lactose Intol

Diagnostic Lab Data: Hospital would not share any information at all

CDC Split Type:

Write-up: she was injected, sh stopped eating and talking, the doctor watched her for 2 days. had her transported to the hospital. i was told she had tested positive for COVID 2 times once at the home and once at the hospital. with in 2 DAYS at the hospital she wa on a ventilator 2 days later she died. i talked with the rehab center and confirmed she tested negative for COVID on Dec 27th 2020 and was given the Vaccine on the 29th Dec 202 was in the hospital 4 day later, was on a ventilator 4 days after that then died a few day later as her heart stopped beating. all the while i had POA and was not contacted by Hospital staff until after they had made the next step.

VAERS ID: 995168 (history)
Form: Version 2.0

Age: 87.0
Sex: Female
Location: Michigan

 Vaccinated:
 2021-01-21

 Onset:
 2021-01-22

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-02-01

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL8982 / UNK	-/-

Administered by: Unknown Purchased by: ?

Symptoms: Aphasia, Arrhythmia, Cerebrovascular accident, Troponin increased

SMQs:, Myocardial infarction (narrow), Ischaemic central nervous system vascular conditions (narrow), Haemorrhagic central nervous system vascular conditions (narrow), Dementia (broad), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Cardiomyopathy (broad), Cardiac arrhythmia terms, nonspecific (narrow), Conditions associated with central nervous system haemorrhages and cerebrovascular accidents (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No

Office Visit? Yes ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? Yes, 3 days

Extended hospital stay? No

Previous Vaccinations:
Other Medications:
Current Illness: Pt.
Preexisting Conditions:

Allergies: NKDA
Diagnostic Lab Data:
CDC Split Type:

Write-up: Aphasia CVA Rhythm IRRegulaR (CardovasculaR) ElEvated Troponin

VAERS ID: 997081 (history)
Form: Version 1.0

Age: 91.0
Sex: Female
Location: Wisconsin

 Vaccinated:
 2021-01-21

 Onset:
 2021-01-23

Days after vaccination: 2

Submitted: 2021-02-01

Days after onset: 9

Entered: 2021-02-01

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	037K20A / 1	LA / IM

Administered by: Other **Purchased by:** Public

Symptoms: Cerebrovascular accident

SMQs:, Ischaemic central nervous system vascular conditions (narrow), Haemorrhagic central nervous system vascular conditions (narrow), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? Yes

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:
Other Medications: unk
Current Illness: unk

Preexisting Conditions: unk

Allergies:

Diagnostic Lab Data:

CDC Split Type:

Write-up: Pt suffered stroke on 1-23-21, 2 days after getting vaccine.

VAERS ID: 993831 (history)
Form: Version 2.0

Age: 36.0 Sex: Female

Location: Massachusetts

Vaccinated: 2021-01-22 **Onset:** 2021-01-22

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-02-02

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL9261 / 1	LA / -

Administered by: Unknown Purchased by: ?

Symptoms: Cough, Dyspnoea, Pharyngeal swelling, Viral test negative

SMQs:, Anaphylactic reaction (broad), Angioedema (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions: Medical History/Concurrent Conditions: Fruit allergy

Allergies:

Diagnostic Lab Data: Test Date: 20210125; Test Name: Nasal Swab; Test Result: Negative

CDC Split Type: USPFIZER INC2021081619

Write-up: After I have the Pfizer vaccine, with 15 minutes I started having a small cough. The cough increased; my throat swollen; hard to breath; This is a spontaneous report from a contactable other hcp (patient). A 36-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (lot number: El9261) at left arm via an unspecified route of administration on 22Jan2021 15:00 at single dose for COVID-19 immunization. Medical history included known allergies: Apple, pear, peach, pineapple, mango, avocado and almonds. Concomitant medications included unspecified multivitamins. No other vaccine in four weeks. After patient had the bnt162b2, with 15 minutes she started

having a small cough on 22Jan2021 15:15. The cough increased, her throat swollen and hard to breath on 22Jan2021 15:15. The nurse immediately gave her the epi pen and Benadryl. She had to rush to the ER. When she got there, she needed to have the second round of epi pen and more Benadryl. Events resulted in life threatening illness (immediate risk of death from the event). No covid prior vaccination. The patient was not pregnant at time of vaccination. The patient underwent lab tests and procedures, which included Nasal Swab on 25Jan2021 with result of negative. The outcome of the events was recovering.; Sender"s Comments: Based on temporal association, a possible contributory role of BNT162B2 cannot be excluded for reported events cough, throat swelling and difficulty breathing. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

VAERS ID: <u>994015</u> (history)

Form: Version 2.0

Age: 77.0

Sex: Male

Location: Alabama

 Vaccinated:
 2021-01-26

 Onset:
 2021-01-28

Days after vaccination: 2

Submitted: 0000-00-00 **Entered:** 2021-02-02

Vaccination / ManufacturerLot / DoseSite / RouteCOVID19: COVID19 (COVID19 (MODERNA)) / MODERNA042L20A / 1RA / IM

Administered by: Private Purchased by: ?

Symptoms: Blood bicarbonate increased, Blood pH increased, Cardiac arrest, Endotracheal intubation, Hypoxic-ischaemic encephalopathy, PCO2 increased, PO2 abnormal, Pulseless electrical activity, Resuscitation, Syncope

SMQs:, Torsade de pointes/QT prolongation (broad), Anaphylactic reaction (broad), Angioedema (broad), Arrhythmia related investigations, signs and symptoms (broad), Ischaemic central nervous system vascular conditions (narrow), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (narrow), Acute central respiratory depression (broad), Noninfectious encephalopathy/delirium (narrow), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Cardiac arrhythmia terms, nonspecific (narrow), Hypotonichyporesponsive episode (broad), Respiratory failure (broad), Hypoglycaemia (broad), Infective pneumonia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, 5 days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: Pravastatin 20mg daily, omeprazole 40mg daily, lisinopril 10 mg daily, glimepiride 2 mg daily, donepezil 10 mg QHS, fish oil, niacin 100mg daily, Vit C 500mg daily, Vit E, multivitamin

Current Illness:

Preexisting Conditions: DM type 2, HTN, dementia, hyperlipidemia

Allergies: NKDA

Diagnostic Lab Data: ABG on arrival to ER 6.956/76.8/48.5/16.7 on 100% O2

CDC Split Type:

Write-up: Cardiac arrest of unknown etiology. Sudden collapse with PEA requiring CPR and

intubation. Now has severe anoxic encephalopathy and expect death.

VAERS ID: 994016 (history) Version 2.0 Form:

Age: 87.0 Sex: **Female** Location: Kentucky

Vaccinated: 2021-01-30 2021-02-01 Onset:

Days after vaccination: 2

Submitted: 0000-00-00 **Entered:** 2021-02-02

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL9265 / 1	RA / IM

Administered by: Private Purchased by: ?

Symptoms: Cerebral haemorrhage, Confusional state, Vomiting

SMQs:, Acute pancreatitis (broad), Haemorrhage terms (excl laboratory terms) (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Haemorrhagic central nervous system vascular conditions (narrow), Dementia (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Hypoglycaemia (broad)

Life Threatening? Yes Birth Defect? No Died? No **Permanent Disability?** No **Recovered?** No. Office Visit? No ER Visit? No ER or Doctor Visit? No

Hospitalized? Yes. ? davs

Extended hospital stay? No

Previous Vaccinations:

Other Medications:

Current Illness: None reported Preexisting Conditions: age related Allergies: Cipro, Prolia, Sulfa antibiotoics

Diagnostic Lab Data: CDC Split Type:

Write-up: Found confused, vomited, admitted and dx with ICH.

VAERS ID: 994111 (history)
Form: Version 2.0

 Age:
 74.0

 Sex:
 Female

 Location:
 Kentucky

 Vaccinated:
 0000-00-00

 Onset:
 2021-01-21

 Submitted:
 0000-00-00

 Entered:
 2021-02-02

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL33249 / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Asthenia, Chest X-ray abnormal, Chills, Dyspnoea, Lung opacity, Oxygen saturation, SARS-CoV-2 test positive

SMQs:, Anaphylactic reaction (broad), Interstitial lung disease (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Infective pneumonia (broad), Opportunistic infections (broad), COVID-19 (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? No.

ER Visit? No

ER or Doctor Visit? No

Hospitalized? Yes. ? days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Tylenol, Norvasc, Lipitor, Celexa, Calcium, Vitamin D2 Ferrous Sulfate, Flonase, zestoretic, Claritin, Relafen, protonix, synthroid

Current Illness:

Preexisting Conditions: HTN, GERD, Diverticulosis, hypothyroidism, chronic back pain,

osteoporosis, anxiety

Allergies: Azithromycin, Sulfa antibiotics

Diagnostic Lab Data: Positive for COVID 1/30/2021, Chest Xray + scattered groundglass

opacities throughout all lobes

CDC Split Type:

Write-up: Cant get her breath, intensely weak, chills.

VAERS ID: 994248 (history)
Form: Version 2.0

Age: 85.0
Sex: Female
Location: Kentucky

Vaccinated: 2021-01-29 **Onset:** 2021-02-02

Days after vaccination: 4

Submitted: 0000-00-00 **Entered:** 2021-02-02

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL9265 / 1	LA / IM

Administered by: Private Purchased by: ?

Symptoms: <u>Unevaluable event</u>

SMQs:

Life Threatening? Yes

Birth Defect? No Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? No

Hospitalized? Yes, ? days

Extended hospital stay? No

Previous Vaccinations:
Other Medications:

Current Illness: None listed Preexisting Conditions:

Allergies: NKA

Diagnostic Lab Data: CDC Split Type:

Write-up: None stated.

VAERS ID: 994261 (history)
Form: Version 2.0

 Age:
 39.0

 Sex:
 Male

Location: Tennessee

Vaccinated: 2021-01-27 **Onset:** 2021-01-31

Days after vaccination: 4

Submitted: 0000-00-00 **Entered:** 2021-02-02

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	-/2	-/-

Administered by: Private Purchased by: ?

Symptoms: Abdominal pain, Appendicectomy, Appendicitis, Computerised tomogram abnormal, Hepatic steatosis, Liver function test increased, Nausea

SMQs:, Liver related investigations, signs and symptoms (narrow), Hepatic failure, fibrosis and cirrhosis and other liver damage-related conditions (narrow), Acute pancreatitis (broad), Retroperitoneal fibrosis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 2 days Extended hospital stay? No

Previous Vaccinations:

Other Medications: Diovan HCT

Current Illness: None

Preexisting Conditions: Hypertension, Hyperglycemia

Allergies: None

Diagnostic Lab Data: Elevated LFT"s, CT findings: acute appendicitis and hepatic steatosis

CDC Split Type:

Write-up: Patient received first dose of Moderna Covid Vaccine on 12/28/2020, second dose on 01/27/2021. Treated on 01/31/2021 for abdominal pain and nausea, appendicitis. Patient admitted and taken in for appendectomy.

VAERS ID: 994376 (history)
Form: Version 2.0

Age: 21.0
Sex: Male
Location: Florida

Vaccinated: 2021-01-28 **Onset:** 2021-01-29

Days after vaccination: 1

 Submitted:
 0000-00-00

 Entered:
 2021-02-02

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	028L20A / 2	RA / SYR

Administered by: Private Purchased by: ?

Symptoms: Blood pressure increased, Blood test, Catheterisation cardiac, Echocardiogram,

Echocardiogram abnormal, Electrocardiogram, Myocardial infarction, Pulse abnormal,

Troponin

SMQs:, Neuroleptic malignant syndrome (broad), Myocardial infarction (narrow), Embolic and thrombotic events, arterial (narrow), Hypertension (narrow), Cardiomyopathy (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 2 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Zyretec 10 mg

Current Illness: No

Preexisting Conditions: Autism **Allergies:** Demerol, PCN, nuts, trees

Diagnostic Lab Data: Troponin blood work Electrocardiogram Echocardiogram Cardiac

catheterization CDC Split Type:

Write-up: Elevate blood pressure and pulse Abnormal EKG Mild heart attack

VAERS ID: 994454 (history)
Form: Version 2.0

Age: 19.0
Sex: Female
Location: Nebraska

 Vaccinated:
 2021-01-25

 Onset:
 2021-01-25

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-02-02

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) /	EK4176 /	LA / -
PFIZER/BIONTECH	1	LA/-

Administered by: Private Purchased by: ?

Symptoms: Anaphylactic reaction, Aphasia, Apparent life threatening event, Arthralgia, Chest discomfort, Chest pain, Decreased appetite, Dyspnoea, Fatigue, Feeling abnormal, Headache, Hypotension, Injection site pain, Injection site swelling, Loss of consciousness, Lymph node pain, Lymphadenopathy, Mobility decreased, Nausea, Pain, Pharyngeal swelling, Pyrexia, Speech disorder

SMQs:, Torsade de pointes/QT prolongation (broad), Anaphylactic reaction (narrow), Acute pancreatitis (broad), Angioedema (narrow), Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Anaphylactic/anaphylactoid shock conditions (narrow), Dementia (broad), Parkinson-like events (broad), Oropharyngeal

conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (narrow), Psychosis and psychotic disorders (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Extravasation events (injections, infusions and implants) (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Haemodynamic oedema, effusions and fluid overload (narrow), Cardiomyopathy (broad), Conditions associated with central nervous system haemorrhages and cerebrovascular accidents (broad), Neonatal disorders (broad), Hypotonichyporesponsive episode (broad), Generalised convulsive seizures following immunisation (broad), Hypersensitivity (narrow), Arthritis (broad), Respiratory failure (narrow), Tendinopathies and ligament disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (narrow), Hypoglycaemia (broad), Dehydration (broad), Hypokalaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? Yes
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? No

Previous Vaccinations:
Other Medications: HUMALOG; SPIRONOLACTONE; FLUVOXAMINE; XANAX XR

Current Illness:

Preexisting Conditions: Medical History/Concurrent Conditions: Celiac disease: COVID-19:

Heartburn; Type 1 diabetes mellitus

Allergies:

Diagnostic Lab Data: Test Date: 20210125; Test Name: blood pressure; Result Unstructured

Data: Test Result:low

CDC Split Type: USPFIZER INC2021071845

Write-up: Anaphylactic reaction; Throat was swollen shut, couldn't talk or breathe; Throat was swollen shut, couldn't talk or breathe; Throat was swollen shut, couldn't talk or breathe; loss of consciousness; brain fog; headache; fever; severe body aches and joint aches that make movement difficult; severe body aches and joint aches that make movement difficult; severe body aches and joint aches that make movement difficult; persistent chest pain/pressure; low blood pressure; some swollen and tender bilateral lymph nodes in my neck/trapezius/left (injection site) axillary region; fatigue; decreased appetite due to nausea; decreased appetite due to nausea; This is a spontaneous report from a contactable healthcare professional. A 19-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration at the left arm on 25Jan2021 08:45 at a single dose for COVID-19 immunization at a hospital. Medical history included type 1 diabetes mellitus, Celiac disease, COVID-19, and heartburn. Concomitant medication included insulin lispro (HUMALOG), spironolactone, fluvoxamine. and alprazolam (XANAX XR). The patient previously took gluten, magnesium, and iodine and experienced allergies. On 25Jan2021 09:00, patient had an anaphylactic reaction. Throat was swollen shut, couldn"t talk or breathe, loss of consciousness, brain fog, headache, fever, severe body aches and joint aches that make movement difficult, persistent chest pain/pressure, low blood pressure, and some swollen and tender bilateral lymph nodes in my neck/trapezius/left (injection site) axillary region, fatigue, and decreased appetite due to nausea. Patient had a doctor or healthcare professional visit, went to emergency room/department or urgent care, and was considered life threatening illness (immediate risk of death from the event). Events was treated with epinephrine, diphenhydramine (BENADRYL), paracetamol (TYLENOL) and had oxygen. Patient was not tested post vaccination. The patient is not pregnant. The patient has not recovered from the events.; Sender's Comments: There is a plausible time relationship between vaccine administration and onset of the events in a subject with allergic diathesis. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.

VAERS ID: 994455 (history) Version 2.0 Form:

Age:

Sex: Male

Location: **New Jersey**

Vaccinated: 2021-01-20 Onset: 2021-01-23

Days after vaccination: 3

Submitted: 0000-00-00 **Entered:** 2021-02-02

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	-/2	-/-

Administered by: Senior Living Purchased by: ? **Symptoms:** Cardiac arrest, Intensive care, Life support

SMQs:, Torsade de pointes/QT prolongation (broad), Anaphylactic reaction (broad), Arrhythmia related investigations, signs and symptoms (broad), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (narrow), Acute central respiratory depression (broad), Cardiomyopathy (broad), Respiratory failure (broad)

Life Threatening? Yes Birth Defect? No Died? No Permanent Disability? No Recovered? No Office Visit? No ER Visit? No. ER or Doctor Visit? No Hospitalized? Yes, ? days Extended hospital stay? No **Previous Vaccinations:**

Other Medications:

Current Illness:

Preexisting Conditions:

Allergies:

Diagnostic Lab Data:

CDC Split Type: USPFIZER INC2021077474

Write-up: cardiac arrest; This is a spontaneous report from a contactable consumer. An elderly (older that 65-years-old) male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot number unknown), via an unspecified route of administration on 20Jan2021 as the second single dose for covid-19 immunization. The patient"s medical history and concomitant medications were not reported. He was reported as with unspecified health issues, and no known allergies. The patient previously received BNT162B2 for immunization, on an unspecified date. The patient experienced cardiac arrest on 23Jan2021, at 20:30, which was serious as it was life-threatening and involved hospitalization (in the intensive care unit (ICU)). Details were as follows: after the patient received the 2nd dose of the vaccine on 20Jan2021. The reporter indicated that he was released to go on 23Jan2021. The patient went into cardiac arrest. Therapeutic measures were taken as a result of cardiac arrest. The patient was reported as in the ICU, and critical on life support. There was no note of COVID prior to vaccination. It was unknown if the patient has had a COVID tested post vaccination. The outcome of cardiac arrest was not recovered. The batch/lot number for the vaccine, BNT162B2, was not provided and will be requested during follow-up.

VAERS ID: 994756 (history)
Form: Version 2.0

Age:

Sex: Female Location: Michigan

Vaccinated: 2021-01-15 **Onset:** 2021-01-16

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-02-02

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / UNK	-/-

Administered by: Unknown Purchased by: ?

Symptoms: <u>Asthenia, Chest pain, Dyspnoea, Dyspnoea exertional, Headache, Imaging procedure abnormal, Myalgia, Pericarditis</u>

SMQs:, Rhabdomyolysis/myopathy (broad), Anaphylactic reaction (broad), Systemic lupus erythematosus (broad), Malignancy related therapeutic and diagnostic procedures (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Chronic kidney disease (broad), Tendinopathies and ligament disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Immune-mediated/autoimmune disorders (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes. ? days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Current Illness:

Preexisting Conditions: Jone

Allergies: None

Diagnostic Lab Data: CDC Split Type:

Write-up: My mom who is 75 had an adverse reaction on from the COVID vaccine she took on Jan 15, 2021. She went to bed at night and woke up at 4 AM with a severe headache. She took Aleve and went back to bed. When she woke up at 8:30 AM her headache was very severe and was accompanied with very severe chest pain. I immediately took her to the ER. They did a very thorough work up to check on her heart and Aorta. They managed her severe pain with two doses of morphine followed by two days of Dilaudid. The imaging and symptoms left her with a newly discovered diagnosis of Pericarditis. The medical professions were sure this was a result of the COVID vaccine. They continued to treat her for a few days and sent her home with anti inflammatories to help. She continues to have muscle pain, weakness and shortness of breath when she walks. She is scheduled to take her 2nd dose on February 5th but we are very concerned and hesitant as we don"t want to cause any more damage to her heart. Please have somebody contact us and let us know how to proceed. Thanks.

VAERS ID: 994907 (history)
Form: Version 2.0

Age: 65.0
Sex: Male
Location: California

Vaccinated: 2021-01-25 **Onset:** 2021-01-26

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-02-02

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (MODERNA)) / MODERNA	80777-273-99 / UNK	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Acute kidney injury, Atrial fibrillation, Atrial flutter, Blood lactic acid, Cardiac failure chronic, Cardiac failure congestive, Condition aggravated, Echocardiogram, Lactic acidosis, Pneumonia aspiration, Troponin increased

SMQs:, Rhabdomyolysis/myopathy (broad), Acute renal failure (narrow), Cardiac failure (narrow), Lactic acidosis (narrow), Hyperglycaemia/new onset diabetes mellitus (broad), Myocardial infarction (narrow), Supraventricular tachyarrhythmias (narrow), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (broad), Torsade de pointes, shock-associated conditions (broad), Hypovolaemic shock conditions (broad), Toxic-septic shock conditions (broad), Anaphylactic/anaphylactoid shock conditions (broad), Hypoglycaemic and neurogenic shock conditions (broad), Cardiomyopathy (broad), Tumour lysis syndrome (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Dehydration (broad)

Birth Defect? No

Died? No.

Permanent Disability? No

Recovered? No Office Visit? No

ER Visit? No

ER or Doctor Visit? No Hospitalized? Yes. 5 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: lasix, florinef, atorvastatin, glipizide, amlodipine, hydralazine, losartan,

metoprolol XL, aspirin, Vitamin D

Current Illness: HFrEF, DM, CKD, HTN, anemia, dysphagia

Preexisting Conditions: HFrEF, DM, CKD, HTN, anemia, dysphagia

Allergies: clonidine

Diagnostic Lab Data: troponin, lactic acid, echocardiogram

CDC Split Type:

Write-up: CHF exacerbation with new a fib/flutter, and AKI, elevated troponin, aspiration

pneumonia, lactic acidosis

VAERS ID: 994961 (history) Version 2.0 Form:

Age: 81.0 Sex: Male

Location: North Dakota

Vaccinated: 2021-01-27 2021-01-28 Onset:

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-02-02

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	057G20A / 2	- / IM

Administered by: Senior Living **Purchased by: ?**

Symptoms: Asthenia, Confusional state, Lethargy, Myocardial infarction, Urine analysis

SMQs:, Neuroleptic malignant syndrome (broad), Myocardial infarction (narrow),

Anticholinergic syndrome (broad), Dementia (broad), Embolic and thrombotic events, arterial (narrow), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Hypoglycaemia (broad)

Life Threatening? Yes Birth Defect? No Died? No **Permanent Disability?** No **Recovered?** Yes Office Visit? No ER Visit? No ER or Doctor Visit? No

Hospitalized? Yes, 2 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Acetaminophen, Allegra, Aspirin, Atorvastatin, Budesonide Inhalation solution, Cyancobalamin 500mcg, Docusate capsule, Ferrex, Flonase, Furosemide, Gabapentin, Humulin, Ipratroprium-Albuterol Solution, Levothyroxine, Lorazepam, Metoprolol,

Current Illness: Tested positive for Listeria in urine on 1/21/21

Preexisting Conditions: COPD, Rheumatoid arthritis, Major depressive disorder, athlerosclerotic heart disease, emphysema, hypertension, GERD, DMII, diarrhea, COVID-19 prior infection

Allergies: Ceftriaxone, Levofloxacin

Diagnostic Lab Data: CDC Split Type:

Write-up: T 99.8, R 44, O2 94%, Pulse 132, Bp 199/82. Patient lethargic, confused, weak. Sent to local ED, and ED reported resident had MI and was transferred to another hospital for further workup. Patient tested positive for Listeria in urine at local ED as well, which may have contributed to this reaction.

VAERS ID: 995017 (history)
Form: Version 2.0

Age: 45.0 Sex: Male

Location: Minnesota

Vaccinated: 2021-01-12 **Onset:** 2021-01-28

Days after vaccination: 16

Submitted: 0000-00-00 **Entered:** 2021-02-02

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) /	MODERNA 037K20A / 1	LA / IM

Administered by: Other Purchased by: ?

Symptoms: Chest pain, Computerised tomogram abnormal, Fibrin D dimer increased, Pulmonary embolism, Thrombosis

SMQs:, Haemorrhage laboratory terms (broad), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), Embolic and thrombotic events, venous (narrow), Thrombophlebitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Cardiomyopathy (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No

ER Visit? No.

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:
Other Medications: None
Current Illness: None

Preexisting Conditions: None

Allergies: None

Diagnostic Lab Data: 1/28/2021---CT Scan of chest and D-Dimer test

CDC Split Type:

Write-up: On 1/28/2021 at 0545 hours as I was on my way into work when I started to have severe right side chest pain, so much so that I had to pull over. Shortly thereafter ambulance arrived on scene at which time it was determined that I would be transported to the hospital. Once there, a series of tests were conducted, one of which was a D-Dimer blood test to rule out blood clots. That resulted in an elevated count to which a CT scan was ordered. The result of the CT scan revealed that I had 2 Pulmonary Embolisms, one in the upper lobe of my right lung and one in the middle lobe of my right lung. Due to me being what the doctors said was a healthy 45 year old with no underlying conditions or signs of DVT (deep vein thrombosis) they deemed me low risk at that time and advised I was at low risk of dying in the next 30days. However, they advised that at any time, the clot could possibly become dislodged and cause worse problems, possibly death if time is not given to the body to dissolve the clots. Ultimately it was determined that I be discharged and prescribed blood thinning medications to help thin the blood to prevent further clotting should I have a clotting issue (undetermined at this time).

VAERS ID: 995140 (history)
Form: Version 2.0

Age: 87.0
Sex: Female
Location: California

 Vaccinated:
 2021-01-15

 Onset:
 2021-01-15

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-02-02

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / 1	LA / OT

Administered by: Private Purchased by: ?

Symptoms: Aggression, Apparent life threatening event, Delusion, Diet refusal, Mental disorder, Refusal of treatment by patient

SMQs:, Dementia (broad), Acute central respiratory depression (narrow), Psychosis and psychotic disorders (narrow), Noninfectious encephalopathy/delirium (broad), Hostility/aggression (narrow), Neonatal disorders (broad), Respiratory failure (narrow)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? No

Previous Vaccinations:

Other Medications: LASIX [FUROSEMIDE]; AMLODIPINE; LOSARTAN; SERTRALINE;

NORTRIPTYLINE; METHAZOLAMIDE; SEROQUEL; DORZOLAMIDE; SPIRIVA; ALVESCO; ALBUTEROL [SALBUTAMOL]; CARVEDILOL; CALCIUM MAGNESIUM [CALCIUM;MAGNESIUM]; IRON; TURMERIC [CURCUMA LONGA]; CLARITIN

Current Illness:

Preexisting Conditions: Medical History/Concurrent Conditions: Angina pectoris; Chronic heart failure; CVA; Depression; Emphysema

Allergies:

Diagnostic Lab Data:

CDC Split Type: USPFIZER INC2021071865

Write-up: Delusional and confrontational; Unable to take meds or eat; Seemed to be having a mental breakdown; Constantly obsessing over minutia that was not pertinent to what she is being asked to do; She gets very upset and anxious and angry; This is a spontaneous report from a contactable nurse. An 87-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number/expiration date not reported), intramuscular (left arm) on 15Jan2021 13:30 at a single dose for COVID-19 immunization. Medical history included depression, cerebrovascular accident (CVA), chronic heart failure (CHF), emphysema, and angina, all from unknown dates and unknown if ongoing. Concomitant medication included furosemide (LASIX), amlodipine, losartan, sertraline, nortriptyline, methazolamide, quetiapine fumarate (SEROQUEL), dorzolamide, tiotropium bromide (SPIRIVA), ciclesonide (ALVESCO), albuterol (ALBUTEROL [SALBUTAMOL]), carvedilol, calcium magnesium, iron, curcuma longa (TURMERIC), clarithromycin (CLARITIN), magnesium citrate, cyanocobalamin (B 12), paracetamol (TYLENOL), estradiol (ESTRACE), d-mannose, vitamin D3. Concomitant medication also includes multivitamin, and stool softeners. It was reported that on 15Jan2021 at 15:30 the patient became delusional and confrontational and unable to take meds or eat. The patient seemed to be having a mental breakdown. No physician (MD) in ER would address the issue. It happened approximately two hours after the vaccine. She will not eat or take meds; she is constantly obsessing over minutia that was not pertinent to what she is being asked to do. For example, she comes up with steps she needs to take before she can eat, but she doesn"t know them, so she gets very upset and anxious and angry. The events were assessed as lifethreatening. The outcome of the events was unknown. Information on the Batch/Lot number has been requested.; Sender's Comments: A possible contributory role of the suspect products cannot be excluded for the reported events based on the known safety profile and temporal association. However high age of the patient and underlying medical conditions cannot be ruled out a contributory factors The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators as appropriate.

VAERS ID: 995223 (history)
Form: Version 2.0

Age:

Sex: Male Location: Unknown

Vaccinated: 2021-01-15 **Onset:** 2021-01-17

Days after vaccination: 2

Submitted: 0000-00-00

Entered: 2021-02-02

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	-/1	- / OT

Administered by: Unknown Purchased by: ?

Symptoms: <u>Heart rate decreased</u>, <u>Loss of consciousness</u>

SMQs:, Torsade de pointes/QT prolongation (broad), Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Hypotonic-hyporesponsive episode (broad), Generalised convulsive seizures following immunisation (broad), Hypoglycaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, ? days
Extended hospital stay? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions: Medical History/Concurrent Conditions: No adverse event (No

adverse event was reported)

Allergies:

Diagnostic Lab Data: Test Name: Heart Rate; Result Unstructured Data: 20 heart beats per

minute

CDC Split Type: USMODERNATX, INC.MOD20210

Write-up: Passed out; Low heart rate; Possible pneumonia; A spontaneous report was received from a consumer concerning an 84-year-old male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced passed out, low heart rate, and possible pneumonia. The patient's medical history was not reported. There were no concomitant medications provided. On 15 Jan 2021, the patient received the first of two planned doses of mRNA-1273 (Lot # unknown) intramuscularly, for prophylaxis of COVID-19 infection. On 17 Jan 2021, the patient was hospitalized for passed out, low heart rate, and possible pneumonia. The reporter's mom found the patient passed out on the floor. It was thought he may have passed out about 4 or 5pm. The patient was taken to the emergency room (ER) via ambulance. At that time his heart rate was 20 bpm. Physicians said he may have pneumonia. It was noted the patient still works and walks miles every day. The patient was still hospitalized at the time of this report. There was no treatment information provided. Action taken with mRNA-1273 in response to the event was not provided. The outcome for the events of passed out, low heart rate, and possible pneumonia was unknown at the time of this report.; Reporter''s Comments: This case concerns a 84 year old male patient who experienced a serious unexpected events of passed out, low heart rate, and possible pneumonia. The event occurred 2 days 7 hours after first dose of the vaccine. Very limited information regarding the events has been provided at this time. Based on temporal association between the use of the product and the start date of the event/s, a causal relationship cannot be excluded.

VAERS ID: 995346 (history)
Form: Version 2.0

Age: 61.0
Sex: Male
Location: Illinois

 Vaccinated:
 2021-01-05

 Onset:
 2021-01-27

Days after vaccination: 22

Submitted: 0000-00-00 **Entered:** 2021-02-02

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	039K20A / 1	LA / IM
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	038K20A / 2	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Blood test, Chest discomfort, Computerised tomogram thorax, Deep vein thrombosis, Echocardiogram, Electrocardiogram, Insomnia, Myocardial necrosis marker, Painful respiration, Pulmonary embolism, Scan with contrast, Sleep disorder, Ultrasound scan, Ventilation/perfusion scan

SMQs:, Anaphylactic reaction (broad), Embolic and thrombotic events, venous (narrow), Thrombophlebitis (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No

ER Visit? No

ER or Doctor Visit? No Hospitalized? Yes, 4 days

Extended hospital stay? No

Previous Vaccinations:
Other Medications: none
Current Illness: none

Preexisting Conditions: none **Allergies:** CT die marker

Diagnostic Lab Data: QV, CT chest, CT with die marker, EKG, ultrasound both legs, cardiac

echo, cardiac enzymes, numerous other blood work, etc.

CDC Split Type:

Write-up: Tightness in chest several times about 1 week and 2 weeks after 1st round. Difficulty sleeping on left side 20 and 21 days following 1st round. Severe pain with inhaling AM of 22 day. Diagnosed at ER Hospital, with DVT left calf and PE both lungs. On Heparin IV for 4 days inpatient. Now on Eloquis 10mg BID for a week, 5mg BID thereafter.

VAERS ID: 995380 (history)
Form: Version 2.0

Age: 79.0
Sex: Female
Location: Maryland

Vaccinated: 2021-01-30 **Onset:** 2021-01-30

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-02-02

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / UNK	LA/SYR

Administered by: Unknown Purchased by: ?

Symptoms: Blood test, Electrocardiogram, Palpitations, Tongue disorder

SMQs:, Arrhythmia related investigations, signs and symptoms (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Cardiomyopathy (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Irbesartan, Amlodipine, Atenolol, Simvastatin, Methylprednisolone, Aspirin 325mg, Potassium, Tylenol extra strength, Aspercreme, Vitamin D3, Calcium.

Current Illness: Sciatica and groin pain.

Preexisting Conditions: Lower back pain. High blood pressure

Allergies: Ciprofloxacin

Diagnostic Lab Data: EKG, blood test on 01/30/2021 in hospital.

CDC Split Type:

Write-up: Chest palpitations, thickness of tongue. Medic administered epinephrine injection and benadryl though IV in arm in tent on site. Taken by ambulance to hospital and observed for over 4 hours.

VAERS ID: 995415 (history)
Form: Version 2.0

Age: 57.0
Sex: Female
Location: Texas

 Vaccinated:
 2021-01-22

 Onset:
 2021-01-27

Days after vaccination: 5

Submitted: 0000-00-00

Entered: 2021-02-02

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	041L20A / 2	RA / IM

Administered by: Private **Purchased by:** ?

Symptoms: Allodynia, Ammonia normal, Angiogram, Arteriogram coronary normal, Asthenia, Bladder catheterisation, Blood creatine phosphokinase normal, Blood culture negative, Blood glucose normal, Blood lactic acid normal, CSF culture negative, CSF glucose normal, CSF protein increased, CSF white blood cell count increased, Chest X-ray normal, Communication disorder, Computerised tomogram abdomen normal, Computerised tomogram head normal, Confusional state, Cortisol normal, Culture urine negative, Diarrhoea, Disorientation, Drug screen negative, Dysstasia, Electroencephalogram normal, Fibrin D dimer increased, Full blood count normal, Gait disturbance, Hypersomnia, Hypotension, Hypoxia, Intensive care, Lethargy, Lumbar puncture normal, Magnetic resonance imaging brain, Magnetic resonance imaging normal, Malaise, Metabolic function test, Metabolic function test normal, Mobility decreased, Movement disorder, Pyrexia, Respiratory viral panel, SARS-CoV-2 test negative, Somnolence, Stool analysis normal, Unresponsive to stimuli, Urine analysis, Urine output decreased, Viral test negative, Vomiting, White blood cell count increased

SMQs:, Acute renal failure (broad), Anaphylactic reaction (broad), Acute pancreatitis (broad), Asthma/bronchospasm (broad), Peripheral neuropathy (broad), Haemorrhage laboratory terms (broad), Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (narrow), Retroperitoneal fibrosis (broad), Dementia (broad), Pseudomembranous colitis (broad), Akathisia (broad), Dyskinesia (broad), Dystonia (broad), Parkinson-like events (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Eosinophilic pneumonia (broad), Depression (excl suicide and self injury) (broad), Hypotonic-hyporesponsive episode (broad), Chronic kidney disease (broad), Noninfectious diarrhoea (narrow), Respiratory failure (broad), Tendinopathies and ligament disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (narrow), Hypoglycaemia (broad), Infective pneumonia (broad), Dehydration (broad), Hypokalaemia (broad), COVID-19 (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, 6 days
Extended hospital stay? No
Previous Vaccinations:

Other Medications: 1200 mg calcium with vitamin D

Current Illness: none

Preexisting Conditions: none

Allergies: None

Diagnostic Lab Data: In emergency department Thursday (1/28) evening from 1800 to approximately 2300, patient had blood work including CBC, CMP, lactic acid, d-dimer, CK, ammonia, blood cultures, urinalysis, COVID swab, Respiratory virus panel swab, lumbar puncture, CT of head, CT abdomen, CTA chest, chest x-ray performed. Abnormal results: D-dimer resulted slightly elevated at 0.55 (normal high rage 0.50). CSF testing included

meningitis/encephalitis panel, cell count, glucose, and culture. Protein in CSF and WBC (60) were slightly elevated. All other results came back negative and were within normal limits including blood cultures, urine culture, and CSF culture. All radiologic tests were negative. A repeat panel for HSV meningitis on CSF is still pending results on 2/2. On Friday (1/28), she had a head MRI (negative) and an EEG (negative). Infectious disease physician added further testing (afternoon of 1/28) on CSF including HIV, RPR, west nile virus, cryptococcal, and legionella (all negative) and pulmonologist added UDS and cortisol levels (negative and WNL). Once she started having diarrhea, she had a stool study completed on (2/1) which was negative for pathogens. Each morning from 1/29-2/2 she had CBC and CMP drawn which remained normal throughout stay.

CDC Split Type:

Write-up: Patient felt unwell and had a fever on Wednesday (1/27) and went home early from work. On Thursday morning (1/28), she threw up once and then laid down to rest. Her son reported seeing her that morning with the episode of emesis prior to her getting on the couch. Son reports that when he came home at 5pm, she was asleep on the couch. Teenage daughter reports patient had been asleep on couch all day. Son tried to wake patient up and she was disoriented and lethargic. Daughter (reporter) was contacted to come see patient and on arrival to house (5;45pm), noted patient was confused, lethargic, febrile (104), and hypoxic at 83% on room air with portable pulse oximeter. Patient was able to stand and ambulate to car with assistance and was driven to Emergency Department for evaluation. At emergency department, patient was hypotensive 80/40s but was able to increase blood pressure with 3 L of normal saline to blood pressure of 90/50s. See all tests performed and results below. Patient received antibiotics, anti-virals and tylenol for fever of 102.7 while in emergency department. She was admitted to ICU that evening at approximately 11pm and had a foley catheter placed overnight due to decreased urine output, patient continued to have low blood pressure through morning of 1/28 and was placed on levophed for blood pressure control at approx 10 am. Her blood pressures continued to improve through afternoon and levophed was titrated down and then discontinued around 4pm. She continued to received antibiotics for 24 hours after initiation and continued acyclovir during course of hospitalization and is still receiving doses on 2/2. Patient's initial mental status was confused, lethargic, and unable to communicate. She was intermittently oriented to herself only and would not follow commands. She would localize painful stimuli. Her mental status began to improve on Saturday when she started to become more awake but was still unable to follow commands or communicate clearly. She was moved from ICU to IMCU (step down unit) on Saturday once mental status was improving and blood pressure was stabilized. Her mental status continued to improve from Saturday 1/30 to Tuesday 2/2 (current). She began to have diarrhea on Saturday afternoon that continued through Monday and occurred every 1-2 hours. She was unable to stand or move body on her own and had to be assisted by staff to be cleaned. She remained awake and alert and was able to get up and walk on Monday and began to eat. She continued acyclovir treatment pending HSV meningitis panel PCR results (still pending currently 2/2). Mental status not currently at baseline but continuing to improve. She is also still experiencing generalized weakness. Hospitalist team and infectious disease doctors report she should be discharged tomorrow (2/3). No source for confusion and hypotension has been found at this time. Physician team think HSV is unlikely but awaiting final diagnosis until test is resulted.

VAERS ID: 995462 (history)
Form: Version 2.0

Age: 71.0 Sex: Male

Location: North Carolina

 Vaccinated:
 2021-01-27

 Onset:
 2021-01-30

Days after vaccination: 3

Submitted: 0000-00-00 **Entered:** 2021-02-02

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL3247 / 1	LA / SYR

Administered by: Public Purchased by: ?

Symptoms: Blood sodium decreased, Confusional state, Seizure

SMQs:, Neuroleptic malignant syndrome (broad), Systemic lupus erythematosus (broad), Anticholinergic syndrome (broad), Dementia (broad), Convulsions (narrow), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Hyponatraemia/SIADH (narrow), Generalised convulsive seizures following immunisation (narrow), Chronic kidney disease (broad), Hypoglycaemia (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? No ER Visit? No

ER or Doctor Visit? No Hospitalized? Yes, 3 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Atorvastatin, vitamin C, multivitamin

Current Illness: None

Preexisting Conditions: High Cholesterol

Allergies: None

Diagnostic Lab Data: In patient hospital

CDC Split Type:

Write-up: Seizure, low sodium, confusion

VAERS ID: 995629 (history)
Form: Version 2.0

Age: 32.0
Sex: Female
Location: New York

 Vaccinated:
 2021-01-29

 Onset:
 2021-01-29

Days after vaccination: 0

 Submitted:
 0000-00-00

 Entered:
 2021-02-02

Vaccination / Manufacturer	Lot / Dose	Site / Route
----------------------------	------------	--------------

COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA 004M20A / 2 LA / IM

Administered by: Private Purchased by: ?

Symptoms: Abdominal pain, Anaphylactic reaction, Angioedema, Dysphonia, Headache,

Pharyngeal swelling, Swelling, Swollen tongue, Throat irritation, Tongue pruritus

SMQs:, Anaphylactic reaction (narrow), Acute pancreatitis (broad), Angioedema (narrow), Retroperitoneal fibrosis (broad), Anaphylactic/anaphylactoid shock conditions (narrow), Parkinson-like events (broad), Oropharyngeal allergic conditions (narrow), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Haemodynamic oedema, effusions and fluid overload (narrow), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Prednisone 40 mg po, Benadryl 25 mg PO, Pepcid 20 mg, Symbicort

and Qvar. PRN "Triptan" for migraines

Current Illness: 1/14- hypokalemia, asthma exacerbation,

Preexisting Conditions: Asthma, Migraine, Heart murmur Mitral and Pulmonary, IBS

Allergies: None.

Diagnostic Lab Data: None

CDC Split Type:

Write-up: Pt. with known allergic type reaction after first dose of vaccine, discussed getting the 2nd vaccine by intensivist and pulmonologist and was advised to go ahead and get second vaccine. 1st vaccine Reaction: Itchiness of entire body, fatigue, tongue "felt funny," stomach cramping. She was premedicated with Prednisone 40 mg po, Benadryl 25 mg po, Pepcid 20 mg morning of vaccine. Pt. was administered vaccine at 12:15 am and at 12:40, she started to have tongue and throat itching, swelling, voice change, H/A and abd. pain. Medical first response was called and Dr. (Anesthesia) and FNP was present on-site at 12:41 Epi 0.3 mg sq was given. Additional 50 mg IM of Benadryl was also administered. Pt. was transported to ED via wheelchair and found to have angioedema and dx of anaphylaxis. Pt. was administered Benadryl IV, Pepcid IV, Solu-Medrol IV, Epi IV was administered in the ED due to persistent angioedema. She was discharge home same day at 16:03 and asked to f/u with PCP in1-3 days. 2/2/21- Still on prednisone, pepcid and Zrytec. Tongue still feels itchy and a little swollen, but overall feeling well.

VAERS ID: 995724 (history)
Form: Version 2.0

Age: 37.0
Sex: Male
Location: Arizona

Vaccinated: 2021-01-19

Onset: 2021-01-27

Days after vaccination: 8

Submitted: 0000-00-00 **Entered:** 2021-02-02

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL1283 / 2	LA / IM

Administered by: Public Purchased by: ?

Symptoms: Acute myocardial infarction, Blood test, Catheterisation cardiac, Chest pain, Echocardiogram, Electrocardiogram, Headache, Pain in extremity

SMQs:, Myocardial infarction (narrow), Embolic and thrombotic events, arterial (narrow), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Cardiomyopathy (broad), Tendinopathies and ligament disorders (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? Yes, 2 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: acetaminophen, ibuprofen

Current Illness: none

Preexisting Conditions: High cholesterol

Allergies: none

Diagnostic Lab Data: EKG - 1/27/2021; Echocardiogram - 1/27/2021; Cardiac catheterization

- 1/27/2021: various blood draws - 1/27/2021 and 1/28/2021

CDC Split Type:

Write-up: A couple days later I began experiencing a slight sore arm. Several days later I had a constant headache. Around January 25 I began experiencing non-stop chest pain and on January 27 woke up with severe pain in my arm. I went to the emergency room and was diagnosed with an NSTEMI.

VAERS ID: 995859 (history)
Form: Version 2.0

Age: 55.0
Sex: Female
Location: Arkansas

Vaccinated: 2021-01-07 **Onset:** 2021-01-07

Days after vaccination: 0

 Submitted:
 0000-00-00

 Entered:
 2021-02-02

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	PFREJ1685 / 2	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Burning sensation, Chest pain, Computerised tomogram head,

Electrocardiogram, Heart rate increased, Laboratory test, Magnetic resonance imaging,

Magnetic resonance imaging neck, Tremor

SMQs:, Peripheral neuropathy (broad), Neuroleptic malignant syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Parkinson-like events (broad), Noninfectious encephalopathy/delirium (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Cardiomyopathy (broad), Hypoglycaemia (broad), Dehydration (broad)

Life Threatening? Yes Birth Defect? No Died? No

Permanent Disability? No

Recovered? No Office Visit? Yes ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 2 days Extended hospital stay? No

Previous Vaccinations:

Other Medications: Travoprost

Current Illness: None

Preexisting Conditions: High eye pressures

Allergies: Penicillin, sulfa, zoloft,

Diagnostic Lab Data: Ct head. MRI has, labs, ekg on 1/28 MRI neck labs, on 30

CDC Split Type:

Write-up: Shaking, burning in arm, leg chest face, rapid heart rate

VAERS ID: 995978 (history)
Form: Version 2.0

Age: 54.0
Sex: Female
Location: New York

 Vaccinated:
 2021-01-29

 Onset:
 2021-01-29

Days after vaccination: 0

 Submitted:
 0000-00-00

 Entered:
 2021-02-02

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	004M20A / 2	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Dysphagia, Hot flush, Hyperhidrosis, Pallor, Palpitations, Pharyngeal swelling,

Throat tightness

SMQs:, Anaphylactic reaction (broad), Angioedema (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Cardiomyopathy (broad), Hypotonic-hyporesponsive episode (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? No
Previous Vaccinations:

Other Medications: Benadryl 25mg IM

Current Illness: 1/11/2021 Chest Pain r/o CAD 1/21/2021 GERD, Constipation

Preexisting Conditions: GERD, OSA, HLD, r/o CAD

Allergies: NKDA at the time Diagnostic Lab Data: none

CDC Split Type:

Write-up: Patient with a subjective complaint after first covid vaccine where patient felt a hot flushed feeling across chest and throat and face of which patient did not self medicate nor seek treatment. Patient was given Benadryl 25mg IM pre vaccination at 12:39pm, vaccine given at 1:00pm and while being observed by vaccination team, patient become diaphoretic, pale, "throat tightness" that was appreciated to be swollen, and difficulty swallowing at 1:11pm at which point Epinephrine 0.3mg was given IM to L anterior thigh. Patient"s vitals were the following: BP 148/86, HR 124 bpm. After epinephrine, patient"s throat swelling and breathing much improved, and able to swallow. Patient was then transported to ED in wheelchair via wheelchair. Patient was given Dexamethasone 10mg IV, Pepcid 20mg IV, and Benadryl 25mg IV. Only complaint that patient had during ED visit was palpitations of which HR did regulate to 86 bpm, BP 149/70. Patient was discharged on 1/29/2021 at around 4:50pm as patient was fully asymptomatic and able to ambulate on own. Sent home with prednisone 40mg po daily x 7 days, pepcid and benadryl otc. Advised to f/u with PCP in 1-2 days and suggested possible allergy testing.

VAERS ID: 996053 (history)
Form: Version 2.0

Age: 42.0
Sex: Female
Location: Arizona

 Vaccinated:
 2021-01-01

 Onset:
 2021-01-26

Days after vaccination: 25

Submitted: 0000-00-00

Entered: 2021-02-02

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / UNK	LA / -

Administered by: Other Purchased by: ?

Symptoms: Facial paralysis, Rash

SMQs:, Anaphylactic reaction (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious meningitis (broad), Hearing impairment (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? Yes ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications: Water pill

Current Illness: None

Preexisting Conditions: None

Allergies: Pcn

Diagnostic Lab Data: MRI scheduled for tomorrow

CDC Split Type:

Write-up: After first vaccine had LR rash after second vaccine had Bell?s palsy possible

stroke

VAERS ID: 996058 (history)
Form: Version 2.0

Age: 97.0
Sex: Female
Location: New York

Vaccinated: 2021-01-31 **Onset:** 2021-02-01

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-02-02

Vaccination / Manufacturer	Lot / Dose	Site / Route	
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / UNK	AR/SYR	

Administered by: Public Purchased by: ?
Symptoms: Dizziness, Fall, Hip fracture, Syncope

SMQs:, Torsade de pointes/QT prolongation (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Accidents and injuries (narrow), Cardiomyopathy (broad), Vestibular disorders (broad), Osteoporosis/osteopenia

(broad), Hypotonic-hyporesponsive episode (broad), Hypoglycaemia (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? Yes

Recovered? No

Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? Yes, 5 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: diuretic (high bp medication); liquid morphine for arthritis pain; CIPRO

antibiotic for cystitis

Current Illness: urinary infection (recent--one week);

Preexisting Conditions: osteoarthritis; osteoporosis; acid reflux; joint pain

Allergies: none

Diagnostic Lab Data: Emergency transport by ambulance to Hospital, where she was

diagnosed with a broken hip and is scheduled for surgery on 2/3/21.

CDC Split Type:

Write-up: My mother fainted on the night she was vaccinated, early in the morning. She had gone to the kitchen to get a heating pad and felt faint while standing She didn"t make it to a chair, but fell and broke her hip. While this could have been due to another health problem, my mother had never had a fall or a near-fall. it is concerning that very old adults are not warned to have someone with them after receiving the vaccine (for instance, overnight), I realize that the vaccine has not been studied specifically in geriatric populations, but it is realistic to assume that there are substantial numbers of very old people living on their own, particularly in cities where there is no need to drive, and where food and other necessities can be delivered. There should be a warning to people that they should not be alone after receiving the vaccine.

VAERS ID: <u>996372</u> (history)

Form: Version 2.0 Age: 60.0

Sex:

Location: California

Vaccinated: 2020-12-31 **Onset:** 2021-01-14

Days after vaccination: 14

Male

 Submitted:
 0000-00-00

 Entered:
 2021-02-02

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	025L20A / 1	RA / -

Administered by: Pharmacy Purchased by: ?

Symptoms: Blood test, Colonoscopy, Computerised tomogram abdomen, Diarrhoea haemorrhagic, Electrocardiogram, Gastrointestinal haemorrhage, Impaired work ability, Near death experience, Surgery, Tachycardia

SMQs:, Haemorrhage terms (excl laboratory terms) (narrow), Neuroleptic malignant

syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Pseudomembranous colitis (broad), Gastrointestinal haemorrhage (narrow), Ischaemic colitis (broad), Noninfectious diarrhoea (narrow), Dehydration (broad)

Life Threatening? Yes Birth Defect? No Died? No **Permanent Disability?** No Recovered? No Office Visit? Yes ER Visit? No ER or Doctor Visit? Yes Hospitalized? Yes, 3 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Avalide 150/12 tab, Cosyntex 150 sub-Q every 10 days,, Toprol XL 50mg, Flomax 0.4mg, Claritin 10mg, Norco 10/325 prn, soma 350 prn, Celebrex 200 daily, Vit C 1000mg QD, Vit E 5000K QD, Phyto-Multi vit from Metagenics QD,

Current Illness: none

Preexisting Conditions: Ankylosing Spondylitis, Mild Hypertension, Hyperlipidemia, Lower Back fusion (with hardware 1999).

Allergies: Thimerasol (Mercuric perservative), Lanolin, Lipitor

Diagnostic Lab Data: EKG, Colonoscopy, X blood tests, abdominal CT scan, and I have

more tests to follow **CDC Split Type:**

Write-up: On 1/14/2021 (about 14 days from dose # 1) Tachycardia of unknown origin, 120 BPM for 6 hours, Called Cardiologist and was seen @ MD next business day, and given EKG and Bystolic 10 MG to "add" to daily regimin IF it returned. It retuned to normal after 6 hours, and then occurred again 1 week later...for 6 hours. I took Bystolic, and about 8 hours later it returned to baseline (about 62/min. on Sun 1/24/2021, I woke up to bloody diarrhea x several episodes...this continued until Wed 27th, at which time my son (a 4th year graduating MD student) drove me to hospital and I was seen in ER room by MD. I was admitted, and had emergency surgery 1/27/2021 straight from Er Room. I had life saving surgery the next day to stop a lower GI bleed (of unknown origin). I was discharged 3 days later, and I am awaiting more testes, appts, etc.... I have lost time, money, and work from this near death experience... and the tachycardia still needs to be followed up on . I am EXTREMELY upset by these events, as I almost died....was hospitalized, incurred a lot of expense, used up all my sick pay and personal days, and out-of -pocket to my healthcare insurer.

VAERS ID: 996927 (history) Form: Version 2.0

Age: 73.0 Sex: **Female** New York Location:

Vaccinated: 2021-01-03 2021-01-10 Onset:

Days after vaccination: 7

Submitted: 0000-00-00 **Entered:** 2021-02-03

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / 1	- / OT

Administered by: Senior Living Purchased by: ?

Symptoms: Apparent life threatening event, Dyspnoea, Endotracheal intubation, Fatigue, Multiple organ dysfunction syndrome, Rheumatoid arthritis, SARS-CoV-2 test

SMQs:, Anaphylactic reaction (broad), Angioedema (broad), Shock-associated circulatory or cardiac conditions (excl torsade de pointes) (broad), Torsade de pointes, shock-associated conditions (broad), Hypovolaemic shock conditions (broad), Toxic-septic shock conditions (broad), Anaphylactic/anaphylactoid shock conditions (broad), Hypoglycaemic and neurogenic shock conditions (broad), Acute central respiratory depression (narrow), Pulmonary hypertension (broad), Cardiomyopathy (broad), Neonatal disorders (broad), Arthritis (narrow), Respiratory failure (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Sepsis (broad), Immune-mediated/autoimmune disorders (narrow), COVID-19 (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, ? days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: APIXABAN; VITAMIN C [BIOFLAVONOIDS NOS;CALCIUM ASCORBATE;HESPERIDIN;RUTOSIDE;SODIUM ASCORBATE;ZINC AMINO ACID; B-12; LASIX [FUROSEMIDE]; SIMETHICONE; TRAMADOL; VANCOMYCIN; PROTONIX [OMEPRAZOLE]; AMLODIPINE; MULTIVITAMIN [VITAMINS NOS]; THI

Current Illness:

Preexisting Conditions: Medical History/Concurrent Conditions: Alcohol use; Anxiety; Asthma; Clostridium difficile infection; Diverticulitis; Hypertension; Iron deficiency anemia; Penicillin allergy

Allergies:

Diagnostic Lab Data: Test Date: 202101; Test Name: Covid; Result Unstructured Data: Test

Result:Unknown

CDC Split Type: USPFIZER INC2021083833

Write-up: O2 sat 70% on RA; 7 days after getting vaccine patient developed shortness of breath and fatigue, O2 sat 70% on RA, now intubated and in multiorgan failure; 7 days after getting vaccine patient developed shortness of breath and fatigue, O2 sat 70% on RA, now intubated and in multiorgan failure; 7 days after getting vaccine patient developed shortness of breath and fatigue, O2 sat 70% on RA, now intubated and in multiorgan failure; 7 days after getting vaccine patient developed shortness of breath and fatigue, O2 sat 70% on RA, now intubated and in multiorgan failure; This is a spontaneous report from a contactable physician. A 73-year-old female patient received the 1st dose of bnt162b2 (BNT162B2) at single dose intramuscular on 03Jan2021 for Covid-19 immunisation, administered at nursing home/senior living facility. Medical history included alcohol use, diverticulitis, iron deficiency anaemia (IDA), asthma, hypertension, anxiety, recent C. diff infection, allergies to penicillin. She was not pregnant. The patient had not experienced Covid-19 prior vaccination. Concomitant

medication included apixaban (APIXABAN), bioflavonoids nos, calcium ascorbate, hesperidin, rutoside, sodium ascorbate, zinc amino acid chelate (VITAMIN C [BIOFLAVONOIDS NOS;CALCIUM ASCORBATE;HESPERIDIN;RUTOSIDE;SODIUM ASCORBATE;ZINC AMINO ACID CHELATE]), cyanocobalamin (B-12), furosemide (LASIX), simethicone (manufacturer unknown), tramadol (manufacturer unknown), vancomycin (manufacturer unknown) oral, omeprazole (PROTONIX), amlodipine (manufacturer unknown), vitamins nos (MULTIVITAMIN), thiamine (manufacturer unknown), aripiprazole (ABILIFY), atorvastatin calcium (LIPITOR), clonazepam (KLONOPIN), folic acid (manufacturer unknown), sertraline hydrochloride (ZOLOFT). The patient had not received any other vaccines within 4 weeks prior to the BNT162B2 vaccine. On 10Jan2021, 7 days after getting vaccine, the patient developed shortness of breath and fatigue, rheumatoid arthritis, O2 sat 70% on RA, now intubated and in multiorgan failure. The events resulted in Emergency room/department or urgent care, hospitalization, life threatening illness for immediate risk of death from the event. The patient was hospitalized for the events for 18 days. Patient received treatment with corticosteroids, antibiotics, antifungals, dialysis, mechanical ventilation, inhaled Epoprostinol. The patient underwent lab tests and procedures which included SARS-CoV-2 test: unknown in Jan2021. Pre / post vaccination, the patient has been tested for COVID-19 with unknown result. The with outcome of events was not recovered.; Sender"s Comments: Based on the temporal gap between the vaccination and the event onset, the Company considered that there was not a reasonable possibility that the events were related to suspect vaccine BNT162B2. The patient"s advanced age, underlying medical conditions and multiple concomitant medications could be contributory to the events. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

VAERS ID: 996956 (history)
Form: Version 2.0

Age: 90.0 Sex: Female

Location: Pennsylvania

Vaccinated: 2021-01-27 **Onset:** 2021-01-30

Days after vaccination: 3

Submitted: 0000-00-00 **Entered:** 2021-02-03

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	030L20A / 7+	- / IM

Administered by: Private Purchased by: ?

Symptoms: <u>Atrial fibrillation, Cerebrovascular accident, Heart rate irregular, Neurological symptom</u>

SMQs:, Supraventricular tachyarrhythmias (narrow), Ischaemic central nervous system vascular conditions (narrow), Haemorrhagic central nervous system vascular conditions (narrow), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), Cardiac arrhythmia terms, nonspecific (narrow)

Life Threatening? Yes Birth Defect? No

Died? No

Permanent Disability? Yes

Recovered? No

Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? Yes, ? days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Current Illness: NONE

Preexisting Conditions: TIAX2, HTN, DM

Allergies:

Diagnostic Lab Data: Unknown

CDC Split Type:

Write-up: Positive Covid case investigation with the PA DOH. Spoke with case"s daughter. States her mother recieved vaccine at clinic on 01/27/21. Had no complaints of illness or exposure to a positive case prior to vaccine. Daughter states she"s independent and stays alone at night. Felt fine the day and the day after of the vaccine. Per daughter, case"s last known well time was Friday 1/29/21 at 730pm. Daughter states they found her Saturday morning with stroke like symptoms and was admitted to Hospital step down unit. She was also informed by the doctor that her heart was irregular with atrial fibrillation.

VAERS ID: 997584 (history)
Form: Version 2.0

Age: 98.0
Sex: Male
Location: Texas

 Vaccinated:
 2021-01-27

 Onset:
 2021-01-28

Davs after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-02-03

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	-/2	- / IM

Administered by: Senior Living Purchased by: ?

Symptoms: <u>Aortic aneurysm</u>, <u>Cerebrovascular accident</u>, <u>Fall</u>, <u>Fatigue</u>, <u>Headache</u>, <u>Pain</u>, Vomiting

SMQs:, Acute pancreatitis (broad), Ischaemic central nervous system vascular conditions (narrow), Haemorrhagic central nervous system vascular conditions (narrow), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), Accidents and injuries (narrow), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow)

Life Threatening? Yes Birth Defect? No Died? No **Permanent Disability?** No

Recovered? No.

Office Visit? No.

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? Yes. ? days

Extended hospital stay? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions:

Allergies:

Diagnostic Lab Data:

CDC Split Type:

Write-up: STROKE, ABDOMINAL ANEURYSM, FATIGUE, VOMITING, FALL, HEADACHE,

BODY ACHE

VAERS ID: 997911 (history)

Form: Version 2.0 74.0

Age: Sex: Male

Location: Unknown

Vaccinated: 2021-02-01 Onset: 2021-02-01

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-02-03

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	- / 1	- / IM

Administered by: Other **Purchased by: ?**

Symptoms: Depressed level of consciousness, Hyperhidrosis, Loss of consciousness,

Nausea

SMQs:, Torsade de pointes/QT prolongation (broad), Acute pancreatitis (broad), Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Hypotonic-hyporesponsive episode (broad), Generalised convulsive seizures following immunisation (broad), Hypoglycaemia (broad)

Life Threatening? Yes Birth Defect? No Died? No. **Permanent Disability?** No Recovered? No Office Visit? Yes ER Visit? No ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:
Other Medications:
Current Illness:
Preexisting Conditions:
Allergies:
Diagnostic Lab Data:
CDC Split Type:

Write-up: Narrative: Patient received Moderna COVID-19 vaccine via drive thru clinic. The patient was in his vehicle with his wife, when he became diaphoretic and passed out for a couple minutes. Rapid response was called. Patient was removed from the vehicle. He was becoming obtunded and was placed on the pavement. 911 was called. He was given EpiPen at 10:41. His vital signs at 1042 were: saturation 98% on room air, pulse 59, blood pressure 138/80. Patient received Solu-Medrol 125 mg IM a couple of minutes after EpiPen. After the EpiPen the patient became more alert, denied shortness of breath or wheezing, he was nauseated without vomiting. His saturation at that point dropped to 88% on room air, he was started on oxygen with nonrebreather mask. Rescue truck arrived at approximately 1047, and the patient was taken to emergency room. Discharged same day.

VAERS ID: 997967 (history)
Form: Version 2.0

Age: 45.0 Sex: Female

Location: Pennsylvania

 Vaccinated:
 2021-01-29

 Onset:
 2021-01-29

Days after vaccination: 0

Submitted: 0000-00-00 **Entered:** 2021-02-03

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	029L20A / 2	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Activated partial thromboplastin time normal, Back pain, Brain natriuretic peptide normal, Chest X-ray normal, Chest discomfort, Computerised tomogram thorax, Electrocardiogram normal, Fatigue, Full blood count normal, International normalised ratio normal, Metabolic function test, Metabolic function test normal, Prothrombin level normal, Throat tightness, Troponin normal, Wheelchair user

SMQs:, Anaphylactic reaction (broad), Angioedema (broad), Retroperitoneal fibrosis (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Hypersensitivity (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? No

Previous Vaccinations:

Other Medications: singulair, propanolol, clonazepam PRN, Topamax, prazosin, duloxetine,

Trazodone, Omeprazole

Current Illness: Appendectomy

Preexisting Conditions: Fibromyalgia, Endometriosis, Anxiety, adjustment disorder, MDD,

PTSD,

Allergies: Ciprofloxacin, Clarithromycin, Doxycycline, Metoclopramide, Additional allergies: Oycodone, Pregabalin, Tetracyclines, Gabapentin, Levoflozacin, Pravastatin, Bactrim,

Baclofen, Dicloxacillin,

Diagnostic Lab Data: CBC w/ diff, CMP, APTT, PT/INR, BNP, Troponin, ECG, CXR, CT of

chest r/o Pulmonary Embolism- No significant findings on all test.

CDC Split Type:

Write-up: Pt. presented for her second dose of Covid vaccine and denied having reaction to her first dose. Pt. was vaccinated at 7:22 am and was checked on at 7:45 am, when she indicated a tightness in her chest and throat. First response was called and at 7:48 Benadryl 25mg IM was given and at 7:50 a dose of epi 0.3 sq was provided and pt. was transferred to the ED by Wheelchair. Presented in ED essentially asymptomatic by time she arrived to ED per ED physician. She was given 10 mg Dexamethasone 10 mg IV, Benadryl 50 mg IV, Famotidine 20 Mg IV in the ED. Pt. discharged from ED at 10:42 am the same day. After discharge on 1/29/2021, the patient continued to have symptoms. On 2/2/21 12:44 pm called Covid Medical Command c/o 8/10 mid sternal CP radiating to her back. Also complaining of chest heaviness, advised by Dr. to seek care at the ED. Pt. arrived at the ED at 13:02 and was being worked up for chest pain worsening when taking deep breaths. The pain started yesterday and was worsened at work. Also c/o felling fatigue and chills. Pt. given keteolorac 30mg and Lidocaine patch. Additional pain medication of morphine was given. Worked up for PE with CT of chest. R/O ACS in the ED. CP was found to be reproducible and she was diagnosed with chest wall pain. Still has chest discomfort 2/3/21, but feels able to return to work.

VAERS ID: 997973 (history)
Form: Version 2.0

Age: 73.0
Sex: Female
Location: California

Vaccinated: 2021-01-29 **Onset:** 2021-01-30

Days after vaccination: 1

Submitted: 0000-00-00 **Entered:** 2021-02-03

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	029L20A / 1	LA / IM

Administered by: Private **Purchased by:** ?

Symptoms: Activated partial thromboplastin time, Acute myocardial infarction, Asthenia, Blood creatine phosphokinase MB, Blood lactic acid, Blood thyroid stimulating hormone, Cardiac failure acute, Cardiac failure congestive, Chest pain, Congestive cardiomyopathy, Decreased appetite, Diarrhoea, Dyspnoea, Dyspnoea exertional, Echocardiogram, Electrocardiogram, Full blood count, Glycosylated haemoglobin, Lipids, Metabolic function test, N-terminal prohormone brain natriuretic peptide, Nausea, Procalcitonin, Prothrombin time, SARS-CoV-2 test, Stress cardiomyopathy, Troponin T, Vomiting

SMQs:, Cardiac failure (narrow), Anaphylactic reaction (broad), Acute pancreatitis (broad), Myocardial infarction (narrow), Pseudomembranous colitis (broad), Embolic and thrombotic events, arterial (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (narrow), Other ischaemic heart disease (narrow), Noninfectious diarrhoea (narrow), COVID-19 (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, ? days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: Aspirin 81 mg daily Diltiazem 240 mg daily Hydroxychloroquine 400 mg

Pravastatin 10 mg daily Pepcid 40 mg daily

Current Illness: None

Preexisting Conditions: Stage 4 CKD Hepatocellular carcinoma without metastases s/p

resection Seronegative RA Viral pericarditis in 2018 HTN GERD Asthma

Allergies: Augmentin (anaphylaxis) Penicillin G (anaphylaxis) Hydrochlorothiazide (rash) Cimetidine (hives) Bactrim (hives) Nitrofurantoin Sulfanomides (hives) Amlodipine (swelling) **Diagnostic Lab Data:** 2/1/21: EKG 12 lead Transthoracic echo complete 2-D w/ color and doppler CBC with differential CMP Lipid panel Hemoglobin A1c Troponin T CKMB Pro-BNP Prothrombin Time Partial Thromboplastin Time Procalcitonin Lactate TSH SARS-CoV2 screen

CDC Split Type:

Write-up: Received vaccine at 1100 on 1/29/21. No symptoms noted during 30 minute post-vaccine observation period. Symptom onset at 0300 on 1/30/21 (16 hours after vaccine administration). Symptoms included chest pain, dyspnea on exertion, weakness, nausea/vomiting, decreased appetite, and diarrhea. Patient presented to Medical Center Emergency Department around 1130 on 2/1/21. Found to have NSTEMI 2/2 Takotsubo"s cardiomyopathy with acute congestive heart failure. (of note, coronary angiography in 11/20 showed no coronary artery disease). Patient has never had a reaction to a vaccine or component despite receiving many vaccines due to extensive travel history.

VAERS ID: 998224 (history)
Form: Version 2.0

Age: 28.0
Sex: Female
Location: Illinois

Vaccinated: 2021-01-25 **Onset:** 2021-01-25

Days after vaccination: 0

 Submitted:
 0000-00-00

 Entered:
 2021-02-03

Vaccination / ManufacturerLot / DoseSite / RouteCOVID19: COVID19 (COVID19 (MODERNA)) / MODERNA038K20A / 1RA / IM

Administered by: Private Purchased by: ?

Symptoms: Abdominal pain upper, Anaphylactic reaction, Asthma, Chest discomfort, Chills, Cough, Diarrhoea, Dizziness, Dyspnoea, Feeling abnormal, Headache, Malaise, Nausea, Pyrexia, Throat tightness, Toothache, Vomiting

SMQs:, Anaphylactic reaction (narrow), Acute pancreatitis (broad), Angioedema (broad), Asthma/bronchospasm (narrow), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Anaphylactic/anaphylactoid shock conditions (narrow), Dementia (broad), Pseudomembranous colitis (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (narrow), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Vestibular disorders (broad), Hypersensitivity (narrow), Noninfectious diarrhoea (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? No

Previous Vaccinations:

Other Medications: synthroid vitamin D claritin iron supplement montelukast clindamiacin

topical lexapro prazosin lamictal

Current Illness: none

Preexisting Conditions: mast cell activation syndrome oral allergy syndrome Hashimoto"s

thyroiditis hydradenitis supperativa psoriasis/ eczema depression/anxiety

Allergies: Food: banana, kiwi, avocado, strawberry, sesame, hazelnut, macadamia nuts,

Drugs: biaxin

Diagnostic Lab Data: CDC Split Type:

Write-up: Anaphylaxis. Epi Pen given and ambulance called. Given anaphylaxis cocktail in ER. 2:30pm: Vaccine administered 3:30pm: Headache & teeth ache which continued 7:00pm asthmatic cough which continued throughout 11:00pm fever and chills 9:00am felt generally very ill--stomach pain (more anaphylactic type pain) 10:00am nausea, severe stomach pain, diarreaha, vomiting, lungs very tight, continued coughing 11:00am excruciating stomach pain (stomach on fire) Throat felt "thick", feeling faint, brain fog, dizzy (These are my typical anaphylactic reactions) Epi pen administered & ambulance called Anaphylaxis symptoms returned in ER. The pain was the worst since my bowel obstructions several years ago.

VAERS ID: 998598 (history)
Form: Version 2.0

Age: 98.0
Sex: Female
Location: Unknown

Vaccinated: 2021-01-06 Onset: 2021-01-26

Days after vaccination: 20

Submitted: 0000-00-00 **Entered:** 2021-02-03

Vaccination / Manufacturer Lot / Dose | Site / Route COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA 012L20A / 1 UN / IM

Administered by: Senior Living Purchased by: ?

Symptoms: Chest X-ray, Computerised tomogram head, Computerised tomogram spine, Fall, General physical health deterioration, Head injury, Hypotension, Loss of consciousness, Tachycardia, X-ray of pelvis and hip

SMQs:. Torsade de pointes/QT prolongation (broad), Anaphylactic reaction (broad). Hyperglycaemia/new onset diabetes mellitus (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Accidents and injuries (narrow), Hypotonichyporesponsive episode (broad), Generalised convulsive seizures following immunisation (broad), Hypoglycaemia (broad), Dehydration (broad), Hypokalaemia (broad)

Life Threatening? Yes Birth Defect? No Died? No **Permanent Disability?** No Recovered? Yes Office Visit? Yes ER Visit? No ER or Doctor Visit? Yes Hospitalized? No

Previous Vaccinations: previously had hives with tetanus vaccine

Other Medications: acetaminophen diclofenac gel docusate sodium melatonin polyethylene

alvcol tramadol

Current Illness: Resident fell and fractured her pelvis in the week prior to vaccination Preexisting Conditions: Alzheimer"s dementia hypothyroidism insomnia Osteoarthritis of

Allergies: amitriptyline codeine tetanus vaccine doxepin erythromycin **Diagnostic Lab Data:** CT brain CT cervical spine CXR xray pelvis

CDC Split Type:

Write-up: On 1/15/21, resident fell during the night while getting up without assistance and hit her head. She did not have any neurological impairment after fall and remained at facility to be monitored. 1/26/21, resident had sudden loss of consciousness with hypotension and tachycardia. This resolved slowly after resident was put in trendelenberg position. She has not had similar events in the past. She was sent to ED without a distinct underlying cause of the event identified, differential included cardiac arrhythmia, ? orthostatic hypotension, vasovagal syncope, stroke She had a similar event occur on 1/27 after she had returned to the facility from the ED. The family elected not to pursue further evaluation for second event and she was placed on hospice as she had been experiencing some gradual decline before these events occurred.

VAERS ID: 998616 (history)

Form: Version 2.0

Age: 51.0
Sex: Female
Location: California

Vaccinated: 2021-01-20 **Onset:** 2021-01-24

Days after vaccination: 4

 Submitted:
 0000-00-00

 Entered:
 2021-02-03

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL3246 / 1	UN / IM

Administered by: Senior Living Purchased by: ?

Symptoms: Alanine aminotransferase normal, Angiogram cerebral normal, Arteriogram carotid normal, Aspartate aminotransferase increased, Atelectasis, Base excess increased, Blood albumin normal, Blood bicarbonate decreased, Blood bilirubin decreased, Blood calcium decreased, Blood chloride increased, Blood creatinine increased, Blood glucose increased, Blood pH decreased, Blood phosphorus increased, Blood potassium increased, Blood potassium normal, Blood sodium decreased, Blood urea increased, Carbon dioxide decreased, Chest X-ray normal, Coma acidotic, Computerised tomogram abdomen, Computerised tomogram head normal, Computerised tomogram thorax abnormal, Drug screen negative, Ejection fraction normal, Electroencephalogram normal, Encephalopathy, Endotracheal intubation, Gaze palsy, Hypertension, Hypotension, International normalised ratio increased, Magnetic resonance imaging brain normal, Magnetic resonance imaging spinal, Overgrowth fungal, Oxygen saturation, Oxygen saturation normal, PCO2 decreased, Pain in extremity, Perfusion brain scan normal, Peripheral swelling, Protein total normal, Scan with contrast, Sputum culture positive, Staphylococcal sepsis, Tracheal aspirate culture, <u>Tracheal aspiration procedure, Troponin normal, Unresponsive to stimuli, Urine ketone body</u> present

SMQs:, Rhabdomyolysis/myopathy (broad), Acute renal failure (broad), Cardiac failure (broad), Liver related investigations, signs and symptoms (narrow), Liver-related coagulation and bleeding disturbances (narrow), Anaphylactic reaction (broad), Angioedema (broad), Asthma/bronchospasm (broad), Lactic acidosis (broad), Haemorrhage laboratory terms (broad), Hyperglycaemia/new onset diabetes mellitus (narrow), Neuroleptic malignant syndrome (broad), Retroperitoneal fibrosis (broad), Acute central respiratory depression (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (narrow), Noninfectious meningitis (broad), Extravasation events (injections, infusions and implants) (broad), Hyponatraemia/SIADH (narrow), Haemodynamic oedema, effusions and fluid overload (narrow), Hypertension (narrow), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Ocular motility disorders (narrow), Hypotonichyporesponsive episode (broad), Chronic kidney disease (broad), Tumour lysis syndrome (narrow), Tubulointerstitial diseases (broad), Respiratory failure (broad), Tendinopathies and ligament disorders (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypoglycaemia (broad), Infective pneumonia (broad), Dehydration (broad), Hypokalaemia (broad), Sepsis (narrow), Opportunistic infections (broad), Immune-mediated/autoimmune disorders (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No

Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, ? days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: Haloperidol, Risperidone, Sertraline, Benztropine, Gabapentin, Ferrous Sulfate, Lisinopril, Multivitamin, Omeprazole, Simvastatin

Current Illness: Visited urgent care on 1/21 with c/o 2 weeks of bilateral lower leg pain and swelling worsening in the last week. Positive for orthopnea, baseline = able to walk several blocks, during urgent care visit = can"t walk to the living room. CXR and BNP negative, left\$gright calf pain in size, ultrasound DVT bilateral negative. Sent home with OTC acetaminophen PRN, Diclofenac GEL PRN pain.

Preexisting Conditions: schizophrenia, major depression with psychotic features, intellectual disability, HTN, GERD

Allergies: Amoxicillin, Penicillins

Diagnostic Lab Data: 1/25/2021 - Volatile screen - positive for acetone, negative for ethylene glycol and polyethylene glycol 1/25 0100 am- Na 135, K 5.2, CL 104, CO2 <5, BUN 24, Scr 1.44, Glucose 106, Ca 8.2, Albumin 3.8, AST 92, ALT 60, AlkPHos 120, Total bili 0.28, troponin 0.02-- \$g0.02-- \$g0.01, INR 1.34 1/25 05:15 am- Na 142, K 4.2, CL 108, CO2 <5, BUN 25, Scr 1.27, Glucose 109, Ca 7.1, Phos 5.9 1/25/2021 0106 am blood gas arterial - O2 40, pH 6.98, pCO2 17, pO2 186, BE -20, Bicarbonate 4, O2 sat 99 1/25/2021 0440 am blood gas arterial - O2 30, pH 7.17, pCO2 18, pO2 160, BE -22, Bicarbonate 7, O2 sat 99 1/25/2021 - Urine drug screen - negative, Blood Tox - negative methadone 1/25/2021 - sputum culture methicillin-sensitive staph aureus 1/25/2021 - EEG study - no subclinical seizure activity 1/26/2021 - endotracheal aspirate culture - light growth yeast, scant growth normal resp flora 1/25/2021 - CT abdomen Pelvis without contrast Chest X-Ray - no acute cardiopulmonary disease CT Angio Head/Neck without contrast - unremarkable CT Chest without contrast likely mild atelectasis in the posterior portions of the lungs, no acute pulm consolidations/pleural effusions CT Head Perfusion with contrast - no evidence of ischemia or infarction CT Head without for stroke - no acute intracranial hemorrhage, midline shift or mass effect 1/27/2021 MRI Brain with and without contrast - no evidence of acute intracranial infarction 1/30/2021 MRI Cervical Spine without contrast 2/1/2021 Echo = 70% EF **CDC Split Type:**

Write-up: **Pfizer-BioNTech COVID-19 Vaccine EUA** 1/25/2021 - was found unresponsive with left upward gaze deviation at midnight and admitted to hospital (last seen normal around 7 pm 1/24/2021). Intubated in ED, ABG 6.98/17/186 on 40%, Bicarb <5, Scr 1.4, Lactate 1, Wbc 20.3, BP 101/45-- \$g95/41, Temp 94.3, RR 23-32. Acidotic and initially required norepineprine for hypotension management (stopped 1/26/2021 0400 am) 1/26 to 2/1/2021 - supportive care for encephalopathy (anoxic vs. ischemic brain injury), ARF, HTN, MSSA growth in resp culture (no respiratory distress, on antibiotic) 1/28 GCS:E4VTM4; 1/29 GCS: EV4VTM4 with intact protective reflexes, extubated 2 pm 2/1 arousable, follows very simple commands, non verbal

VAERS ID: 998639 (history)
Form: Version 2.0

Age: 58.0 Sex: Male

Location: New Hampshire

Vaccinated: 2021-01-08 **Onset:** 2021-01-21

Days after vaccination: 13

Submitted: 0000-00-00 **Entered:** 2021-02-03

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EL3248 / 1	RA / IM

Administered by: Senior Living Purchased by: ?

Symptoms: Body temperature increased, Cardiomegaly, Chest X-ray abnormal, Dyspnoea, Fibrin D dimer increased, Full blood count, Laboratory test, Lung infiltration, Metabolic function test, Oxygen saturation decreased, Respiratory rate increased, Wheezing, White blood cell count increased

SMQs:, Cardiac failure (broad), Anaphylactic reaction (broad), Angioedema (broad), Asthma/bronchospasm (broad), Haemorrhage laboratory terms (broad), Interstitial lung disease (narrow), Neuroleptic malignant syndrome (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Hypersensitivity (broad), Respiratory failure (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (narrow), Infective pneumonia (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? No
Hospitalized? Yes, 13 days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: cefTRIAXone Sodium Solution Folic Acid Tablet Mag-Oxide Tablet (Magnesium Oxide) Senna Tablet 8.6 MG (Sennosides) Vitamin D3 Tablet (Cholecalciferol) Lactulose Solution 10 GM/15ML metFORMIN HCI Tablet Metoprolol Tartrate Tablet

Current Illness: Elevated WBC

Preexisting Conditions: NSTEMI Myocardial infarct, Type 2 DM, HTN, CKD STAGE 3, ATHEROSCLEROTIC HEART DISEASE of native coronary artery, unspecified CHF

Allergies: NKA

Diagnostic Lab Data: 1/19/2021-CXR ,CBC, BMP, D-DIMER. WBC 13.54, 12.8/38.5, D-Dimer 0.96. CXR result- patchy infiltrates right midlung field and left lower lung field, findings worse than prior study, cardiomegaly. 1/20/2021- CBC, BMP D-DIMER. 1/20- Sent to ER **CDC Split Type:**

Write-up: Wheezing, Decrease in O2 saturation, Increase in RR, SOB, Temp of 99.3. Hospitalized.

VAERS ID: 998670 (history)
Form: Version 2.0

Age: 87.0

Sex: Female Location: Oregon

Vaccinated: 2021-01-27 **Onset:** 2021-02-03

Days after vaccination: 7

Submitted: 0000-00-00 **Entered:** 2021-02-03

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / 1	RA / IM

Administered by: Senior Living Purchased by: ?

Symptoms: Cardiac failure, Dyspnoea, Intensive care, Oxygen saturation decreased, Wheezing

SMQs:, Cardiac failure (narrow), Anaphylactic reaction (broad), Angioedema (broad), Asthma/bronchospasm (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Hypersensitivity (broad), Respiratory failure (broad), Infective pneumonia (broad)

Life Threatening? Yes **Birth Defect?** No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, ? days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Xanax, amlodipine, multivitamin, olmesartan, preservision, questran,

B12, Vit D

Current Illness: none

Preexisting Conditions: diarrhea, hypertension, anxiety, insomnia, nonrheumatic aortic valve stenosis, osteoporosis, hx colon cancer surgically removed, urinary retention, macular degeneration

Allergies: Atenolol, Carbamazepine, Cefdinir, Diclofenac, Hydrochlorothiazide, Levofloxacin,

Lovastatin, Nitrofurantoin, Paroxetine, Pravastatin, Sulfa Antibiotics, Beta-Blockers

Diagnostic Lab Data: None available

CDC Split Type:

Write-up: At 2am on 2/3/21 resident began having trouble breathing. She had an audible wheeze and gurgling and critically low O2 sats. She has no history of breathing issues. She did not have any issues earlier that day. She was sent to the ER and admitted to the ICU for possible heart failure.

VAERS ID: 998774 (history)
Form: Version 2.0

Age: 68.0

Sex: Male Location: Texas

Vaccinated: 2021-01-15 **Onset:** 2021-01-24

Days after vaccination: 9

 Submitted:
 0000-00-00

 Entered:
 2021-02-03

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	041L20A / 1	AR / IM

Administered by: Unknown Purchased by: ?

Symptoms: Blood thyroid stimulating hormone, Body fluid analysis, Brain natriuretic peptide, C-reactive protein, Chest X-ray, Chest discomfort, Chest pain, Chills, Differential white blood cell count, Echocardiogram, Electrocardiogram, Full blood count, Lymphadenopathy, Metabolic function test, Pain, Painful respiration, Pericardial drainage, Pericardial drainage test, Pericardial effusion, Pericarditis, Pyrexia, SARS-CoV-2 test, Troponin, Urine analysis SMQs:, Anaphylactic reaction (broad), Neuroleptic malignant syndrome (broad), Systemic lupus erythematosus (broad), Anticholinergic syndrome (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Haemodynamic oedema, effusions and fluid overload (narrow), Cardiomyopathy (broad), Chronic kidney disease (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (narrow), Immune-mediated/autoimmune disorders (broad), COVID-19 (broad)

Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? Yes
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 3 days
Extended hospital stay? No

Previous Vaccinations:

Other Medications: Tylenol 650 mg q 6 hours as needed Aspirin 81 mg daily Clonazepam 1 mg as needed Colchicine 0.6 mg daily Famotidine 20 mg daily as needed Metoprolol tartrate 100 mg every 12 hours Omeprazole 20 mg daily as needed

Current Illness: None

Preexisting Conditions: Hypertension GERD Anxiety Recurrent syncopal episodes in the past New onset atrial fibrillation at time of adverse event

Allergies: No known drug allergies

Diagnostic Lab Data: Cardiac Echocardiogram (1/25/21) Pericardiocentesis (1/25/21) Complete blood count with differential (1/24/21) Complete metabolic panel (1/24/21) Troponin x 2 (1/24/21) B-Type Natriuretic Peptide (1/24/21) Covid Swab (1/24/21) Urinalysis (1/24/21) C reactive protein (1/24/21) Pericardial fluid analysis (1/25/21) Thyroid stimulating hormone (1/25/21) Electrocardiogram (1/24/21) Chest X ray (1/24/21)

CDC Split Type:

Write-up: Pericarditis with pericardial effusion. Treatment: Pericardiocentesis, Colchicine, Aspirin, Ibuprofen, Omeprazole Symptoms began (syncopal episode, retrosternal chest heaviness and aching worse with inspiration, fever, chills, lymphadenopathy for a for 9 days following vaccination) Outcome: Patient discharged home after 3 day hospitalization.

Result pages: 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 **next**

New Search

Link To This Search Result:

https://www.medalerts.org/vaersdb/findfield.php?

TABLE=ON&GROUP1=AGE&EVENTS=ON&PERPAGE=500&VAX=COVID19&VAXTYPES=COVID-19&L_THREAT=Yes

Copyright © 2021 **National Vaccine Information Center.** All rights reserved. 21525 Ridgetop Circle, Suite 100, Sterling, VA 20166